



## Professional Turf™ Products

## **FEATURES & USE TIPS:**

- For use on turf requiring extra nitrogen for a quick green up.
- Contains polymer-coated, sulfur-coated urea particles.
- Not for use on tees, greens or other low-cut turf.
- SGN 215

### **PRODUCT SPECIFICATIONS:**

N (33%): 1.17% Ammoniacal nitrogen

 $P - as P_2O_5$  (3%): Ammonium phosphate

K - as (K<sub>2</sub>O) (6%): Potassium chloride

CI (Not more

than 5.0%): Potassium chloride

# PRODUCT CODE: APT33150

Date: 031703 Supersedes: 000000

## PRODUCT CHARACTERISTICS:

**Product Type:**Fertilizer

Nitrogen Type: NS-52™

Particle Size: SGN: 215

Net Weight: 50 lbs.

**Coverage:** 16,600 sq. ft

The Andersons logo, Professional Turf and NS-52 are trademarks of The Andersons Agriservices, Inc.

To order, contact your local Andersons Golf Products distributor.

For more information, contact Andersons at our website: www.andersonsgolfproducts.com or call 1-800-225-2639.



#### **GUARANTEED ANALYSIS:**

0.07.11.11.1222 7.11.11.21.0101	
Total Nitrogen (N)	33.00%
1.17% Ammoniacal Nitrogen	
31.83% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	3.00%
Soluble Potash (K <sub>2</sub> O)	6.00%
Sulfur (S)	6.69%
6.69% Free Sulfur (S)	
Plant nutrients derived from ammonium phosphate, urea, m	uriate of
potash and sulfur coated urea.	
Chlorine (CI) Max	F292
*16.50% Slowly available nitrogen from polymer coated sulf	
urea	

#### **DIRECTIONS FOR USE**

Apply only as directed during the growing season.

#### **APPLICATION RATES:**

Medium: 3.00 lbs./1,000 sq. ft.

#### For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

#### Cool Season Grasses:

• Apply at the MEDIUM RATE.

#### Warm Season Grasses:

Apply at the MEDIUM RATE.

#### STORAGE AND USE

Store in a clean, dry place.

Reseal opened bag by folding top down and securing.

Use only clean, dry spreaders.

Do not leave unused product in spreaders.

#### **IMPORTANT: READ BEFORE USE:**

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### **LEGAL RIGHTS:**

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

## Suggested Spreader Settings

These suggested settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

50 lbs. feeds 16,600 sq. ft. (0.38 acre) with 0.99 lbs. N/1,000 sq. ft. at the MEDIUM RATE

SPREADER SETTII		SPREADER SETTINGS	
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	MEDIUM RATE 3.33 lbs./1,000 sq. ft.
Andersons Rotaries: AccuPro/SR-2000 (Cone 3)	3 mph	12 feet	
Andersons SS-2 3 mph	overlap wheels		
Scotts Rotaries: R-8, R-8A (Cone 2)	3 mph	13 feet	L 1/2
Lely Models WTR, WFR, HR, 1250. (PTO at 450 rpm)	4.5 mph	54 feet	5 1/2 II-A
Vicon (03 Series-Standard Spout)	4.5 mph	42 feet	34

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

### **APT33150**

Product of USA Manufactured by:

The Andersons Lawn Fertilizer Division, Inc. P. O. Box 119, Maumee, OH 43537 1-800-225-2639

Visit us on the web at: www.andersonsinc.com