

# Turf Fertilizer 36-0-0 with Ronstar® Herbicide



## FEATURES & USE TIPS:

- Provides preemergent control or suppression of the following annual weeds: goosegrass, crabgrass, Carpetgrass, barnyardgrass, *Poa annua*, and foxtail.
- Provides preemergent control or suppression of broadleaf weeds such as Oxalis, Petty Spurge, Common Groundsel and others as listed.
- Ureaform maximizes slow release nitrogen for extended feeding.
- Uniformly sized granules minimize particle segregation, which contributes to more accurate distribution and better results.

## PRODUCT SPECIFICATIONS:

**N (36%):**      4.27% Urea Nitrogen  
                        6.53% Other Water Soluble Nitrogen\*  
                        25.20% Water Insoluble Nitrogen  
                        \*6.53% slowly available nitrogen from urea-form

**Active Ingredient:** 1.38% Oxadiazon

*Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.*

## PRODUCT CODE:

**AGC36R50**

Date: 100307

Supersedes: 080105

Label: I7

## PRODUCT CHARACTERISTICS:

### **Product Type:**

Combination fertilizer  
& Ronstar® Herbicide

### **Nitrogen Type:**

Ureaform

### **Particle Size:**

SGN: 125

### **Net Weight:**

50 lbs.

### **Coverage:**

10,000 sq. ft. @  
High Rate

Ronstar® is a registered trademark of Aventis Corp.;  
Andersons Golf Products® is a registered trademark of The Andersons, Inc.

*To order, contact your local  
Andersons Golf Products  
distributor.*

*For more information, contact  
Andersons at our website:  
[www.andersonsgolfproducts.com](http://www.andersonsgolfproducts.com)  
or call 1-800-225-2639*

## GUARANTEED ANALYSIS

Total Nitrogen (N) .....  
4.2% Urea Nitrogen  
25.20% Water Insoluble Nitrogen  
6.33% Other Water Soluble Nitrogen\*

Plant nutrients derived from ureaform.

\*6.53% Slowly available nitrogen from ureaform.

# Turf Fertilizer 36-0-0

## with RONSTAR® Herbicide

**For Sale to, Use and Storage by Professional Turf Maintenance Personnel only.**

**Not for sale to or use by homeowners/consumers.**

- Contains Ronstar® herbicide, which provides preemergent control or suppression of crabgrass, Poa annua, goosegrass and foxtail during Bermudagrass sprouting.

## KEEP OUT OF REACH OF CHILDREN CAUTION

**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.**

**(If you do not understand this label, find someone to explain it to you in detail.)**

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** Causes moderate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for wastables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**  
**If in eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If swallowed** Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If inhaled** Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

**Environmental Hazards:** This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

- Tropic Lite® application must be made 0-12 days after sprouting. Do not use in areas where endangered Hawaiian Goose or nene (Branta sandvicensis), Hawaiian duck (*Anas wyvilliana*), Hawaiian Silverspoon (*Gallinula chloropus sandvicensis*) and Hawaiian Moorhen (*Gallinula chloropus sandvicensis*) may feed.
- For best results, water-in the product as soon as practical after application.

### ACTIVE INGREDIENT

### OTHER INGREDIENTS

Overall .....  
Total .....  
1.38%  
98.62%  
100.00%

\*Not currently registered in California

### PRECAUTIONS

- Do not allow domestic animals to graze treated areas. Avoid contamination of water intended for irrigation and domestic use.
- Avoid contact with flowers and shrubs.
- Do not apply to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment.

This product should not be used on putting greens or tees because of the varied cultural practices used.

Do not apply to Bentgrass turf mowed less than 3.8 inch.

Do not apply to wet turf as discoloration may occur.

For St. Augustinegrass and Bentgrass turf, do not exceed the rate of 175 lbs. per acre (2.1 pounds/acre). This is normally out-grown within 2-3 weeks.

On Seashore Paspalum wait 10-14 days after sprouting before application. An application made close to the time of sprouting may cause objectionable injury.

Do not apply to Dichondra or Certipede grass.

Do not apply more than 218 lbs. of product per acre (3.0 lbs. Al/acre) per single application.

This product may cause temporary discoloration of Bentgrass, Bermudagrass and St. Augustinegrass. This is normally out-grown within 2-3 weeks.

Distortion of the soil surface after application may disrupt the herbicide barrier and reduce effectiveness.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed storage and disposal. **PESTICIDE STORAGE:** Store in clean, dry place. Pestal opened bag by closing top down and securing. Keep container closed and away from food, feedstuffs, and domestic water supplies.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Region Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

### IMPORTANT: READ BEFORE USE

Read the entire directions for use and the Warranty Disclaimer and Limitation of liability before using this product. If items are not acceptable, return the unopened product contact a service center. To the extent consistent with applicable law, by using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

### WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:

Manufacturer warrants that its product conforms to the chemical characteristics on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law, Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES TO refund of purchase price or replacement of product at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION. (R/Wed07/305)

### SUGGESTED SPREADER SETTINGS

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.  
50 lbs. treats 16,600 sq. ft. (0.28 acre) at the 31 lbs. produce rate - LOW RATE (3 lbs/1,000 sq. ft.)  
50 lbs. treats 51,000 sq. ft. (0.35 acre) at the 146 lbs. produce rate - MEDIUM RATE (3.1 lbs/1,000 sq. ft.)  
50 lbs. treats 10,000 sq. ft. (0.23 acre) at the 218 lbs. produce rate - HIGH RATE (5.1 lbs/1,000 sq. ft.)

### SPREADER SETTINGS

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE	MEDIUM RATE	HIGH RATE
Andersons AccuPro 2000, SR-2000 (cone 6)	3 mph	10 feet	12 lbs./acre	20 lbs./acre	30 lbs./acre
Andersons AccuPro 1000	3 mph	10 feet	J 12	J 34	J 14
Scots 5-B-A (cone 6)	3 mph	10 feet	J 12	J 34	J 14
Andersons SS-2 Drop	3 mph	overlap wheels	J	J 14	J 34
Lely Models MTR, WFR, HFR (PTO a 450 rpm) Pattern 11-B	4.5 mph	34 feet	5	5 1/4	6
Vicon 03 Series	4.5 mph	30 feet	4 1/2	4 3/4	5 1/4

**IMPORTANT:** These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

**ATTENTION:** This product contains a chemical known to the State of California to cause cancer.

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
PO Box 119, Maumee, OH 43537  
www.andersonsgproducts.com

Andersons Gold Products is a registered trademark of The Andersons, Inc. Ronstar is a registered trademark of Bayer.

**SGN 125**

**Net Wt 50 Lbs (22.68 kg)**