

Golden Eagle™ Fungicide



FEATURES & USE TIPS:

- Provides systemic prevention and control of turfgrass diseases including benzimidazole-tolerant dollar spot.
- Utilizes proprietary patented DGPro™ dispersible carrier, which minimizes mower pickup and product visibility after application.
- Timing and rate of application flexibility.
- May be applied by drop or rotary spreader.

PRODUCT CODE:

AGC8583

Date: 062307
Supersedes: 011504
Label: A5

PRODUCT CHARACTERISTICS:

Product Type:

Fungicide

Particle Size:

SGN 100

Net Weight:

44 lbs. (19.96 kg)

Coverage:

11,000 sq. ft. @
medium rate

PRODUCT SPECIFICATIONS:

Active Ingredient: 0.39% Myclobutanil

Andersons Golf Products is a registered trademark of The Andersons, Inc.; Golden Eagle is a trademark of The Andersons, Inc.

*To order, contact your local
Andersons Golf Products
distributor.*

*For more information, contact
Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639*

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

Andersons Golf Product

Golden Eagle™

Fungicide

- Provides systemic prevention and control of turfgrass diseases including benzimidazole tolerant dollar spot
- Formulated on proprietary DG^{PRO} dispersible carrier

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ACTIVE INGREDIENT:

Myclobutanil..... 0.390%

OTHER INGREDIENTS:

..... 99.610%

TOTAL 100.000%

*CAS No. 88671-89-0
EPA Reg. No. 9198-207
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag.

The Andersons Golf Products logo is a trademark of The Andersons Agriservices,

Inc.
Product of U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on turfgrass areas consisting of Kentucky bluegrass, annual bluegrass, bentgrass, perennial ryegrass, fine fescue, zoysiagrass, tall fescue, bermudagrass, St. Augustinegrass, or mixtures where these grasses predominate.

TO PREVENT DOLLAR SPOT, ANTHRACNOSE, POWDERY MILDEW AND RUST (*Puccinia* spp.) apply to moist or dry foliage at the LOW RATE when environmental conditions favor disease activity. Repeat at two week intervals throughout the expected disease period.

TO CONTROL ACTIVE DOLLAR SPOT, ANTHRACNOSE, POWDERY MILDEW AND RUST (*Puccinia* spp.) apply to moist or dry foliage at two week intervals. Use the MEDIUM RATE for light to moderate disease infestations and the HIGH RATE for severe disease infestations. When the disease activity is under control, apply at the LOW RATE at two week intervals.

TO PREVENT BROWN PATCH apply to moist or dry foliage at the MEDIUM RATE when environmental conditions favor disease activity. Repeat the application at two week intervals throughout the expected disease period.

TO CONTROL ACTIVE BROWN PATCH apply to moist or dry foliage at the HIGH RATE every two weeks. When the disease activity is under control, apply at the MEDIUM RATE at two week intervals.

TO PREVENT NECROTIC RING SPOT AND SUMMER PATCH apply to moist or dry foliage at the HIGH RATE. Begin in the spring when conditions are favorable for disease development. Make 2-4 applications at monthly intervals. For best results water in after application.

Note Carefully

Do not apply more than 46.2 lbs./1,000 sq. ft. (2.88 oz. active ingredient/1,000 sq. ft./year).

For Nassau and Suffolk Counties in New York State, use is limited to 11.5 lbs. product/1,000 sq. ft./year (0.72 oz. active ingredient/1,000 sq. ft./year).

To avoid product pick-up, lightly irrigate treated areas soon after application.

On short cut bentgrass (1/2" or less) when temperatures are above 80°F, apply only to dry foliage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in clean, dry place. Reseal opened bag by folding top down and securing. Protect from water and extreme heat.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State

and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVno081403)

SUGGESTED SPREADER SETTINGS

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

44 lbs. treats 22,000 sq. ft. (1/2 acre) at the LOW RATE (0.125 oz. ai/1,000 sq. ft.)
44 lbs. treats 11,000 sq. ft. (1/4 acre) at the MEDIUM RATE (0.25 oz. ai/1,000 sq. ft.)
44 lbs. treats 5,500 sq. ft. (1/8 acre) at the HIGH RATE (0.5 oz. ai/1,000 sq. ft.)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			LOW RATE 2 lbs. per 1,000 sq. ft.	MEDIUM RATE 4 lbs. per 1,000 sq. ft.	HIGH RATE 8 lbs. per 1,000 sq. ft.
Andersons AccuPro 1000; AccuPro 2000, SR-2000 (cone 9)	3 mph	10 feet	I	K 1/2	N 1/2
Andersons SS-2 Drop	3 mph	overlap wheels	3 1/4	4 1/2	6 1/2
Scotts Rotaries: R-8, R-8A (cone 9)	3 mph	9 feet	H	J	M 1/2
Lely Models WTR, WFT, HR, 1250 (PTO at 450 rpm)	4.5 mph	30 feet	3 3/4 III-A	5 III-A	6 3/4 III-A
(con 03 series)	4.5 mph	16 feet	11	15	24

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.,
P.O. Box 119, Maumee, OH 43537

SGN 100

Net Weight 44 lbs. (19.96 kg)
Covers up to 22,000 Sq. Ft.

A5 (AGCBLKPBLU.1B)
AGC8583