

MATERIAL SAFETY DATA SHEET
MAVRIK AQUAFLOW® INSECTICIDE

Manufacturer: Wellmark International
Address: 1501 East Woodfield Road, Suite 200-West Schaumburg, IL 60173
Emergency Phone: 1-800-248-7763
Transportation Emergency Phone: CHEMTREC: 1-800-424-9300

1. CHEMICAL PRODUCT INFORMATION

Product Name: Mavrik Aquaflow® Insecticide
Chemical Name/Synonym: tau-Fluvalinate: {(RS)-a-cyano-3-phenoxybenzyl N-(2-chloro-a,a,a-trifluoro-p-tolyl)-D-valinate
Chemical Family: Synthetic pyrethroid
Formula: C₂₆ H₂₂ Cl F₃ N₂ O₃
EPA Registration No.: 2724-478
RF Number:

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
tau-Fluvalinate: {(RS)-a-cyano-3-phenoxybenzyl-N-(2-chloro-a,a,a,(trifluoro-p-tolyl)-D-valinate)	102851-06-9	22.3%	Not established
Inert ingredients (nonhazardous and/or trade secret):		77.7%	Not established
Ethylene glycol	107-21-1		OSHA, ACGIH (STEL) 50 ppm (vapor)

3. HAZARD INFORMATION

PRECAUTIONARY STATEMENTS
KEEP OUT OF THE REACH OF CHILDREN
HAZARDS TO HUMANS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. **Avoid breathing spray mist.** Certain persons may be sensitive to MAVRIK AQUAFLOW'S fine spray particles. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Sensitive individuals may experience an itching, burning or tingling sensation, with or without a rash following exposure. These symptoms will usually subside without requiring medical treatment. Avoid hand or sleeve-to-face contact.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Ingestion is unlikely due to physical state. Animal studies indicate a strong emetic response. Typical symptoms are likely to include salivation, nausea, vomiting and initial excitation followed by sedation. Irritation to skin. Sensitive individuals may temporarily experience an itching or burning sensation, with or without a rash, following exposure. Irritating to eyes.

7. HANDLING AND STORAGE

Handling: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Storage: Do not contaminate water or food by storage. Store away from direct sunlight or heat. Pesticides must be stored in a secured area away from other products, and food.

8. EXPOSURE CONTROL / PERSONAL MEASURES

Exposure Limits: Ethylene Glycol - OSHA and ACGIH short term exposure limit (STEL) 50 ppm (vapor).

Ventilation: Use with adequate ventilation.

Personal Protective Equipment: Applicators and handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves, shoes plus socks and dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Milky white liquid; distinctive odor.

Boiling Point: N/A.

Melting Point: N/A.

Vapor Pressure (mm Hg): N/A.

Vapor Density (Air = 1): N/A.

Specific Gravity: 1.12 (water=1).

Bulk Density: 9.3 lb/gal.

Solubility: Miscible in water.

Evaporation Rate: Not determined.

pH: 5 - 6.

10. STABILITY AND REACTIVITY

Stability: Stable.

Reactivity: Not reactive.

Incompatibility w/ Other Materials: Strong acids or bases.

Decomposition Products: None.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

CHRONIC TOXICITY [Specific to Active Ingredient(s)]

Rats received tau-fluvalinate via lavage. No oncogenic potential was shown. The NOEL was 1 mg/kg/day.

DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Specific to Active Ingredient(s)]

Rabbits were administered tau-fluvalinate during presumed gestation. Signs of maternal toxicity were anorexia, depression, and decreased body weights at 125 mg/kg/day. The NOEL was 25 mg/kg/day.

MUTAGENICITY [Specific to Active Ingredient(s)]

The weight of evidence suggests tau-fluvalinate is not a mutagen.

OTHER

In rats, oral administration of 60 mg/kg daily for 7 consecutive days resulted in histopathological evidence of neurotoxicity in the peripheral nervous system. However, the changes were not persistent and were no longer evident following 2 weeks without treatment.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE [Active Ingredients Only]

Hydrolysis: Not available.

Photolysis: Not available.

Soil half life: 14.9 days.

Water solubility: Readily disperses in water.

ECOTOXICITY [Active Ingredients Only]

Acute Toxicity: fish:LC50 (bluegill): 11 ug/L, (trout): 4.2 ug/L; aquatic invertebrates:LC50 (daphnia): 11 ug/L.

13. DISPOSAL CONSIDERATIONS

Wastes resulting from use of this product should be disposed of in accordance with all federal, state and local requirements. For additional regulatory information, see section 15 of this document.

14. TRANSPORT INFORMATION

DOT49CFR Description: Not applicable.

Freight Classification: Insecticides NOI other than poison NMFC item 102120, Class 60.

15. REGULATORY INFORMATION

CERCLA (Superfund): Not regulated.

RCRA: Not regulated as hazardous.

SARA 311/312 HAZARD CATEGORIES

Immediate Health: Yes (irritation, possible sensitization).

Delayed Health: No.

Fire: No.

Sudden Pressure: No.

Reactivity: No.

The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.