## SAFETY DATA SHEET

| KALO                   | SDS Revision Date: 06/11/2015   | SAFETY DATA SHEET  |  |  |  |  |
|------------------------|---|--|--|--|--|--|
| ECTION 1               | IDENTIFICATION  |  |  |  |  |  |
| Company Name           | KALO, Inc.  | 24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)  |  |  |  |  |
| Address                | 13200 Metcalf Ave, Suite 250  | 1-800-424-9300   |  |  |  |  |
| City, State, Zipcode   | Overland Park, KS 66213   |  |  |  |  |  |
| Phone Numbers          | 1-800-255-5196 / 1-913-491-9146 (fax)   | Deison Control Conton (UCA)  |  |  |  |  |
|                        |   | Poison Control Center (USA)<br>1-800-222-1212  |  |  |  |  |
| Website                | www.kalo.com  | 1-000-222-1212   |  |  |  |  |
| Product Identity       | Hydro-Wet   |  |  |  |  |  |
| Reference/Item Number  | HY02, HY30, HY55, HY265   |  |  |  |  |  |
| Intended Use           | Adjuvant from pesticides.   |  |  |  |  |  |
| Application Method     | See technical data sheet.   |  |  |  |  |  |
| SECTION 2              | HAZARD(S) IDENTIFICATION  |  |  |  |  |  |
|                        | Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:  | HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)   |  |  |  |  |
|                        | [COMBUSTIBLE LIQUID]:   | TIAZARD COMMUNICATION STANDARD (TICS) FICTOGRAM(S)                                       |  |  |  |  |
| H227:                  | Combustible liquid.   |  |  |  |  |  |
|                        |   |  |  |  |  |  |
|                        | [ACUTE TOX 4]:  | •  |  |  |  |  |
| H302:<br>H312:         | Harmful if swallowed.   |  |  |  |  |  |
| H332:                  | Harmful in contact with skin.  Harmful if inhaled.  | WARNING  |  |  |  |  |
|                        |   | WARRING  |  |  |  |  |
|                        | [SKIN IRRITANT 2]:  |  |  |  |  |  |
| H315:                  | Causes skin irritation.   |  |  |  |  |  |
|                        | [EYE IRRITANT 2]:   |  |  |  |  |  |
| Н319:                  | Causes serious eye irritation.  |  |  |  |  |  |
|                        | [PREVENTION]:   |  |  |  |  |  |
| P210:                  | Keep away from heat, sparks, open flames, hot surfaces. No smoking.   |  |  |  |  |  |
| P261:                  | Avoid breathing dust, fume, gas, mist, vapors, spray.   |  |  |  |  |  |
| P264:                  | Wash thoroughly after handling.   |  |  |  |  |  |
| P270:                  | Do not eat, drink or smoke when using this product.   |  |  |  |  |  |
| P271:                  | Use only outdoors or in a well-ventilated area.   |  |  |  |  |  |
| P280:                  | Wear protective gloves and eye/face protection.   |  |  |  |  |  |
|                        | [RESPONSE]:   |  |  |  |  |  |
| P301+312:              | IF SWALLOWED: Call a poison center or doctor/physician if you feel unwell.  |  |  |  |  |  |
| P302+352:              | IF ON SKIN: Wash with plenty of soap and water.   |  |  |  |  |  |
| P332+313:<br>P304+340: | If skin irritation occurs, get medical advice/attention.  IF INHALED: Remove victim to fresh air and keep at rest in a position comfor  | tabla for broathing  |  |  |  |  |
| P305+351+338:          | IF IN EYES: Rinse continuously with water for several minutes. Remove continuously  |  |  |  |  |  |
| P337+P313:             | If eye irritation persists, get medical advice/attention.   | g  |  |  |  |  |
| P370+376:              | In case of fire: Stop leak if safe to do so.  |  |  |  |  |  |
|                        | [STORAGE]:  |  |  |  |  |  |
| P403+235:              | Store in a well-ventilated place. Keep cool.  |  |  |  |  |  |
| P404:                  | Store in a closed container.  |  |  |  |  |  |
|                        | IDICDOCAL 1.  |  |  |  |  |  |
| P501:                  | [DISPOSAL]:  Dispose of contents/container in accordance with local/national regulations.   |  |  |  |  |  |
| ECTION 3               | ·   | INCREDIENTS  |  |  |  |  |
| ECTION 3               | COMPOSITION/INFORMATION ON INGREDIENTS  This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances |  |  |  |  |  |
|                        | regulations. This product is a proprietary blend and the ingredients and mixture percentag  |  |  |  |  |  |
|                        | Ingredient/Chemical Designations Weight % CAS Number  | er GHS Classification No   |  |  |  |  |
|                        | Proprietary blend of nonionic surfactants and 2-butoxyethanol 100 Trade Secret  | Combustible Liq;H227 / Acute Tox4;H332,H312,H302 / Eye Irrit2;H319 / Skin Irrit2;H315 [1 |  |  |  |  |
|                        |   |  |  |  |  |  |
|                        | [1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.  |  |  |  |  |  |

| SECTION 4   | FIRST A  | <b>ID MEASU</b>  | RES  |  |  |  |
|---|--|--|--|--|--|--|
| 02011011  | [DESCRIPTIONS]:  |  |  |  |  |  |
| General:  |  |  | ersist, seek medi  | cal attention. Never give  | anything by mouth to an uncor  | scious person.   |
|   |  |  |  |  |  | unconscious, place in the recovery position an   |
| Inhalation:   |  | nedical attention. Give r  |  |  | . J  | ,  |
| Eyes:   | Irrigate copiously w   | ith clean fresh water fo   | r at least 10 minu   | tes, holding the eyelids a   | apart and seek medical attentio  | n.   |
| Skin:   | Remove contamina   | ated clothing. Wash skir   | thoroughly with s  | soap and water or use a  | recognized skin cleanser. Do N   | IOT use solvents or thinners.  |
| Ingestion:  | If accidentally swall  | lowed, obtain immediate  | e medical attentio   | on. Keep at rest. Do NOT   | induce vomiting.   |  |
|   | [MOST IMPORTAN   | NT SYMPTOMS AND E  | FFECTS, BOTH   | ACUTE AND DELAYED  | ]:   |  |
| Inhalation:   | Harmful if inhaled   |  | ,  |  | •  |  |
| Ingestion:  | Harmful if swallowed   | d.   |  |  |  |  |
| Eyes:   | Causes serious eye   | e irritation.  |  |  |  |  |
| Skin:   | Harmful in contact   | with skin. Causes skin i   | irritation.  |  |  |  |
| SECTION 5   | FIRE FIG   | HTING ME   | ASURE  | S  |  |  |
| Extinguishing Media:  |  |  |  | , CO <sup>2</sup> , powder, water spr  | ay. Do not use water iet.  |  |
|   |  |  |  |  |  | Geep away from heat / sparks / open flames / h   |
| Special Hazards:  | surfaces - No smok   |  | ıst / fume / gas / n   | nist / vapors / spray. Can   |  | to extreme heat and flame. Under combustion  |
| Advice For Firefighters:  |  | s must wear standard p   |  |  |  | lush down sewers or other drainage systems.<br>aratus. Use water-spray to cool fire exposed  |
| SECTION 6   | ACCIDE   | NTAL RELE  | ASE ME   | EASURES  |  |  |
| Personal Precautions,<br>Protective Equipment and<br>Emergency Procedures:  |  |  |  | d electrical equipment or<br>er Explosive Limit before   |  | or spillage in a confined space evacuate the   |
| Environmental Precautions:  | Do not allow spills t  | to enter drains or water   | courses.   |  |  |  |
|   |  |  |  |  |  |  |
| Methods and Material For<br>Containment and Cleaning Up:  | materials (e.g. sand<br>preferably with a de   | d/earth/vermiculite). Pla<br>etergent. Do not use sol  | ice in closed conta<br>lvents. Do not allo   | ainers outside buildings on spills to enter drains of  | and dispose of according to the<br>or water courses. If drains, sew  | nd absorb spillage with non-combustible<br>Waste Regulations (see Section 13.) Clean,<br>ers, streams or lakes are contaminated, inforn<br>Protection Agency should also be informed.  |
| SECTION 7   | HANDLI   | NG AND ST  | TORAGE   |  |  |  |
| Precautions For Safe Handling:  | Handle containers  | carefully to prevent dan   | nage and spillage  | . See Section 2 for further  | er details [PREVENTION].   |  |
|   |  |  | nage and spillage  | LIO DOT DET IN EVES ON 9   |  |  |
| Conditions For Safe Storage:  | safe handling meth<br>place of use. Do no  | ods, potential hazards of expose to extreme ter<br>ing and clean before re-  | and first aid require mperature/ flame   | Personnel handling this rements. AVOID contact or other ignition sources   | material should be well trained<br>with skin or eyes. Ensure that a<br>Keep Cool. Wash hands before  | the vapors or mists. Keep container closed. U<br>in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove<br>be decontaminated. See Section 2 for further  |
| Conditions For Safe Storage:  Incompatible Materials:   | safe handling meth<br>place of use. Do no<br>contaminated clothi<br>details [STORAGE]  | ods, potential hazards of expose to extreme ter<br>ing and clean before re-  | and first aid requii<br>mperature/ flame<br>-use. Destroy con  | Personnel handling this in<br>rements. AVOID contact<br>or other ignition sources<br>staminated belts and sho  | material should be well trained<br>with skin or eyes. Ensure that a<br>Keep Cool. Wash hands before  | an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| _   | safe handling meth<br>place of use. Do no<br>contaminated clothi<br>details [STORAGE]  | ods, potential hazards a<br>ot expose to extreme ter<br>ing and clean before re-<br>].   | and first aid requii<br>mperature/ flame<br>-use. Destroy con  | Personnel handling this in<br>rements. AVOID contact<br>or other ignition sources<br>staminated belts and sho  | material should be well trained<br>with skin or eyes. Ensure that a<br>Keep Cool. Wash hands before  | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:<br>Specific End Use(s):   | safe handling meth<br>place of use. Do no<br>contaminated clothi<br>details [STORAGE]<br>Aluminum, alkalis, s<br>No data available.  | ods, potential hazards at expose to extreme tering and clean before re.  | and first aid requir<br>mperature/ flame<br>-use. Destroy con<br>trong acids, strong   | Personnel handling this i<br>rements. AVOID contact<br>or other ignition sources<br>itaminated belts and sho<br>g oxidizers  | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befor es and other items that cannot  | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:   | safe handling meth<br>place of use. Do no<br>contaminated clothi<br>details [STORAGE]<br>Aluminum, alkalis,<br>No data available.  | ods, potential hazards at expose to extreme tering and clean before re.  | and first aid requiremperature/ flame use. Destroy controng acids, strong  | Personnel handling this rements. AVOID contact or other ignition sources tarminated belts and sho  | material should be well trained<br>with skin or eyes. Ensure that a<br>Keep Cool. Wash hands before  | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:  Specific End Use(s):  SECTION 8  | safe handling meth<br>place of use. Do no<br>contaminated clothi<br>details [STORAGE]<br>Aluminum, alkalis,<br>No data available.  | ods, potential hazards at expose to extreme teating and clean before replaced.  In the property of the propert | and first aid requiremperature/ flame use. Destroy controng acids, strong  | Personnel handling this rements. AVOID contact or other ignition sources tarminated belts and sho  | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befor es and other items that cannot  | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:  Specific End Use(s):  SECTION 8  | safe handling meth place of use. Do no contaminated cloth details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est  | ods, potential hazards at expose to extreme teating and clean before rej.  salts of strong bases, si   | and first aid requiremperature/ flame -use. Destroy controng acids, strong  ROLS/PE source are listed be   | Personnel handling this rements. AVOID contact or other ignition sources teaminated belts and should be sourced the sources of | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befor es and other items that cannot PROTECTION   | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:  Specific End Use(s):  SECTION 8  | safe handling meth place of use. Do no contaminated cloth details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est CAS No.  | ods, potential hazards a<br>ot expose to extreme ter<br>ing and clean before re<br>].<br>salts of strong bases, st<br>IRE CONTF<br>tablished limits for export<br>Ingestion  | and first aid requirement and first aid requirement and construction and c | Personnel handling this rements. AVOID contact or other ignition sources tarminated belts and sho g oxidizers  ERSONAL Felow:  Value   | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befores and other items that cannot es and other items that cannot PROTECTION   | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:  Specific End Use(s):  SECTION 8  | safe handling meth place of use. Do no contaminated cloth details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est CAS No.  | ods, potential hazards a<br>ot expose to extreme ter<br>ing and clean before re<br>].<br>salts of strong bases, st<br>IRE CONTF<br>tablished limits for export<br>Ingestion  | and first aid requirementature/ flame -use. Destroy con trong acids, strong  ROLS/PE   | Personnel handling this rements. AVOID contact or other ignition sources stammated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg  | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befores and other items that cannot error that the cannot expected by the control of the control of the cannot expected by the cannot expect expected by the cannot | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove   |
| Incompatible Materials:  Specific End Use(s):  SECTION 8  | safe handling meth place of use. Do no contaminated cloth details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2   | ods, potential hazards at expose to extreme ter ing and clean before re ].  salts of strong bases, st  IRE CONTF tablished limits for exporting to the control of the contr | and first aid requirementature/ flame -use. Destroy con trong acids, strong  ROLS/PE sure are listed be Source OSHA ACGIH NIOSH  | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m. 220 ppm, Revise TWA: 5 ppm (24 mg/m.)  | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befores and other items that cannot es and other items that cannot established.  PROTECTION  19/m3) [skin]   | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove<br>be decontaminated. See Section 2 for further   |
| Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data:   | safe handling meth place of use. Do no contaminated clothin details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai [EXPOSURE CON  | ods, potential hazards at expose to extreme ter ing and clean before re ].  salts of strong bases, si  IRE CONTF tablished limits for expo Ingestion 2-butoxy-ethanol  ins no ingredients that a  TROLS]:  | and first aid requirementature/ flame -use. Destroy con trong acids, strong  ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of b   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 20 ppm, Revise TWA: 5 ppm (24 mg/m 24 ppm) (24 mg/m 25 ppm) (24 mg/m 26 ppm) (24 mg/m | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befores and other items that cannot es and other items that cannot established.  PROTECTION  19/m3) [skin]   | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove<br>be decontaminated. See Section 2 for further<br>to the decontaminated of the section 2 for further<br>and/or IARC in percentages greater than 0.1%   |
| Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data: Carcinogen Data:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE]  Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai [EXPOSURE CON' If workers are expo  | ods, potential hazards at expose to extreme ter ing and clean before re ].  Salts of strong bases, si  IRE CONTF  tablished limits for expo  Ingestion  2-butoxy-ethanol  ins no ingredients that at  TROLS]:  seed to concentrations a  | and first aid requirementature/ flame -use. Destroy con trong acids, strong  ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be  | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 20 ppm, Revise TWA: 5 ppm (24 mg/m 24 ppm) (24 mg/m 25 ppm) (24 mg/m 26 ppm) (24 mg/m | material should be well trained with skin or eyes. Ensure that a . Keep Cool. Wash hands befores and other items that cannot sea and other items that cannot s | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove<br>be decontaminated. See Section 2 for further<br>to the decontaminated of the section 2 for further<br>and/or IARC in percentages greater than 0.1%   |
| Incompatible Materials: Specific End Use(s): SECTION 8 Exposure Data:  Carcinogen Data:  Respiratory:   | safe handling meth place of use. Do no contaminated clothin details [STORAGE]  Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai  [EXPOSURE CON' If workers are expo   | ods, potential hazards at expose to extreme ter ing and clean before re ].  Salts of strong bases, si  IRE CONTF  tablished limits for expo  Ingestion  2-butoxy-ethanol  TROLS]:  seed to concentrations a arr (e.g. safety spectacle   | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure  | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg  TWA: 20 ppm, Revise  TWA: 5 ppm (24 mg/n opening or known to be a control in the product of  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot personal control of the control  | in the use of personal protective equipment,<br>an eyewash station and safety shower is near<br>re eating, drinking, smoking. Remove<br>be decontaminated. See Section 2 for further<br>to the decontaminated of the section 2 for further<br>and/or IARC in percentages greater than 0.1%   |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE]  Aluminum, alkalis, No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contait [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov.   | ods, potential hazards at expose to extreme ter ing and clean before re ].  Salts of strong bases, si  IRE CONTF  tablished limits for expo  Ingestion  2-butoxy-ethanol  ar (e.g. safety spectacle ver the body, arms, and ventilation. Where reasc   | and first aid requirementature/ flame -use. Destroy con trong acids, strong trong acids, strong  ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure es/goggles/visors, legs, should be wenably practicable  | Personnel handling this increments. AVOID contact or other ignition sources staminated belts and should be sourced be sourced by the source of | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot provided in the state of | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% or s.  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE]  Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai [EXPOSURE CON If workers are expo Wear safety eyewe Overalls, which cow provide adequate ware not sufficient to   | ods, potential hazards at expose to extreme ter ing and clean before re i. salts of strong bases, si IRE CONTF tablished limits for expo Ingestion 2-butoxy-ethanol arreols; safety spectacker the body, arms, and ventilation. Where reason maintain concentrations are maintain concentration.   | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposurees/goggles/visors, legs, should be woonably practicable as of particulates,   | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 240 ppm, Revise TWA: 50 ppm, Revise TWA: 5 ppm (24 mg/m 260 ppm) (240 mg/m 260 ppm). Two protect against the sworn. Skin should not be be, this should be achieved and any vapor below oc   | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot provided in the state of | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% irs.   |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON If workers are expo Wear safety eyewe Overalls, which cov Provide adequate vare not sufficient to No data available.   | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m)  TWA: 20 ppm, Revises  TWA: 5 ppm (24 mg/m)  peing or known to be a contact of the protect against the sworn. Skin should not be en, this should be achieved and any vapor below oc NTION].  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be and other items that cannot g/m3) [skin]  g/m3) [skin]  g/m3) [skin]  graphopriate, certified respirate plash of liquids.  exposed. All parts of the body and by the use of local exhaust vecupational exposure limits, suits   | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% or s.  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON If workers are expo Wear safety eyewe Overalls, which cov Provide adequate vare not sufficient to No data available.   | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 240 ppm, Revise TWA: 20 ppm, Revise TWA: 5 ppm (24 mg/m 260 ppm) (240 mg/m 260 ppm). Two protect against the sworn. Skin should not be be, this should be achieved and any vapor below oc   | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be and other items that cannot g/m3) [skin]  g/m3) [skin]  g/m3) [skin]  graphopriate, certified respirate plash of liquids.  exposed. All parts of the body and by the use of local exhaust vecupational exposure limits, suits   | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% or s.  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices:  | safe handling meth place of use. Do no contaminated clothin details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON If workers are expo Wear safety eyewe Overalls, which cov Provide adequate vare not sufficient to No data available.   | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m)  TWA: 20 ppm, Revises  TWA: 5 ppm (24 mg/m)  peing or known to be a contact of the protect against the sworn. Skin should not be en, this should be achieved and any vapor below oc NTION].  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be and other items that cannot g/m3) [skin]  g/m3) [skin]  g/m3) [skin]  graphopriate, certified respirate plash of liquids.  exposed. All parts of the body and by the use of local exhaust vecupational exposure limits, suits   | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% or s.  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, so data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON If workers are export which were safety eyewed overalls, which cover are not sufficient to No data available. SPHYSICA  | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m)  TWA: 20 ppm, Revises  TWA: 5 ppm (24 mg/m)  peing or known to be a contact of the protect against the sworn. Skin should not be en, this should be achieved and any vapor below oc NTION].  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be and other items that cannot g/m3) [skin]  and 2003  and [skin]  arcinogen under OSHA, NTP, and appropriate, certified respirate plash of liquids.  exposed. All parts of the body of the body of the skin graph of the sexposed. All parts of the body of the skin graph of the sexposed and parts of the body of the skin graph of the skin gr | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% ars.  should be washed after contact.  Intilation and good general extraction. If these able respiratory protection must be worn.  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold:   | safe handling meth place of use. Do no contaminated clothin details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON: If workers are expo Wear safety eyewe Overalls, which cool of the contain of the conta | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m)  TWA: 20 ppm, Revises  TWA: 5 ppm (24 mg/m)  peing or known to be a contact of the protect against the sworn. Skin should not be en, this should be achieved and any vapor below oc NTION].  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an additional state of the state o | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% ars.  Indior IARC in percentages greater than 0.1% ars.  Indian and good general extraction. If these able respiratory protection must be worn.  Upper Explosive Limit: Not measured Lower Explosive Limit: Not measured Not measured  |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH:   | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cool Provide adequate vare not sufficient to No data available. S PHYSICA Clear liquid Alcohol Not measured 5,0-7,0   | ods, potential hazards at expose to extreme ter ing and clean before re i  Salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRE CONTF tablished limits for exportance in the salts of strong bases, si   IRECONTF tablished limits for exportance in the salts in the salts of salts in the s    | and first aid requirementature/ flame -use. Destroy con trong acids, strong ROLS/PE sure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure legs, should be wonably practicable is of particulates, or details [PREVE]   | Personnel handling this rements. AVOID contact or other ignition sources itaminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m)  TWA: 20 ppm, Revises  TWA: 5 ppm (24 mg/m)  peing or known to be a contact of the protect against the sworn. Skin should not be en, this should be achieved and any vapor below oc NTION].  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be and other items that cannot provided in the skin of the skin or eyes. Ensure that a cannot of the skin or eyes. Ensure that cannot of the skin or eyes and other items that cannot provided ite | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% ars.  Indior IARC in percentages greater than 0.1% are set of the percentage greater than 0 |
| Incompatible Materials: Specific End Use(s): SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C):   | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov Provide adequate v are not sufficient to No data available. SPHYSICA Clear liquid Alcohol Not measured 5.0-7.0 Not measured   | ods, potential hazards at expose to extreme ter inig and clean before re i.].  salts of strong bases, st  IRE CONTF tablished limits for export Ingestion 2-butoxy-ethanol  are no ingredients that a TROLS]: sed to concentrations a arrive (e.g. safety spectacle ret the body, arms, and ventilation. Where reason maintain concentration See Section 2 for further ALL AND CH  | and first aid requimperature/ flame -use. Destroy con trong acids, strong ROLS/PE osure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposures/goggles/visors, legs, should be well- onably practicable on of particulates, or details [PREVE]  | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 240 mg/m 240 ppm, Revise TWA: 5 ppm (24 mg/m 240 ppm, revise TWA: 5 ppm (240 mg/m 240 ppm) (240 ppm)  | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an and other items that cannot provided in the skin or eyes. Ensure that a cannot of the skin or eyes. The skin or eyes and other items that cannot provided in the skin or example of the skin or | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further on the decontaminated of the decontaminated of the decontaminated of the decontaminated. See Section 2 for further on the decontaminated of the decontaminate |
| Incompatible Materials: Specific End Use(s):  SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C):              | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No. 0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov Provide adequate v are not sufficient to No data available. SPHYSICA Clear liquid Alcohol Not measured No Established Lim   | ods, potential hazards at expose to extreme ter inig and clean before re i.].  salts of strong bases, st  IRE CONTF tablished limits for expo  | and first aid requimperature/ flame -use. Destroy con trong acids, strong ROLS/PE osure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure es/goggles/visors, legs, should be well and be redeated at the strong acids and practicable as of particulates, or details [PREVE]  | Personnel handling this rements. AVOID contact or other ignition sources stammated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 5 ppm (24 mg/m 200 ppm) (240 | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an and other items that cannot graphs. The cool of the cool | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% ars.  Indior IARC in percentages greater than 0.1% are considered in the section of th |
| Incompatible Materials: Specific End Use(s):  SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C): Flash Point: | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov Provide adequate v are not sufficient to No data available. SPHYSICACLear liquid Alcohol Not measured 5.0-7.0 Not measured No Established Lim >66°C / >150°F SE   | ods, potential hazards at expose to extreme ter inig and clean before re i.].  salts of strong bases, st  IRE CONTF tablished limits for export Ingestion 2-butoxy-ethanol  ar Rol.s]: sed to concentrations a arr (e.g. safety spectacle ret the body, arms, and ventilation. Where reason maintain concentration See Section 2 for further ALL AND CH  | and first aid requimperature/ flame -use. Destroy con trong acids, strong ROLS/PE osure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure es/goggles/visors, legs, should be well and be redeated at the strong acids and practicable as of particulates, or details [PREVE]  | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 5 ppm (24 mg/m 200 ppm) (240 mg/m 200 ppm) (24 | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an and other items that cannot grant and the state of the st | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further only in the decontaminated of the decontaminated of the decontaminated. See Section 2 for further only in the decontaminated of the dec |
| Incompatible Materials: Specific End Use(s):  SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Flash Point: Evaporation Rate (Ether=1):       | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est CAS No.  0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov Provide adequate v are not sufficient to No data available. S PHYSICA Clear liquid Alcohol Not measured No Established Lim >66°C />150°F SE Not measured   | ods, potential hazards at expose to extreme ter inig and clean before re i.].  salts of strong bases, st  IRE CONTF tablished limits for expo  | and first aid requimperature/ flame -use. Destroy con trong acids, strong ROLS/PE osure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure es/goggles/visors, legs, should be well and be redeated at the strong acids and practicable as of particulates, or details [PREVE]  | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 5 ppm (24 mg/m 200 ppm) (240 mg/m 200 ppm) (24 | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an and other items that cannot grant and the state of the st | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% are.  Indior IARC in percentages greater than 0.1% |
| Incompatible Materials: Specific End Use(s):  SECTION 8  Exposure Data:  Carcinogen Data:  Respiratory: Eyes: Skin: Engineering Controls: Other Work Practices: SECTION 9  Appearance: Odor: Odor Threshold: pH: Melting/Freezing Points (°C): Initial Boiling Point/Range (°C): Flash Point: | safe handling meth place of use. Do no contaminated cloth details [STORAGE] Aluminum, alkalis, s. No data available.  EXPOSU Ingredients with est  CAS No.  0000111-76-2  This product contai [EXPOSURE CON' If workers are expo Wear safety eyewe Overalls, which cov Provide adequate v are not sufficient to No data available. SPHYSICACLear liquid Alcohol Not measured 5.0-7.0 Not measured No Established Lim >66°C / >150°F SE   | ods, potential hazards at expose to extreme ter inig and clean before re i.].  salts of strong bases, st  IRE CONTF tablished limits for expo  | and first aid requimperature/ flame -use. Destroy con trong acids, strong ROLS/PE osure are listed be Source OSHA ACGIH NIOSH are suspected of be above the exposure es/goggles/visors, legs, should be well and be redeated at the strong acids and practicable as of particulates, or details [PREVE]  | Personnel handling this rements. AVOID contact or other ignition sources staminated belts and sho g oxidizers  ERSONAL Felow:  Value  TWA 50 ppm (240 mg/m 220 ppm, Revise TWA: 5 ppm (24 mg/m 200 ppm) (240 mg/m 200 ppm) (24 | material should be well trained with skin or eyes. Ensure that a. Keep Cool. Wash hands befores and other items that cannot be an and other items that cannot grant and the state of the st | in the use of personal protective equipment, an eyewash station and safety shower is near re eating, drinking, smoking. Remove be decontaminated. See Section 2 for further be decontaminated. See Section 2 for further and/or IARC in percentages greater than 0.1% are.  Indior IARC in percentages greater than 0.1% |

Other Information: SDS for Hydro-Wet

| SECTION 10   | STABILITY AND REACTIVITY   |  |   |   |  |  |  |  |
|--|--|--|---|---|--|--|--|--|
| Reactivity:  | No data available.   |  |   |   |  |  |  |  |
| Chemical Stability:  | Stable under normal storage and handling conditions.   |  |   |   |  |  |  |  |
| Hazardous Reactions:   | Thermal decomposition in the presence of air may produce aldehydes, ketones, organic acids and carbon oxides.  |  |   |   |  |  |  |  |
| Conditions To Avoid:   | Extreme heat, open flame, sparks and other sources of ignitions.   |  |   |   |  |  |  |  |
| Incompatible Materials:  | Aluminum, strong acids, salts of strong bases, alkalis, strong oxidizers   |  |   |   |  |  |  |  |
| Hazardous Decomposition Prod.:   | Thermal decomposition in the presence of air may produce aldehydes, ketones, organic acids and carbon oxides.  |  |   |   |  |  |  |  |
| SECTION 11   | TOXICOLOGICAL INFORMATION  |  |   |   |  |  |  |  |
| Acute Toxicity Estimate (ATE):   | Ingredients Oral LD50 mg/kg Skin   | LD50mg/kg  | Inhalation Vapor LD50mg/L/4hr   | Dust/Mist LD50mg/L/4hr  |  |  |  |  |
|  | Proprietary blend <2,000.00 (rat)/Category: 4 <2,00  | 0.00(rabbit)/Category: 4   | <10.00/Category: 4  | No data available   |  |  |  |  |
| Category 4:  | Item: Acute Toxicity (mouth) / Hazard: Harmful if swallowed.   |  |   |   |  |  |  |  |
| Category 3:  | Item: Acute Toxicity (skin) / Hazard: Toxic in contact with skin.  |  |   |   |  |  |  |  |
| Category 4:  | Item: Acute Toxicity (inhalation) / Hazard: Harmful if inhaled.  |  |   |   |  |  |  |  |
| Category 2:  | Item: Skin Corrosion/Irritation / Hazard: Causes skin irritation.  |  |   |   |  |  |  |  |
| Category 2:  | Item: Eye Damage/Irritation / Hazard: Causes serious eye irritation.   |  |   |   |  |  |  |  |
| Category:<br>Category:   | Item: Sensitization (respiratory) / Hazard: Not applicable.  |  |   |   |  |  |  |  |
| Category:  | Item: Sensitization (skin) / Hazard: Not applicable.  Item: Germ Toxicity / Hazard: Not applicable.  |  |   |   |  |  |  |  |
| Category -:  | Item: Carcinogenicity / Hazard: Not applicable.  |  |   |   |  |  |  |  |
| Category:  | Item: Reproductive Toxicity / Hazard: Not applicable.  |  |   |   |  |  |  |  |
| Category:  | Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazar  | d: Not applicable.   |   |   |  |  |  |  |
| Category:  | Item: Specific Target Organ Systemic Toxicity (repeated exposure / Haz   |  |   |   |  |  |  |  |
| Category:  | Item: Aspiration Hazard / Hazard: Not applicable.  |  |   |   |  |  |  |  |
| SECTION 12   | ECOLOGICAL INFORMATION   |  |   |   |  |  |  |  |
| Toxicity:  | No additional information provided for this product. See Section 3 for ch  | emical specific data.  |   | •   |  |  |  |  |
| Aquatic Ecotoxicity:   | This product is not expected to be toxic to the aquatic environment.   |  |   |   |  |  |  |  |
| Persistence and Degradability:   | There is no data available on the preparation itself.  |  |   |   |  |  |  |  |
| Bioaccumulative Potential:   | Not measured.  |  |   |   |  |  |  |  |
| Mobility in Soil:  | No data available.   |  |   |   |  |  |  |  |
| Results of PBT and vPvB Assess:  | This product contains no PBT/vPvB chemicals.   |  |   |   |  |  |  |  |
| Other Adverse Effects:   | No data available.   |  |   |   |  |  |  |  |
| SECTION 13   |  |  |   |   |  |  |  |  |
| SECTION 13   | DISPOSAL CONSIDERATIONS  |  |   |   |  |  |  |  |
| Waste Treatment Methods:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.   |  |   |   |  |  |  |  |
| Waste Treatment Methods:   | Do not allow into drains or water courses. Wastes and emptied contain<br>Pollution Act and the Environmental Protection Act. Using information p<br>whether the special waste regulations apply.   |  |   |   |  |  |  |  |
|  | Do not allow into drains or water courses. Wastes and emptied contain<br>Pollution Act and the Environmental Protection Act. Using information p   |  |   |   |  |  |  |  |
| Waste Treatment Methods:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  |  |   |   |  |  |  |  |
| Waste Treatment Methods: SECTION 14 UN Number:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  | rovided in this data sheet a   |   | Waste Regulation Authority,   |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  | rovided in this data sheet a   | dvice should be obtained from the   | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  | rovided in this data sheet a   | dvice should be obtained from the learning of | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  | rovided in this data sheet a  IMO/IMDG (Oci  | dvice should be obtained from the ' ean Transportation) / IATA (Air Tr per Shipping Name: See UN Prope and Class: 3   | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UNNA Number: NA1993   | imo/imdg (Oci<br>imo/imdg (Arrived in Image)<br>imo/imog (Marrived in Image)<br>image)<br>image)<br>image) | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  | IMO/IMDG (Oci<br>IMDG/IATA Pro<br>IMDG/IATA Haz<br>Sub Class: Not  | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  | IMO/IMDG (Oci<br>IMDG/IATA Proj<br>IMDG/IATA Haz<br>Sub Class: Not<br>IMDG Packing (                       | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (  | IMO/IMDG (Oci<br>IMDG/IATA Proj<br>IMDG/IATA Haz<br>Sub Class: Not<br>IMDG Packing (                       | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  | IMO/IMDG (Oci<br>IMDG/IATA Proj<br>IMDG/IATA Haz<br>Sub Class: Not<br>IMDG Packing (                       | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC of Marine Pollutant: No  III   | IMO/IMDG (Oci<br>IMDG/IATA Proj<br>IMDG/IATA Haz<br>Sub Class: Not<br>IMDG Packing (                       | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Properand Class: 3<br>applicable  | Waste Regulation Authority,  ansportation):                         |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, only  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing of                                  | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Prope<br>and Class: 3<br>applicable<br>Group: III   | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing of                                  | ean Transportation) / IATA (Air Tr<br>per Shipping Name: See UN Prope<br>and Class: 3<br>applicable<br>Group: III   | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed D2B  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification: US EPA Tier II Hazards:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate   | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification:   | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification: US EPA Tier II Hazards:  EPCRA 311/312:                             | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate   | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification: US EPA Tier II Hazards:  EPCRA 311/312:  EPCRA 302:                 | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Of Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed Extremely Hazardous (>0.1%): No product ingredients listed  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification:  US EPA Tier II Hazards:  EPCRA 311/312:  EPCRA 302:  EPCRA 313     | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed  Extremely Hazardous (>0.1%): No product ingredients listed  Toxic Chemicals (>0.1%): 2-butoxy-ethanol  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| Waste Treatment Methods:  SECTION 14  UN Number:  UN Proper Shipping Name:  Transport Hazard Class(es):  Special Precautions For User:  Transport:  Environmental Hazards IMDG:  DOT Packing Group:  SECTION 15  Regulatory Overview:  WHMIS Classification:  US EPA Tier II Hazards:  EPCRA 311/312:  EPCRA 313  Proposition 65 | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed  Extremely Hazardous (>0.1%): No product ingredients listed  Toxic Chemicals (>0.0%): Oxirane / 1,4 dioxane   | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Proper and Class: 3 applicable Group: III  | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| SECTION 14  UN Number: UN Proper Shipping Name: Transport Hazard Class(es):  Special Precautions For User: Transport: Environmental Hazards IMDG: DOT Packing Group: SECTION 15  Regulatory Overview: WHMIS Classification: US EPA Tier II Hazards: EPCRA 311/312: EPCRA 313 Proposition 65: Proposition 65:                     | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed  Extremely Hazardous (>0.1%): No product ingredients listed  Toxic Chemicals (>0.0%): Oxirane / 1,4 dioxane  Developmental Toxins (>0.0%): No product ingredients listed  | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Properand Class: 3 applicable Group: III   | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |
| SECTION 14  UN Number: UN Proper Shipping Name: Transport Hazard Class(es):  Special Precautions For User: Transport: Environmental Hazards IMDG: DOT Packing Group: SECTION 15  Regulatory Overview: WHMIS Classification: US EPA Tier II Hazards: EPCRA 311/312: EPCRA 302: EPCRA 313 Proposition 65: Proposition 65:          | Do not allow into drains or water courses. Wastes and emptied contain Pollution Act and the Environmental Protection Act. Using information p whether the special waste regulations apply.  TRANSPORT INFORMATION  UN1993  Combustible Liquid N.O.S. (contains: 2-butoxy-ethanol)  DOT (Domestic Surface Transportation):  DOT Proper Shipping: See UN Proper Shipping Name above.  DOT Hazard Class: 3  DOT Label: Combustible Liquid, Class 3  UN/NA Number: NA1993  CERCLA/DOT RQ: NA gal. / NA lbs.  Not applicable  Transport in bulk according to Annex II of MARPOL73/78 and the IBC (Marine Pollutant: No  III  REGULATORY INFORMATION  The regulatory data in Section 15 is not intended to be all-inclusive, onl (Toxic Substance Control Act) inventory or are not required to be listed  D2B  Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate Chemicals and RQs (>0.1%): No product ingredients listed  Extremely Hazardous (>0.1%): No product ingredients listed  Toxic Chemicals (>0.0%): Oxirane / 1,4 dioxane  Developmental Toxins (>0.0%): Oxirane / 1,4 dioxane  Developmental Toxins (>0.0%): Oxirane / 1,4 dioxane | IMO/IMDG (Oci IMDG/IATA Proj IMDG/IATA Haz Sub Class: Not IMDG Packing to                                  | ean Transportation) / IATA (Air Troper Shipping Name: See UN Properand Class: 3 applicable Group: III   | Waste Regulation Authority,  ansportation): er Shipping Name above. |  |  |  |  |

## SECTION 16 OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

SDS for Hydro-Wet 4 KALO, Inc.