

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS:

ALBAUGH, INC.
Ankeny, IA 50021

EMERGENCY TELEPHONE NUMBERS:

(800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME : **TEBUSTAR 45WSP**

CHEMICAL NAME : Tebuconazole:

a-[2-(4-chlorophenyl)ethyl]-a-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol

CHEMICAL FAMILY : Triazole fungicide

PRODUCT CODE : EPA Reg. No 42750-102

SECTION 2 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER	OSHA PEL	ACIGH TLV
Tebuconazole	45.0%	107534-96-3	Not Established	Not Established

SECTION 3 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

HEALTH HAZARDS: Moderate to severe eye irritant.

PHYSICAL HAZARDS: May release toxic fumes if burned.

ENVIRONMENTAL HAZARDS: Tebuconazole is toxic to aquatic organisms.

SECTION 4 - FIRST AID MEASURES

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

FLASHPOINT (method): > 200 F

FLAMMABLE LIMITS (LFL-UFL): Unknown

FIRE AND EXPLOSION HAZARD: Can burn in fire, releasing irritating and toxic gases. Dust could potentially form explosive mixture in air. Avoid dust formation.

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

FIRE FIGHTING INSTRUCTIONS: Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Fire exposed containers can build up pressure and should be kept cool with water spray if possible. Dike and collect water used to fight fire to prevent environmental damage due to run off.

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece.

HAZARDOUS COMBUSTION PRODUCTS: Hydrogen chloride, hydrogen cyanide, Oxides of nitrogen, carbon monoxide.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Vacuum or sweep up material and place in a container for reuse or disposal.

LARGE SPILL: Avoid creating dust cloud. Vacuum or sweep up material and place in a container for reuse or disposal. Reduce airborne dust and prevent scattering by moistening with water. Pick up wash liquid with additional absorbent and place in a disposable container. After removal, flush contaminated area thoroughly with water.

Wear appropriate personal protection equipment. (See Section 8 Exposure Controls, Personal Protection.)

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

HANDLING: Use only in a well-ventilated area. Wear appropriate safety equipment when handling.

STORAGE: Store in cool, dry well ventilated area. Store in original container. Do not exposed water soluble packets to water or high moisture conditions. Keep away from food, feed and drinking water.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 hour TWA, ppm): Refer to Section 3.

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION - Safety glasses or goggles.

CLOTHING - Long-sleeved shirt and long pants, Shoes plus socks.

GLOVES – Chemical-resistant gloves, such as barrier laminate, or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION: Beige powder
ODOR: No appreciable odor
BULK DENSITY: 1.59 g/ml
pH: 9.5 – 10.0
VAPOR PRESSURE (technical): 9.8 x 10⁻⁹ mm Hg
WATER SOLUBILITY: Dispersible

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable, however may decompose if heated.
CONDITIONS TO AVOID: Avoid temperatures above (115°F, 46°C) and high moisture.
INCOMPATIBILITY WITH OTHER MATERIALS: Acidic and oxidizing materials
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of nitrogen and carbon.
HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral LD ₅₀ (rat)	-	> 2,000 mg/Kg
Dermal LD ₅₀ (rat)	-	> 2,000 mg/Kg
Inhalation LC ₅₀ (rat)	-	> 0.9 mg/L (4 hour)
Eye Irritation (rabbit)	-	Moderate to severe
Skin Irritation (rabbit)	-	Minimal
Sensitization (guinea pig)	-	Potential sensitizer

CARCINOGEN STATUS:

OSHA - No
 NTP - No
 IARC - No

MUTAGENIC DATA: Preponderance of evidence indicates that tebuconazole is non-mutagenic

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This pesticide is toxic to estuarine and marine invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

FISH TOXICITY: (technical)

96 hour LC₅₀, Rainbow trout – 4.4 ppm
 96 hour LC₅₀, Bluegill – 5.7 ppm

AVIAN TOXICITY: (technical)

Oral LD₅₀, Bobwhite quail – 1,900 mg/Kg
 Oral LD₅₀, Mallard duck - unknown

BEE TOXICITY: (technical) Non-toxic

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SECTION 14 - TRANSPORT INFORMATION

DOT SHIPPING DESCRIPTION: Not regulated by DOT

DOT HAZARD CLASS: N/A

UN NUMBER: N/A

DOT PACKING GROUP: N/A

DOT PRIMARY/SECONDARY LABEL: N/A

DOT PRIMARY/SECONDARY PLACARD: N/A

DOT EMERGENCY RESPONSE GUIDE #: N/A

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY: Not listed

SARA TITLE III STATUS:

311/312 Hazard Categories –

Immediate and Delayed Health

313 Toxic Chemicals –

None known

CALIFORNIA PROP 65: Not listed

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	2
	FLAMMABILITY	2
	PHYSICAL HAZARD	1
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

REVISED DATE: January, 2008

REFERENCE: Revised Section 16 HMIS Table