

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : DISARM[®] C FUNGICIDE
 Other means of identification : EPA Reg. No. 66330-379

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fungicide

1.3. Details of the supplier of the safety data sheet

Arysta LifeScience North America LLC
 15401 Weston Parkway, Suite 150
 Cary, NC 27513 – USA

1.4. Emergency telephone number

Emergency number : Exposure Calls (PROSAR): +1-866-303-6952 or +1-651-603-3432 (international)
 Spill Calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302
 Acute Tox. 4 (Inhalation:dust,mist) H332
 Eye Irrit. 2B H320
 Skin Sens. 1 H317
 Carc. 2 H351
 STOT SE 3 H335
 STOT RE 1 H372

Full text of H-statements: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H302+H332 - Harmful if swallowed or if inhaled
 H317 - May cause an allergic skin reaction
 H320 - Causes eye irritation
 H335 - May cause respiratory irritation
 H351 - Suspected of causing cancer
 H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use
 P202 - Do not handle until all safety precautions have been read and understood
 P260 - Do not breathe mist, vapours
 P264 - Wash hands thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product
 P271 - Use only outdoors or in a well-ventilated area
 P272 - Contaminated work clothing must not be allowed out of the workplace
 P280 - Wear protective clothing, protective gloves
 P301+P312 - If swallowed: Call a doctor if you feel unwell
 P302+P352 - If on skin: Wash with plenty of water, soap
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P308+P313 - If exposed or concerned: Get medical advice/attention
 P314 - Get medical advice/attention if you feel unwell
 P321 - Specific treatment (see First aid measures on this label)
 P330 - Rinse mouth

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/container to an authorised waste collection point

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

2.6 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
2.6 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
2.6 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	% (w/w)	GHS-US classification
chlorothalonil	(CAS No) 1897-45-6	30 – 40	Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Fluoxastrobin (Main constituent)	(CAS No) 361377-29-9	1 – 3	Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Do not induce vomiting. Get medical advice/attention if you feel unwell. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer.

Symptoms/injuries after inhalation : May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.

Symptoms/injuries after skin contact : May cause an allergic skin reaction. May cause moderate irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No specific fire or explosion hazard.

Reactivity : No dangerous reactions known.

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

- Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses. Exercise caution when fighting any chemical fire.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

- Protective equipment : Chemical goggles or safety glasses. Wear suitable protective clothing and gloves. In case of inadequate ventilation wear respiratory protection.
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Chemical goggles or safety glasses. Wear suitable protective clothing and gloves. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

- Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material, then place in suitable container.
- Methods for cleaning up : Wipe up with absorbent material (for example cloth). Take up in non-combustible absorbent material and shove into container for disposal.

6.4. Reference to other sections

- Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray, vapours.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Do not store near food, foodstuffs, drugs, or potable water supplies. Store in a dry place. Keep container tightly closed and in a well-ventilated place.
- Incompatible products : None known.

7.3. Specific end use(s)

- Fungicide.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DISARM [®] C FUNGICIDE	
ACGIH	Not applicable
OSHA	Not applicable
Fluoxastrobin (361377-29-9)	
ACGIH	Not applicable
OSHA	Not applicable
chlorothalonil (1897-45-6)	
ACGIH	Not applicable
OSHA	Not applicable

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Appropriate engineering controls	: Avoid creating mist or spray. Avoid splashing. Eyewash stations. Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear suitable gloves resistant to chemical penetration. Wear water impervious gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Impervious clothing.
Respiratory protection	: Wear appropriate mask. Use an approved respirator equipped with oil/mist cartridges.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous liquid.
Colour	: Off-white
Odour	: Slight
Odour threshold	: No data available
pH	: 4.63
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 10.43 lb/gal
Relative vapour density at 20 °C	: No data available
Density	: 1.2618 g/ml
Solubility	: Water: Solubility in water of component(s) of the mixture : • Fluoxastrobin: 43 mg/l @ 20 °C pH 4; 2.29 mg/l @ 20 °C pH 7; 2.27 mg/l @ 20 °C pH 9
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 805 mPa.s

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon monoxide. Nitrogen oxides.

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Skin and eye contact
Acute toxicity : Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled.

DISARM [®] C FUNGICIDE	
LD50 oral rat	1750 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	1.08 mg/l/4h male (tested); > 2.07 mg/kg female (tested)
ATE US (oral)	1750.000 mg/kg bodyweight
ATE US (vapours)	1.080 mg/l/4h
ATE US (dust,mist)	1.080 mg/l/4h

Fluoxastrobin (361377-29-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	4.9 mg/l/4h
ATE US (vapours)	4.900 mg/l/4h
ATE US (dust,mist)	4.900 mg/l/4h

chlorothalonil (1897-45-6)	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	> 4.7 mg/l/4h
ATE US (dust,mist)	0.050 mg/l/4h

Skin corrosion/irritation : Not classified
(Slightly irritating to skin)
Serious eye damage/irritation : Causes eye irritation.
(Irritating to rabbits on ocular application)
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Suspected of causing cancer.

chlorothalonil (1897-45-6)	
IARC group	2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified
(Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure) : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Fluoxastrobin (361377-29-9)	
NOAEL (oral, rat, 90 days)	1.5 mg/kg bodyweight/day liver effects

Aspiration hazard : Not classified
(Lack of data)
Symptoms/injuries after inhalation : May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact : May cause an allergic skin reaction. May cause moderate irritation.
Symptoms/injuries after eye contact : Causes eye irritation.
Symptoms/injuries after ingestion : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology – water : Very toxic to aquatic life with long lasting effects.

Fluoxastrobin (361377-29-9)	
LC50 fish 1	0.435 mg/l 96 h Oncorhynchus mykiss
LC50 other aquatic organisms 1	0.053 mg/l 96 h M. bahia
EC50 Daphnia 1	0.48 mg/l 48 h
LC50 fish 2	0.57 mg/l 96 h Cyprinus carpio ; 0.97 mg/l 96 h Lepomis macrochirus

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

chlorothalonil (1897-45-6)	
LC50 fish 1	0.047 mg/l 96 h Oncorhynchus mykiss
EC50 Daphnia 1	0.0699 mg/l 48 h
LC50 fish 2	0.026 mg/l 96 h Lepomis macrochirus

12.2. Persistence and degradability

Fluoxastrobin (361377-29-9)	
Persistence and degradability	Not rapidly degradable.

12.3. Bioaccumulative potential

Fluoxastrobin (361377-29-9)	
Bioconcentration factor (BCF REACH)	52.1
Log Pow	2.86 @ 20 °C
Bioaccumulative potential	Does not bioaccumulate significantly.

12.4. Mobility in soil

Fluoxastrobin (361377-29-9)	
Ecology - soil	Slightly mobile in soil.

chlorothalonil (1897-45-6)	
Ecology - soil	Dissolves in water. If products enter soil, will be highly mobile and may contaminate ground water.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Disposal via incineration is recommended.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT
Not considered a dangerous good for transport regulations

Additional information

Other information : No supplementary information available.

ADR

Transport document description	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (chlorothalonil), 9, III, (E)
Packing group (ADR)	: III
Class (ADR)	: 9 - Miscellaneous dangerous substances and articles
Hazard identification number (Kemler No.)	: 90
Classification code (ADR)	: M6
Danger labels (ADR)	: 9 - Miscellaneous dangerous substances and articles



Orange plates	:
---------------	---

Tunnel restriction code (ADR)	: E
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

Marine pollutant : Yes



UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (chlorothalonil)

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Air transport

IATA

Transport hazard class(es) (IATA) : 9

Hazard labels (IATA) : 9

Marine pollutant : Yes



UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (chlorothalonil)

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Fluoxastrobin (361377-29-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

chlorothalonil (1897-45-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

Fluoxastrobin (361377-29-9)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

chlorothalonil (1897-45-6)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

Fluoxastrobin (361377-29-9)

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

chlorothalonil (1897-45-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

DISARM[®] C FUNGICIDE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of classification categories and H statements : see section 16

National regulations

Fluoxastrobin (361377-29-9)
Not listed on the Canadian Non-Domestic Substances List (NDSL).
chlorothalonil (1897-45-6)
Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

chlorothalonil (1897-45-6)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	41
chlorothalonil (1897-45-6)				
U.S. - New Jersey - Right to Know Hazardous Substance List				

15.4. US EPA – FIFRA Regulations

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Signal word (FIFRA)	: CAUTION.
Hazard statements (FIFRA)	: Harmful if swallowed. Harmful if inhaled. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco, or using the toilet. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Avoid contact with eyes or clothing.
Environmental hazards	: This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. The active ingredient in this product can be persistent for several months or longer. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark, or other sensitive areas that may be exposed to spray drift. Do not contaminate water when disposing of equipment washwater or rinsate. Chlorothalonil is known to leach through soil into groundwater under certain conditions as a result of label use. Use in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.
Physical or Chemical hazards	: None

SECTION 16: Other information

Indication of changes	: GHS classification information.
Revision date	: 09/28/2015

DISARM[®] C FUNGICIDE

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources	: European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/ . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html .
Abbreviations and acronyms	: ACGIH (American Conference of Government Industrial Hygienists). ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). LD50: Lethal Dose for 50% of the test population. OSHA: Occupational Safety & Health Administration. STEL: Short Term Exposure Limits. TSCA: Toxic Substances Control Act. TWA: Time Weight Average.
Other information	: None.

Full text of H-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2B	Serious eye damage/eye irritation, Category 2B
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H320	Causes eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Redstone SDS US GHS for Arysta

SDS Prepared by: The Redstone Group, LLC.
6077 Frantz Rd
Suite 206
Dublin, Ohio, USA 43016
614.923.7472
www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product