Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Product name : PHT FOLO SPRAY 20-10-30

: M77378PHT Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

JR Simplot Company Boise, ID 83707 T 1-208-336-2110

Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Ox. Sol. 3 H272 Eye Irrit. 2B H320

Full text of H-phrases: see section 16

Label elements 2.2.

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H272 - May intensify fire; oxidizer

H320 - Causes eye irritation

Precautionary statements (GHS-US) P210 - Keep away from heat.

P220 - Keep/Store away from clothing and other combustible materials

P221 - Take any precaution to avoid mixing with combustible materials

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves, eye protection, face protection

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical attention

P370 + P378 - In case of fire: Use chemical type foam, carbon dioxide, dry chemical, water fog

or spray to extinguish

P501 - Dispose of contents/container to ... in accordance with Federal, state, and local

regulations

Other hazards

No additional information available

Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. **Mixture**

02/17/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
potassium nitrate	(CAS No) 7757-79-1		Eye Irrit. 2B, H320
urea	(CAS No) 57-13-6		Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Monopotassium phosphate	(CAS No) 7778-77-0		Not classified
edta iron(iii) sodium salt	(CAS No) 15708-41-5		Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
EDTA Manganese Sodium	(CAS No) 15375-84-5		Eye Irrit. 2B, H320
Copper EDTA	(CAS No) 14025-15-1		Not classified
Zinc EDTA	(CAS No) 14025-21-9		Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Product is an oxidizer.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from

other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

02/17/2015 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

edta iron(iii) sodium salt (157	708-41-5)	
USA ACGIH	ACGIH TWA (mg/m³)	1 mg/m³

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Blue granules.

Color : Blue

Odor Fertilizer like odor Odor threshold : No data available pΗ No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available No data available Freezing point Boiling point : No data available : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available

Solubility : Water: Solubility in water of component(s) of the mixture :

•: 32 g/100ml •: 100 g/100ml •: 22 g/100ml •: < 10 g/100ml •: 100 g/100ml

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

02/17/2015 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Product is an oxidizer.

10.2. **Chemical stability**

Product is stable at ambient temperature and pressure, under normal storage and handling conditions. Not established.

Possibility of hazardous reactions

Avoid mixing with mineral acids and chlorine. Not established.

10.4. **Conditions to avoid**

Excessive heat. Dust generation and damp areas. Direct sunlight. Extremely high or low temperatures.

Incompatible materials

Mineral acids. chlorine. Oxidizing agent. Alkalis. Diesel. Oils and greases. Strong acids. Strong bases.

Hazardous decomposition products

When exposed to excessive heat, Carbon oxides, Nitrogen oxides, Sulfur oxides, some metallic oxides, and ammonia may be formed. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

3750 mg/kg (Rat)
> 5000 mg/kg
3750.00000000 mg/kg body weight
8471 mg/kg (Rat)
> 3200 mg/kg (Rat)
> 21000 mg/kg (Rabbit)
8471.00000000 mg/kg body weight
7100 mg/kg (Rat)
> 4640 mg/kg (Rabbit)
7100.00000000 mg/kg body weight
5000 mg/kg (Rat)
5000.00000000 mg/kg body weight

LD50 oral rat	5000 mg/kg (Rat)
ATE US (oral)	5000.00000000 mg/kg body weight
Skin corrosion/irritation :	Not classified.

Serious eye damage/irritation : Causes eye irritation. Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified : Not classified Reproductive toxicity

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified.

Specific target organ toxicity (repeated : Not classified

exposure) Based on available data, the classification criteria are not met

02/17/2015 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard : Not classified

Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

potassium nitrate (7757-79-1)	
LC50 fish 1	162 mg/l (96 h; Pisces; Lethal)
LC50 other aquatic organisms 1	39 mg/l (96 h; Daphnia magna)
EC50 other aquatic organisms 1	200 - 1000 mg/l (Plankton; Nocivity test)
LC50 fish 2	1378 mg/l (Poecilia reticulata)
LC50 other aquatic organisms 2	490 mg/l (48 h; Daphnia magna)
TLM fish 1	3000 mg/l (96 h; Lepomis macrochirus)
TLM fish 2	162 mg/l (96 h; Gambusia affinis)
Threshold limit other aquatic organisms 1	39 mg/l (96 h; Daphnia magna)
Threshold limit other aquatic organisms 2	490 mg/l (48 h; Daphnia magna)

urea (57-13-6)	
LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Threshold limit other aquatic organisms 2	> 10000 mg/l (Pseudomonas putida)
Threshold limit algae 2	> 10000 mg/l (168 h; Scenedesmus quadricauda)

Monopotassium phosphate (7778-77-0)		
LC50 fish 1	> 900 mg/l (48 h; Leuciscus idus)	
EC50 other aquatic organisms 1	2 ppm (672 h; Potamogeton sp.; O2 evolution)	
Threshold limit other aquatic organisms 1	1 ppm (672 h; Potamogeton sp.; O2 evolution)	
Threshold limit algae 1	1 ppm (672 h; Elodea sp.; O2 evolution)	
Threshold limit algae 2	> 5 ppm (672 h; Elodea sp.; O2 evolution)	

edta iron(iii) sodium salt (15708-41-5)	
LC50 fish 1	2592 mg/l (96 h; Pisces)

12.2. Persistence and degradability

PHT FOLO SPRAY 20-10-30		
Persistence and degradability	Not established.	
potassium nitrate (7757-79-1)		
Persistence and degradability	Biodegradability: not applicable. Not established.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

urea (57-13-6)	
Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
ThOD	0.27 g O ₂ /g substance

Monopotassium phosphate (7778-77-0)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

02/17/2015 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

edta iron(iii) sodium salt (15708-41-5)	
Persistence and degradability	Biodegradable in water. Not established.
EDTA Manganese Sodium (15375-84-5)	
Persistence and degradability	Not established.
Copper EDTA (14025-15-1)	
Persistence and degradability	Not established.
Zinc EDTA (14025-21-9)	
Persistence and degradability	Non degradable in the soil. Adsorbs into the soil. Not established.
2.3. Bioaccumulative potential	
PHT FOLO SPRAY 20-10-30	
Bioaccumulative potential	Not established.
potassium nitrate (7757-79-1)	
Bioaccumulative potential	No bioaccumulation data available. Not established.
urea (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Log Pow	-2.591.59
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Monopotassium phosphate (7778-77-0)	
Bioaccumulative potential	No bioaccumulation data available.
edta iron(iii) sodium salt (15708-41-5)	
Log Pow	-10.6
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
EDTA Manganese Sodium (15375-84-5)	
Bioaccumulative potential	Not established.
Copper EDTA (14025-15-1)	
Bioaccumulative potential	Not established.
Zinc EDTA (14025-21-9)	

Other adverse effects

: No additional information available Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

Additional information

Other information : No supplementary information available.

02/17/2015 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR

Transport document description

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

No additional information available

15.3. US State regulations

potassium nitrate (7757-79-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

:

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Ox. Sol. 3	Oxidizing solids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H272	May intensify fire; oxidizer
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation

SDS US (GHS HazCom 2012)

02/17/2015 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

02/17/2015 EN (English US) 8/8