

SAFETY DATA SHEET

1. Identification

Product identifier COUNTER® 20G

Other means of identification

SDS number 360

Synonym(s) COUNTER® 20G Systemic Insecticide * COUNTER® 20G SmartBox® Insecticide *

COUNTER® 20G Lock"N Load® Insecticide

Recommended use Insecticide

Recommended restrictionsThis is a Restricted Use Pesticide and is for use by licensed applicators only. Keep out of the

Reach of Children!

Product registration number 5481-562

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
Address
Address
AMVAC Chemical Corporation
4100 E Washington Blvd
Los Angeles, CA 90023 USA

Telephone AMVAC Chemical Corp 323-264-3910

AMVAC Chemical Corp 323-268-1028 (FAX)

Websitewww.Amvac-Chemical.comE-mailCustServ@Amvac-Chemical.com

Emergency phone number Medical 888-681-4261

CHEMTREC® (USA+Canada) 800-424-9300
Product Use 888-462-6822
CHEMTREC® (Outside USA) +1-703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 2

Acute toxicity, dermal Category 2
Acute toxicity, inhalation Category 1
Serious eye damage/eye irritation Category 2B

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if swallowed. Fatal in contact with skin. Causes eye irritation. Fatal if inhaled. Very toxic to

aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing. Wear respiratory

protection.

Material name: COUNTER® 20G SDS US

Response

If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). Rinse mouth. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Collect spillage.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

SmartBox® containers should be returned to the manufacturer. Lock'N Load containers should be returned to the manufacturer by following the directions on the label.

Hazard(s) not otherwise

None known.

classified (HNOC) Supplemental information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER -- POISON

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

May be fatal if swallowed, inhaled or absorbed through skin or eyes, CORROSIVE, Causes irreversible eye damage. DO NOT get in eyes, on skin, or on clothing. Do not breathe dust. Do not contaminate food or feed products. Once a containers has been attached to the hopper, it is recommended that it be used completely. Make sure the hoppers are emptied while still in tech field. Refer to Storage and Disposal statement for further instructions.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	<5
Terbufos	S-tert-butylthiomethyl O,O- diethylphosphorodithioate; terbufos (ISO)	13071-79-9	20
Additional components			
Chemical name		CAS number	%
free respirable Crystalline (quartz) Silica		14808-60-7	<5

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. Be sure the contact areas are clean to prevent contamination of the rescuer.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Eye contact

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Remove contact lenses, if present and easy to do. Call a physician or poison control center immediately. If there will be a delay in getting medical attention, rinse the eyes an additional 15 minutes.

Ingestion

Rinse mouth. Immediately give large quantities of water to drink. Induce vomiting immediately by giving two glasses of water and sticking a finger down throat if approved by physician. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Material name: COUNTER® 20G

SDS US 2 / 11 1379 Version #: 01 Issue date: 05-11-2015

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin. Repeated exposures to small doses of Terbufos and other organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information.

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minutes intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed indotracheal tube.

General information

TERBUFOS (COUNTER®) IS A SEVERE CHOLINESTERASE INHIBITOR. A PHYSICIAN SHOULD BE CONTACTED IN ALL CASES OF EXPOSURE TO TERBUFOS AND ITS FORMULATIONS. WEAR PROTECTIVE EQUIPMENT WHEN TREATING SOMEONE EXPOSED TO TERBUFOS TO PREVENT EXPOSURE OF THE RESCUER.

Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. This product may emit hazardous fumes of hydrogen chloride, carbon oxides and unidentified organic compounds when it is heated excessively or burned.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated, and must be disposed as a hazardous waste. Shower with soap and water after contact with this product.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean-up. If contaminated, sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Decontaminate the area and equipment with dilute alkali or ammonia (less than 5%) and detergent. Wipe up with absorbent material (e.g. cloth, fleece).

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or

supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Keep out of the reach of children. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Additional components	Туре	Value	Form
Nuisance Dust	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF	FR 1910.1000)		
Additional components	Туре	Value	Form
Nuisance Dust	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
(CAS 14000-00-7)		0.1 mg/m3	Respirable.
US. ACGIH Threshold Limi	t Values	3 3	
Components	Туре	Value	Form
Terbufos (CAS 13071-79-9)	TWA	0.01 mg/m3	Inhalable fraction and vapor.
Additional components	Туре	Value	Form
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Additional components	Туре	Value	Form
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
US. Workplace Environme	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
TRADE SECRET	TWA	10 mg/m3	Aerosol.
THADE SECTION	1 **/ (

Biological limit values

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

Terbufos (CAS 13071-79-9) Can be absorbed through the skin.

Material name: COUNTER® 20G 1379 Version #: 01 Issue date: 05-11-2015

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear appropriate chemical resistant clothing (see label).

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Gray to brown granules **Appearance**

Physical state Solid.

Form Powder. Granular. Color Gray to brown

Odor Mild mercaptan-like odor

Odor threshold Not available. 4 - 7 (slurry) Hq Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Not available. Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 3.46E+01 mPa (Terbufos)

Vapor density Heavier than air Relative density Not available.

Solubility(ies)

4.5 mg/l (a.i.). Solubility (water) **Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Bulk density 50 - 56 lb/ft3

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical stability**

Possibility of hazardous

reactions

Material is stable under normal conditions. Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Avoid high temperatures. Alkaline compounds. Strong oxidizing agents. Strong acids. Incompatible materials

Hazardous decomposition

products

Possible thermal decomposition products included hydrogen sulfide, carbon dioxide, carbon monoxide, mercaptans, thiophosphates, dialkylsulfides, phosphorus oxides, and sulfur oxides.

Decomposition begins at 120°C.

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Fatal in contact with skin. Dust or powder may irritate the skin.

Eye contact Causes eye irritation. Ingestion Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.

Repeated exposures to small doses of Tribufos and other organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

Information on toxicological effects

Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed. Acute toxicity

Product	Species	Test Results
COUNTER® 20G		

Acute **Dermal** Dust

LD50 Rabbit 370 mg/kg (female) (Toxicity Category I).

70 mg/kg (male) (Toxicity Category I).

Inhalation

Dust

LC50 Rat 0.015 mg/l (male) (Toxicity Category I).

0.006 mg/l (female) (Toxicity Category I).

Oral

Dust LC50

Rat 8.9 mg/kg (female) (Toxicity Category I).

LD50 Rat 17.8 mg/kg (male) (Toxicity Category I)

Irritation Corrosion - Skin

COUNTER® 20G

Result: Non irritating to slightly irrtiating (Tox Cat IV).

Species: Rabbit

Serious eye damage/eye

Skin corrosion/irritation

irritation

Causes eye irritation.

Irritation Corrosion - Eye

COUNTER® 20G Result: Slight to moderate irritant (Tox Cat III).

Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

COUNTER® 20G Result: Not a skin sensitizer.

Non irritating to slightly irritating to skin.

Species: Guinea pig

Material name: COUNTER® 20G 1379 Version #: 01 Issue date: 05-11-2015 Germ cell mutagenicity

No evidence of mutagenicity has been observed in animal testing using Terbufos.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. In long-term

studies in rats and mice which Terbufos was given by feed, a carcinogenic effect was not

observed.

IARC Monographs. Overall Evaluation of Carcinogenicity

free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans.

14808-60-7)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

free respirable Crystalline (quartz) Silica (CAS

Known To Be Human Carcinogen.

14808-60-7)

No evidence of reproductive toxicity has been observed in animal studies using Terbufos. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results	
Terbufos (CAS 13071	-79-9)			
	LC50	Rainbow Trout	0.01 mg/l, 96 hours	
Other	LD50	Duck	62 ppm (Mallard)	
Aquatic				
Algae	LC50	Algae	2.1 mg/l, 96 hours	
Crustacea	EC50	Water flea (Daphnia magna)	0.31 ppb, 48 hours	

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available. Mobility in soil Other adverse effects None known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all

applicable regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty Lock'N Load® and SmartBox® containers should be returned to AMVAC Chemical Contaminated packaging

Corporation per instructions provided. See the label on the container for more complete information. For empty bags, completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Check with Federal, State, and local authorities for the

current regulations applicable to your area.

14. Transport information

DOT

UN2783 **UN number**

UN proper shipping name Organophosphorus pesticides, solid, toxic (Terbufos), MARINE POLLUTANT

Material name: COUNTER® 20G 1379 Version #: 01 Issue date: 05-11-2015

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1 Packing group Ш

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB8, IP2, IP4, N77, T3, TP33 Special provisions

Packaging exceptions 153 Packaging non bulk 212 Packaging bulk 242

IATA

UN number UN2783

Organophosphorus pesticides, solid, toxic (Terbufos) UN proper shipping name

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1 Packing group Ш No. **Environmental hazards**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed.

aircraft

Allowed. Cargo aircraft only

IMDG

UN2783 **UN** number

UN proper shipping name Organophosphorus pesticides, solid, toxic (Terbufos), MARINE POLLUTANT

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1 Packing group Ш

Environmental hazards

Yes Marine pollutant

Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



Material name: COUNTER® 20G SDS US

IATA; IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read

and follow all label directions. This product is excluded from listing requirements under

EPA/TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Terbufos (CAS 13071-79-9) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold Threshold Threshold quantity planning quantity planning quantity, lower value upper value

Terbufos 13071-79-9 100 100 lbs

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: COUNTER® 20G

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

free respirable Crystalline (quartz) Silica (CAS 14808-60-7)

US. Massachusetts RTK - Substance List

free respirable Crystalline (quartz) Silica (CAS 14808-60-7)

Terbufos (CAS 13071-79-9)

US. New Jersey Worker and Community Right-to-Know Act

free respirable Crystalline (quartz) Silica (CAS 14808-60-7)

Terbufos (CAS 13071-79-9)
TRADE SECRET (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

free respirable Crystalline (quartz) Silica (CAS 14808-60-7)

Terbufos (CAS 13071-79-9)

TRADE SECRET (CAS Proprietary)

US. Rhode Island RTK

Terbufos (CAS 13071-79-9)

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

free respirable Crystalline (quartz) Silica (CAS Listed: October 1, 1988

14808-60-7)

International Inventories

Country(s) or region	inventory name	On inventory (yes/no)^
Europe	European Inventory of Existing Commercial Chemical	No

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

16. Other information, including date of preparation or last revision

Issue date 05-11-2015

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 01

Further information Not available.

HMIS® ratings Health: 4

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 4

Flammability: 0 Instability: 0

Material name: COUNTER® 20G SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

©2015 AMVAC Chemical Corporation. All Rights Reserved. AMVAC, Counter, SmartBox, Lock'N Load, and the Beaker Logo are trademarks owned by AMVAC Chemical Corporation. Chemtrec is a trademark of the American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

Material name. Count End 20G