

Interprovincial Cooperative Limited

CLOVITOX PLUS

MATERIAL SAFETY DATA SHEET

1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Clovitox Plus*

Product Use: Phenoxy (Broadleaf) Herbicide

Product Number: 24336

Manufacturer / Supplier: INTERPROVINCIAL COOPERATIVE LTD.

945 Marion St. Winnipeg, Manitoba R2J 0K7 www.ipco.ca

Effective Date: January 01/2012

This product is regulated under authority of the Pest Control Products Act

2: HAZARD IDENTIFICATION

Effects of Overexposure:

Route of Exposure: Inhalation, eye contact, skin contact, ingestion.

Inhalation A single exposure to vapors is not likely to be hazardous.

Eye Contact May cause severe irritation with corneal injury, which may result in permanent impairment

of vision, even blindness.

Skin Contact May cause skin irritation.

Ingestion Moderately toxic; May cause gastrointestinal irritation and ulceration

3: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	% (W/W)
(4-chloro-2-methylphenoxy) acetic acid	94-74-6	2.36 – 2.43
4-(4-chloro-2-methylphenoxy) butyric acid	94-81-5	34.35 – 35.38
Other ingredients		62.19 – 63.26

Ingredients not listed are proprietary or non-hazardous

4: FIRST AID MEASURES

Inhalation: Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Give

cardiopulmonary resuscitation (CPR) if there is no breathing AND no pulse. Obtain

medical attention IMMEDIATELY.

Ingestion: If swallowed, induce vomiting immediately by giving two glasses of water and sticking

finger down throat. Never give anything by mouth to an unconscious person.

Skin: Flush skin with running water, and then continue flushing with running water for 5 - 10

minutes. Start flushing while removing contaminated clothing. If irritation persists, repeat

flushing. Obtain medical attention IMMEDIATELY.

Eyes: In case of contact, immediately flush eyes with plenty of water for 5 - 10 minutes and get

medical attention.

Emergency Medical Care: Treatment based on judgment of the physician in response to reaction of the patient.

There is no specific antidote.

In case of emergency call CANUTEC at 613-885-6666

Interprovincial Cooperative Ltd.; Information Phone: 204-233-3461

Effective Date:

MSDS # 005 PCP# 24336 Page **1** of **4**

01-Jan-2012 Page **1** of **4**

CLOVITOX PLUS

MATERIAL SAFETY DATA SHEET

5: FIRE-FIGHTING MEASURES

Unusual Fire &

Explosion Hazards: Noxious fumes may be formed under fire conditions. Contain water from fire fighting to

prevent entry into water supplies.

Extinguishing Media:

Carbon Dioxide, Foam, Water Fog, and Dry Chemical. (But not SODA DRY POWDER)

Special Oxidizing Material

Hazards:

Not Established

Hazardous Combustion

Products:

Noxious (HCI & Amines) fumes under fire conditions.

Special Fire Fighting Procedures: Use water spray to cool fire exposed containers or structures. Use self-contained

breathing apparatus and protective clothing.

6: ACCIDENTAL RELEASE MEASURES

In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.

7: HANDLING AND STORAGE

Store in a cool, well-ventilated area. Keep away from heat, sparks and filling of containers. Keep away from children; prevent contact with eyes, skin, and clothing. Do not store near fertilizers, foodstuffs, seed, insecticides or fungicides.

Do not contaminate irrigation ditches or domestic water supplies. If this happens notify police and local authorities.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

(4-Chloro-2-methylphenoxy) acetic acid

LD50-ORAL: 737 mg/kg Rat LD50-DERMAL: > 2000 mg/kg Rabbit T.L.V. (ACGIH): 15 mg/m³ (MCPA Acid)

4-(4-chloro-2-methylphenoxy) butyric acid

LD50-ORAL: 680 mg/kg Rat LD50-DERMAL: > 2000 mg/kg Rabbit T.L.V. (ACGIH): Not Established LC50: Not Established

Special Engineering Controls: Local exhaust ventilation required.

Eye Protection: CSA approved safety glasses with side shields or goggles.

Respiratory Protection: No respiratory protection needed unless mist generated, then a NIOSH/MSHA toxic mist

mask suggested.

Hand and Arm: PVC or rubber gloves.

Feet: Rubber boots. Body: Coveralls.

Other Personal Protection: Recommendations listed above indicate the type of equipment which will provide

> protection against overexposure to this product. Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for

specific protective devices at your workplace.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

In case of emergency call CANUTEC at 613-885-6666

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

01-Jan-2012 MSDS # 005 PCP# 24336 Page 2 of 4

CLOVITOX PLUS

MATERIAL SAFETY DATA SHEET

Brown, Fishy Odour Appearance & Odour: Specific Gravity: (@ 20°c): 1.1633 Vapour density: Not established

Solubility in water: Miscible

Not established Solubility in liquids:

Freezing point: - 3°c

% volatile by volume: Not applicable

Boiling point: 100°c

Odour threshold (ppm): Not established

Coefficient of

water/oil distribution: Not applicable Not established Vapour pressure: Not Established Evaporation rate: pH: 11.5 - 12.0Viscosity: 34.4 cps at 20℃

Flash Point & Method: (°C): > 100 (Tag Closed Cup) Flammable Limits (% in air): Lower: Not Applicable

Upper: Not Applicable

Autoignition Temperature Not Applicable

10: STABILITY AND REACTIVITY

Decomposition Temp: Not Established

Stability: Stable under normal conditions.

Materials to Avoid: Acids, oxidizing agents

Hazardous Decomposition

Products:

Hydrogen Chloride and nitrogen oxides may be formed under fire conditions

Hazardous Polymerization

or Condensation: Will not occur.

Conditions to Avoid: Elevated temperatures, product may boil then burn.

11: TOXICOLOGICAL INFORMATION

Skin Absorption: Acute dermal LD50 (Rat) >5000 mg/kg. Ingestion: Acute oralLD50 (rat) 1212 mg/kg. Inhalation: LC50 Not Established

Chronic Health Hazards: Excessive exposure may cause liver, kidney, gastrointestinal and muscle effects. Signs

and symptoms of excessive exposure may be nausea, vomiting, abdominal cramps and

diarrhea.

Chronic Effects/

Carcinogenicity: The International Agency for Research on Cancer (IARC) lists exposure to

> chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. Newer rat and mouse lifetime feeding studies did not show

carcinogenic potential for MCPA.

Testicular effects have been noted in animal studies on MCPB and MCPA. Lower male Reproductive Toxicity:

fertility has been observed in animal studies on MCPA.

MCPB did not cause developmental toxicity in rabbits at doses toxic to mother animals. **Developmental Toxicity:**

MCPA studies in laboratory animals have shown decreased fetal body weights and

delayed development in the offspring at doses toxic to mother animals.

MCPB was not mutagenic in series of well documented studies. For MCPA, there have Genotoxicty:

been some positive and some negative studies, but the weight of evidence is that the

substance is not mutagenic.

In case of emergency call CANUTEC at 613-885-6666

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

MSDS # 005 PCP# 24336 Page 3 of 4

01-Jan-2012

12: ECOLOGICAL INFORMATION

Data are from studies conducted on MCPB sodium salt

96-Hour LC50 (mg/L): 4.3 (Rainbow Trout) 96-Hour LC50 (mg/L): 14 (Bluegill) 48-Hour EC50 (mg/L): 50 (Daphnia) Oral LD50 (mg/kg): 282 (Bobwhite Quail) Dietary LC50 (ppm): > 5000 (Mallard Duck)

Chemical Fate Information: Both MCPB sodium and MCPA potassium rapidly dissociate to parent acids in the environment. In soil, they are microbially degraded with typical half-lives of approximately 10 to 14 days.

13: DISPOSAL CONSIDERATIONS

Dispose of waste materials in an approved incinerator or waste treatment/disposal facility in accordance with applicable regulations. Do not dispose of wastes in local sewer or with normal waste.

14: TRANSPORT INFORMATION

This product is Not Regulated under regulations of the Transport of Dangerous Goods

15: REGULATORY INFORMATION

Pest Control Products Act

Registration Number:

For Information Phone:

MSDS Status/

Revised Sections:

Replaces MSDS Dated:

24336 204-233-3461

September 01, 2009

16: OTHER INFORMATION

WHMIS Ratings: D₂B

Notice: The enclosed information is supplied as a customer service and is provided in good faith.

> Although it has been based on data drawn from sources deemed to be reliable, IPCO cannot guarantee its accuracy and assumes no responsibility for conditions resulting

from its use.

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

01-Jan-2012 MSDS # 005 PCP# 24336 Page 4 of 4