

SAFETY DATA SHEET

1. Identification

Product identifier	Desert Micro Blend
Other means of identification	
Product code	26002
Recommended use	Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.
Recommended restrictions	Refer to product label.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Distributor	Fertilizer Company of Arizona, Inc.
Address	2850 South Peart Rd. Casa Grande, AZ 85193-9024 United States
Telephone	(520) 836-7477
Website	www.fertizona.com
Email	info@fertizona.com
Emergency	(928) 783-3803

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin irritation	Category 2
	Serious eye irritation	Category 2A
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear eye/face protection.
Response	Wash hands after handling. If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell. If on skin (or hair): Take off all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage.
Storage	Store locked up. Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Zinc Sulfate		7733-02-0	10 - < 20
Manganese Sulfate, monohydrate		10034-96-5	5 - < 10*
Cupric Sulfate, pentahydrate		7758-99-8	1 - < 3*
Ferrous Sulfate		7782-63-0	1 - < 3
Other components below reportable levels			70 - < 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Wash off with soap and water. Call a physician if skin irritation persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, and blurred vision. Severe eye irritation.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

Methods and materials for containment and cleaning up

Should not be released into the environment.

Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.
	TWA	1 mg/m3	Fume.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Clear colorless or nearly colorless to Beige.
Odor	None.
Odor threshold	Not available.
pH	1.7 - 2.1
Salt-Out / Crystallization Temp	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	219.2 °F (104 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	< 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Pounds per gallon	10.2 lb/gal (typical)

10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Ingestion	Causes digestive tract burns.
Inhalation	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure by inhalation. May cause irritation to the respiratory system.

Skin contact Causes skin irritation.
Eye contact Causes serious eye irritation.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Desert Micro Blend (CAS Mixture)		
Acute		
<i>Oral</i>		
LD100	Mouse	1634.5123 mg/kg estimated
LD50	Mouse	2827.6482 mg/kg estimated
	Rat	11204.7285 mg/kg estimated
<i>Other</i>		
LD100	Mouse	2260.062 mg/kg estimated
LD50	Mouse	506.6171 mg/kg estimated
	Rabbit	8250 mg/kg estimated
	Rat	21598.2188 mg/kg estimated

Components	Species	Test Results
Cupric Sulfate, pentahydrate (CAS 7758-99-8)		
Acute		
<i>Oral</i>		
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
<i>Other</i>		
LD50	Rabbit	> 8 g/kg
Manganese Sulfate, monohydrate (CAS 10034-96-5)		
Acute		
<i>Oral</i>		
LD100	Mouse	305 mg/kg
<i>Other</i>		
LD100	Mouse	146 mg/kg
LD50	Mouse	64 mg/kg
Zinc Sulfate (CAS 7733-02-0)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	623 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product	Species	Test Results	
Desert Micro Blend (CAS Mixture)			
Aquatic			
Crustacea	EC50	Daphnia	638.5859 mg/l, 48 hours estimated
Fish	LC50	Fish	1521.8973 mg/l, 96 hours estimated
Components			
Species			
Test Results			
Cupric Sulfate, pentahydrate (CAS 7758-99-8)			
Aquatic			
Crustacea	EC50	Water flea (<i>Bosmina longirostris</i>)	0.0037 mg/l, 48 hours
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	0.66 - 1.15 mg/l, 96 hours
Manganese Sulfate, monohydrate (CAS 10034-96-5)			
Aquatic			
Crustacea	EC50	Water flea (<i>Daphnia obtusa</i>)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Zinc Sulfate (CAS 7733-02-0)			
Aquatic			
Algae	LC50	Green algae (<i>Chlorella vulgaris</i>)	5 mg/l, 24 hours
Crustacea	EC50	Amphipod (<i>Crangonyx pseudogracilis</i>)	15.1 - 24.5 mg/l, 96 hours
		Rotifer (<i>Philodina acuticornis</i>)	0.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	10.62 - 11.3 mg/l, 5 days
			0.168 - 0.25 mg/l, 96 hours
		Fish (<i>Lepidocephalichthyes guntea</i>)	76 - 118.8 mg/l, 24 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	Not available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 500 lbs (226.8 kg); 47.6 gallons (180.2 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

DOT


UN number	UN3082
UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate RQ = 500 lbs; Zinc Sulfate RQ = 8301 lbs)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	8, 146, 335, IB3, T4, TP1, TP29
Packaging exceptions	155
Packaging non bulk	203
Packaging bulk	241

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ferrous Sulfate (CAS 7782-63-0)	Manganese Sulfate, monohydrate (CAS 10034-96-5)	Zinc Sulfate (CAS 7733-02-0)	Listed.
			Listed.
			Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - Yes
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Zinc Sulfate	7733-02-0	10 - < 20
Manganese Sulfate, monohydrate	10034-96-5	5 - < 10
Cupric Sulfate, pentahydrate	7758-99-8	1 - < 3

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.**US state regulations****US. Massachusetts RTK - Substance List**

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 FERROUS SULFATE (CAS 7782-63-0)
 Zinc Sulfate (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 Manganese Sulfate, monohydrate (CAS 10034-96-5)
 Zinc Sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Cupric Sulfate, pentahydrate (CAS 7758-99-8)
 FERROUS SULFATE (CAS 7782-63-0)
 Zinc Sulfate (CAS 7733-02-0)

US. Rhode Island RTK

FERROUS SULFATE (CAS 7782-63-0)
 Manganese Sulfate, monohydrate (CAS 10034-96-5)
 Zinc Sulfate (CAS 7733-02-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 08-27-2015

Revision date 03-28-2016

Version # 06

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its own tests of the Product to determine suitability of the Product for user's particular use.