PRECISION LABORATORIES, LLC



Updated: December 12, 2014

Page 1 of 5

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Border™ Xtra 8L

PRECISION LABORATORIES, LLC Supplier:

1429 S. SHIELDS DRIVE WAUKEGAN, IL 60085

Product Use: **Drift Reduction Technology**

Emergency telephone number: (Chemtrec Information 24 hours) (800) 424-9300

Customer Service, call: (847) 596-3001

2. HAZARDS IDENTIFICATION

GHS Classification:

Eye Irritation, Category 2B, H320

Signal Word: Warning **Hazard Statements:**

H320: Causes eve irritation. **Precautionary Statements:**

Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash protective equipment and work clothes thoroughly after handling.

Response

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number</u>	Weight %
Ammonium sulfate	7783-20-2	25-35
Surfactants	Proprietary	3-10
Methyl alcohol	67-56-1	<3

4. FIRST AID MEASURES

IF SWALLOWED: Call a POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have person sip a glass of water

if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any

fluids to an unconscious person. Treat symptomatically.

IF ON SKIN: Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical

advice or attention. Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

Move person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give IF INHALED:

oxygen. If not breathing, give artificial respiration. Call a POISON CENTER/doctor or Chemtrec if person feels

unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice or attention.

IF EXPOSED OR CONCERNED: Call a POISON CENTER/doctor or Chemtrec.

Medical Conditions Aggravated by Overexposure: Repeated or prolonged exposure is not known to aggravate medical condition.

Other Effects: This product is not a carcinogen by NTP, OSHA and ACGIH.

PRECISION LABORATORIES, LLC

PRECISION LABORATORIES

Updated: December 12, 2014

Page **2** of **5**

5. FIREFIGHTING MEASURES

Suitable Extinguishing media: Water spray, foam, CO₂ or dry chemicals may be used in areas where product is stored. Specific Hazards: Burning may produce oxides of nitrogen and carbon and other hazardous substances.

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective

clothing.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill: Stop the flow of material, if this is without risk. Wear protective equipment as referenced in Section 8. Recover

free liquid. Control spill with adsorbent pads or booms. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Product is slippery under foot; flush

smooth surfaces thoroughly.

Disposal: See Section 13 for disposal considerations.

7. HANDLING AND STORAGE

Handling: Keep container closed. Wear appropriate equipment and clothing to prevent eye contact and repeated or

prolonged skin contact as referenced in Section 8.

Storage: Protect product from freezing. If product freezes, warm to room temperature and agitate before use. Keep

containers sealed when not in use. Store in original container only.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits: Methyl alcohol (67-56-1)

ACGIH: 200 ppm TWA 250 ppm STEL

Skin - potential significant contribution to overall exposure by the cutaneous route

OSHA: 200 ppm TWA; 260 mg/m3 TWA

250 ppm STEL; 325 mg/m3 STEL Prevent or reduce skin absorption

NIOSH: 200 ppm TWA; 260 mg/m3 TWA

250 ppm STEL; 325 mg/m3 STEL Potential for dermal absorption

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

Eye/Face Protections: Wear splash-proof chemical safety goggles. Contact lenses should not be worn when working with

chemicals.

Skin Protection: Wear chemical-resistant gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact. As

precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using

restroom. After each shift, clean all protective equipment, wash work clothes, and shower.

Respiratory Protection: Not required under normal use conditions with good ventilation. Protect against spray mists.

General Protection: Eye wash fountains and drench showers should be located within a 10 second walk from the work area

per ANSI Z358.1-2009.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue, viscous liquid pH: 6.7 ± 0.5 Odor: Characteristic odor Melting Point: N/D Odor Threshold: N/D Freezing Point: N/D

PRECISION LABORATORIES, LLC

PRECISION LABORATORIES

Updated: December 12, 2014

Page 3 of 5

Boiling Point: >212°F Vapor Density: N/D

Flash Point: None Relative Density: 9.967 lbs/gallon Evaporation Rate: N/D Solubility: Dispersible in water

Flammability: Noncombustible Partition Coefficient: N/D UEL: N/D Autoignition Temperature: N/D LEL: N/D Decomposition Temperature: N/D

Vapor Pressure: N/D

10. STABILITY AND REACTIVITY

Stability: Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Condition to Avoid: Freezing or other extreme temperatures.

Incompatible Materials: Strong bases, oxidizers, chlorates, nitrates.

Hazardous Decomposition Products: Burning may produce ammonia, oxides of nitrogen and carbon and other hazardous

substances.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity: LD50 > 5,000 mg/kg (albino rats)
Acute Eye Irritation: Minimally irritating (albino rabbits)
Acute Dermal Irritation: Non-irritating (albino rabbits)
Acute Dermal Toxicity: LD50 > 5,050 mg/kg (albino rats)

Acute Inhalation: It is considered that Border Xtra 8L, due to its physical nature, cannot be aerosolized at an

exposure concentration high enough to provide meaningful acute inhalation toxicity data

(Acute Inhalation Toxicity in Rats, Study ID 16366-12, performed by Stillmeadow

Laboratory, Sugar Land, TX).

Component Analysis—LD50/LC50: Ammonium sulfate (7783-20-2): Oral LD50 Rat 2,000 mg/kg

Methyl alcohol (67-56-1): Inhalation LC50 Rat 83.2 mg/L 4 h; Inhalation LC50 Rat 64,000

ppm 4 h; Oral LD50 Rat 5,628 mg/kg; Dermal LD50 Rabbit 15,800 mg/kg

Component Carcinogenicity: None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP

12. ECOLOGICAL INFORMATION

Component Analysis - Ecotoxicity - Aquatic Toxicity

Ammonium sulfate (7783-20-2)

Test & Species

96 Hr LC50 Leuciscus idus 460 - 1000 mg/L [static]

96 Hr LC50 Brachydanio rerio 250 mg/L

96 Hr LC50 Brachydanio rerio 480 mg/L [flow-through] 96 Hr LC50 Brachydanio rerio 420 mg/L [semi-static]

96 Hr LC50 Cyprinus carpio 18 mg/L 96 Hr LC50 Pimephales promelas >100 mg/L

96 Hr LC50 Oncorhynchus mykiss 32.2-41.9 mg/L [flow-through]

96 Hr LC50 Oncorhynchus mykiss 5.2-8.2 mg/L [static]

96 Hr LC50 Poecilia reticulata 123-128 mg/L [semi-static]

96 Hr LC50 Poecilia reticulata 126 mg/L 24 Hr EC50 Daphnia magna 423 mg/L 48 Hr LC50 Daphnia magna 14 mg/L

PRECISION LABORATORIES, LLC

Updated: December 12, 2014

Page 4 of 5

Methyl alcohol (67-56-1)

Test & Species

96 Hr LC50 Pimephales promelas 28200 mg/L [flow-through]

96 Hr LC50 Pimephales promelas >100 mg/L [static]

96 Hr LC50 Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through]

96 Hr LC50 Oncorhynchus mykiss 18 - 20 mL/L [static]

96 Hr LC50 Lepomis macrochirus 13500 - 17600 mg/L [flow-through]

13. DISPOSAL CONSIDERATIONS

Component Waste Numbers: Methyl alcohol (67-56-1)

Disposal Instructions: Recycle or rework material if at all possible. Treat at an acceptable waste treatment facility or

municipal waste treatment plant after proper testing and approval of waste samples in

compliance with applicable federal, state and local environmental regulations.

Container Reuse: Do not reuse empty container as it may contain product residue. Rinse container thoroughly

prior to disposal. Dispose of rinsate and container in accordance with local, state and federal

regulations.

14. TRANSPORT INFORMATION

DOT Status (Highway and rail): Not Regulated

IATA Status (Air): N/D Marine Pollutant: No

15. REGULATORY INFORMATION

SARA HAZARD: This material contains one or more of the following chemicals required to be identified under SARA Section

302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

Methyl alcohol (67-56-1)

SARA 313: 1.0 % de minimis concentration CERCLA: 5,000-lb final RQ; 2,270-kg final RQ

State: The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Ammonium sulfate	7783-20-2	No	Yes	No	No	Yes	No
Methyl alcohol	67-56-1	Yes	Yes	Yes	Yes	Yes	No


The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List: WHMIS:

Component	CAS#	Minimum Concentration
Ammonium sulfate	7783-20-2	1 %
Methyl alcohol	67-56-1	1 %

16. OTHER INFORMATION

HIVIIS Hazard Rating				
HEALTH	2			
FLAMMABILITY	0			
REACTIVITY	0			
PERSONAL PROTECTION	Χ			

NFPA Rating



Last Updated: December 12, 2014 Date Prepared: October 16, 2013

PRECISION LABORATORIES, LLC



Updated: December 12, 2014

Page 5 of 5

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

N/R-Not Rated

N/D-Not Determined

N/A—Not Applicable

N/E—Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.