

AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: AVICTA® COMPLETE CORN 500

Product No.: A18043A

Use: Nematicide/Insecticide/Fungici

de

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Oral: Category 4

Skin Sensitizer: Category 1B

Inhalation: Category 2

Signal Word (OSHA): Danger

Hazard Statements: Harmful if swallowed

May cause an allergic skin reaction

Fatal if inhaled

Hazard Symbols:





Precautionary Statements: Do not breathe mist, vapors, spray.

Wash hands and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves, protective clothing, eye protection.

In case of inadequate ventilation wear respiratory protection. See Section 8 Exposure

Control/Personal Protection.

If swallowed: Call a poison center, doctor or Syngenta if you feel unwell. Rinse mouth.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center, doctor or Syngenta.



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Specific treatment is urgent (see Section 4 First Aid Measures).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Glycerin	Glycerin	56-81-5	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<63.74%
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3 methoxyacrylate	Azoxystrobin -	131860-33-8	0.12%
(R,S)-2-[(2,6-dimethylphenyl)- methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	0.23%
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	Fludioxonil	131341-86-1	0.30%
1H-Benzimidazole, 2-(4-thiazolyl)-	Thiabendazole	148-79-8	2.31%
Abamectin	Abamectin	71751-41-2	10.20%
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5- methyl-1,3,5-oxadiazinan-4- ylidene(nitro)amine	Thiamethoxam	153719-23-4	23.10%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Most important symptoms/effects:

Allergic skin reaction



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Early signs of intoxication include dilation of pupils, muscular incoordination and muscular tremors. Toxicity following accidental ingestion of abamectin can be minimized by early administration of chemical adsorbents (e.g. activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Glycerin	15 mg/m³ TWA (total); 5 mg/m³ TWA (respirable)	Not Established	Not Established	Not Applicable
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Azoxystrobin	Not Established	Not Established	4 mg/m³ TWA	Syngenta
Mefenoxam	Not Established	Not Established	5 mg/m³ TWA	Syngenta
Fludioxonil	Not Established	Not Established	5 mg/m³ TWA	Syngenta
Thiabendazole	Not Established	Not Established	5 mg/m³ TWA	Syngenta
Abamectin	Not Established	Not Established	0.02 mg/m³ TWA	Syngenta
Thiamethoxam	Not Established	Not Established	3 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

Control airborne active ingredient levels below the Syngenta Occupational Exposure Limit of 0.02 mg/m³ (8-hour time-weighted average). Use process enclosures, exhaust ventilation controls, good work practices and respiratory protection to minimize exposure to liquid mists or dust from dried product. Follow U.S. EPA product label respirator requirements when using this formulated product to treat seed, bag seed, clean up equipment and conduct other miscellaneous activities. See the product label for specific respirator requirements.

In case of emergency spills, use a NIOSH approved respirator with an organic vapor cartridge and any R, P or HE filter.

For more information, contact Syngenta Industrial Hygiene at 1-800-334-9481.



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Tan opaque liquid

Odor: Aromatic

Flammability:

Odor Threshold: Not Available

pH: 6.0 (1% solution in deionized H2O @ 77°F [25°C])

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available Flash Point (Test Method): Not Available Flammable Limits (% in Air): Not Available

Vapor Pressure: Abamectin 7.5 x 10(-8) mmHg @ 77°F (25°C)

Not Available

Azoxystrobin 8.25 x 10(-13) mmHg @ 68°F (20°C) Fludioxonil 2.9 x 10(-9) mmHg @ 77°F (25°C) Mefenoxam 2.5 x 10(-5) mmHg @ 77°F (25°C) Thiabendazole 4.0 x 10(-9) mmHg @ 77°F (25°C) Thiamethoxam $2 \times 10(-11) \text{ mmHg} \otimes 68°F (20°C)$

Vapor Density: Not Available

Relative Density: 1.167 g/cm³; 9.73 lbs/gal

Solubility (ies): Abamectin 0.007 - 0.01 mg/l @ 68°F (20°C)

Azoxystrobin 6 mg/l in water @ 68°F (20°C)

Fludioxonil 1.8 mg/l @ 77°F (25°C) Mefenoxam 26 g/l @ 77°F (25°C)

Thiabendazole 30 mg/l (pH 7, pH 10) @ 68°F in water

Thiamethoxam 4.1 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Allergic skin reaction

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat): 310 mg/kg body weight

Dermal: Dermal (LD50 Rat): > 5000 mg/kg body weight

Inhalation: Inhalation (LC50 Female 0.052 - 0.26 mg/l air - 4 hours

Rat):

Eye Contact: Mildly Irritating (Rabbit)

Skin Contact: Slightly Irritating (Rabbit)

Skin Sensitization: Sensitizing (Guinea Pig)

Reproductive/Developmental Effects

Abamectin: Experiments have shown reproductive toxicity effects on laboratory animals.

Azoxystrobin: Did not show reproductive toxicity effects in animal experiments.

Fludioxonil: Delayed development at doses causing maternal toxicity.

Mefenoxam: None observed.

Thiabendazole: Did not show reproductive toxicity effects in animal experiments.

Thiamethoxam: Developmental: Not teratogenic in rats or rabbits.

Reproductive: No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction.

Chronic/Subchronic Toxicity Studies

Abamectin: Central nervous system effects in chronic/subchronic animal tests. Azoxystrobin: No adverse effect has been observed in chronic toxicity tests.

Fludioxonil: Liver and kidney toxicity at high dose levels.

Mefenoxam: Liver effects at high dose animal tests.

Thiabendazole: Increased incidence of anemia and changes in the gall bladder, kidney, liver, spleen and thyroid gland in rat and dog tests.

No adverse health effects are expected in humans at airborne levels below the occupational exposure limit.

Thiamethoxam: Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after high acute and subchronic exposure in rats.

Carcinogenicity

Abamectin: Did not show carcinogenic effects in animal experiments.

Azoxystrobin: Did not show carcinogenic effects in animal experiments.

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Mefenoxam: None observed.



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Thiabendazole: Following dietary administration to Sprague-Dawley rats for 2 years, a high dose (90 mg/kg/day) of thiabendazole resulted in a minimally increased incidence of thyroid follicular cell adenomas in male rats only. The mode of action (MOA) is not relevant to humans, supporting the conclusion that thiabendazole does not pose a carcinogenic hazard to humans.

Thiamethoxam: Classified as "not likely to be carcinogenic in humans" based on lifetime studies in mice and rats.

Chemical Name	NTP/IARC/OSHA Carcinogen
Glycerin	No
Other ingredients	No
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	No
(R,S)-2-[(2,6-dimethylphenyl)- methoxyacetylamino]-propionic acid methyl ester	No
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H- pyrrole-3-carbonitrile	No
1H-Benzimidazole, 2-(4-thiazolyl)-	No
Abamectin	No
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl- 1,3,5-oxadiazinan-4-ylidene(nitro)amine	No
Other Taxinity Information	

Other Toxicity Information

None

Toxicity of Other Components

Glycerin

Repeated or prolonged exposure to concentrated solutions may result in dermatitis.

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Abamectin: Skin, eye, CNS

Azoxystrobin: Liver

Fludioxonil: Liver, kidney

Mefenoxam: Liver

Thiabendazole: Thyroid, liver, spleen, kidney, gall bladder, blood

Thiamethoxam: Liver

Inert Ingredients

Glycerin: Skin

Other ingredients: Not Applicable

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Azoxystrobin:

Fish (Rainbow Trout) 96-hour LC50 470 ppb

Green Algae 5-day EC50 106 ppb

Invertebrate (Water Flea) 48-hour EC50 259 ppb



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Bird (Mallard Duck) 14-day LD50 > 250 mg/kg

Mefenoxam:

Fish (Rainbow Trout) 96-hour LC50 > 121 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm

Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

Fludioxonil:

Fish (Rainbow Trout) 96-hour LC50 0.47 ppm

Green Algae 5-day EC50 0.087 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm

Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

Thiabendazole:

Bird (Bobwhite Quail) LD50 Oral > 2250 mg/kg

Fish (Trout) 96-hour LC50 0.56 ppm

Invertebrate (Water Flea) 48-hour EC50 0.81 mg/l

Abamectin:

Fish (Rainbow Trout) 96-hour LC50 3.6 ppb

Bird (Bobwhite Quail) LD50 Oral > 2000 mg/kg

Invertebrate (Water Flea) 48-hour EC50 0.34 ppb

Green Algae 9-day EC50 > 100 ppm

Bee (Contact) 48-hour LD50 0.41 ug/bee

Thiamethoxam:

Fish (Rainbow Trout) 96-hour LC50 > 100 ppm

Bird (Mallard Duck) LD50 Oral 576 mg/kg

Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm

Green Algae 4-day EC50 > 97 ppm

Environmental Fate

Abamectin:

The information presented here is for the active ingredient, abamectin.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Low mobility in soil. Mixes in water (after 24 h).

Azoxystrobin:

The information presented here is for the active ingredient, azoxystrobin.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.

Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.

Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

Thiabendazole:

The information presented here is for the active ingredient, thiabendazole.

Low bioaccumulation potential. Stable in soil and water. Sinks in water (after 24 h).



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Thiamethoxam:

The information presented here is for the active ingredient, thiamethoxam.

Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Proper Shipping Name: Pesticide, Liquid, Toxic, N.O.S. (Abamectin)

Hazard Class: Class 6.1 Identification Number: UN 2902

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Pesticide, Liquid, Toxic, N.O.S. (Abamectin), Marine Pollutant

Hazard Class: Class 6.1 Identification Number: UN 2902

Packing Group: PG III

Air Transport

Proper Shipping Name: Pesticide, Liquid, Toxic, N.O.S. (Abamectin)

Hazard Class: Class 6.1 Identification Number: UN 2902

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: May be fatal if inhaled or swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1399

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Chronic Health Hazard



AVICTA® COMPLETE CORN 500

Date: 7/15/2015 Replaces: 3/9/2015

Section 313 Toxic Chemicals: Thiabendazole 2.31% (CAS No. 148-79-8)

CERCLA/SARA 304 Reportable Quantity (RQ):

Not Applicable

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings **HMIS Hazard Ratings** Minimal Health: Health: Slight 4 3 1 1 Moderate Flammability: Flammability: 3 Instability: 0 Reactivity: 0 Serious Extreme Syngenta Hazard Category: D,S Chronic

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 1/25/2012

Revision Date: 7/15/2015 Replaces: 3/9/2015

Section(s) Revised: 2, 4, 11

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.