

LAMDEC INSECTICIDE

Date: 5/11/2015
Replaces: 2/5/2014

1. PRODUCT IDENTIFICATION

Product identifier on label: **LAMDEC INSECTICIDE**
Product No.: A12975F
Use: Insecticide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2
Inhalation: Category 3
Aspiration Hazard: Category 1
Flammable Liquid: Category 4
Eye Damage/Irritation: Category 2B
Oral: Category 3

Signal Word (OSHA): Danger

Hazard Statements: Combustible liquid
Toxic if swallowed
May be fatal if swallowed and enters airways
Causes skin irritation
Causes eye irritation
Toxic if inhaled

Hazard Symbols:



Precautionary Statements: Keep away from heat, sparks, open flames, hot surfaces. No smoking.
Avoid breathing mist, vapors, spray.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If swallowed: Immediately call a poison center, doctor or Syngenta. Rinse mouth.
If on skin: Wash with plenty of soap and water.

LAMDEC INSECTICIDE

Date: 5/11/2015
Replaces: 2/5/2014

If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a poison center, doctor or Syngenta.
See Section 4 First Aid Measures.
Do NOT induce vomiting.
If skin irritation occurs: Get medical advice.
If eye irritation persists: Get medical advice.
Take off contaminated clothing and wash it before reuse.
In case of fire: Use dry chemical, foam or CO₂ for extinction.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Mineral Oil	Mineral Oil	8042-47-5	Trade Secret
Petroleum Solvent	Petroleum Solvent	68477-31-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<86.9%
[1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate	Lambda-Cyhalothrin	91465-08-6	13.1%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice. Persons suffering with temporary allergic skin reactions may respond to treatment with oral antihistamines and topical or oral steroids.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call supplier (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

LAMDEC INSECTICIDE

Date: 5/11/2015
 Replaces: 2/5/2014

Eye irritation
 Skin irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.
 Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Treat symptomatically.
 Contains petroleum distillate - vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:
 Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.
 Specific Hazards:

Special protective equipment and precautions for firefighters:
 Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:
 Follow exposure controls/personal protection outlined in Section 8.
 Methods and materials for containment and cleaning up:

7. HANDLING AND STORAGE

Precautions for safe handling:

 Conditions for safe storage, including any incompatibilities:
 Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Mineral Oil	Not Established	5 mg/m ³ TWA inhalable	Not Established	Not Applicable
Petroleum Solvent	Not Established	Not Established	100 mg/m ³ (17 ppm)	Manufacturer
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Lambda-Cyhalothrin	Not Established	Not Established	0.04 mg/m ³ TWA (skin)	Syngenta

LAMDEC INSECTICIDE

Date: 5/11/2015
Replaces: 2/5/2014

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:**Ingestion:**

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11).

Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid

Odor: Aromatic

Odor Threshold: Not Available

pH: 5.29 (1% solution in deionized H₂O @ 77°F [25°C])

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): 167°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Available

Flammability: Combustible liquid

Vapor Pressure: Lambda-Cyhalothrin 1.5 x 10⁽⁻⁹⁾ mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 0.914 g/cm³ @ 68°F (20°C)

Solubility (ies): Lambda-Cyhalothrin 0.004 mg/l

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: 671°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

LAMDEC INSECTICIDE

Date: 5/11/2015
Replaces: 2/5/2014

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
Chemical stability: Stable under normal use and storage conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to Avoid:
Incompatible materials: None known.
Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATIONHealth effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Skin irritation

Delayed, immediate and chronic effects of exposure: Eye irritation, Skin irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	92.91 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 0.55 mg/l air - 4 hours
Eye Contact:	Mildly Irritating (Rabbit)	
Skin Contact:	Moderately Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Lambda-Cyhalothrin : Not a developmental or reproductive toxicant.

Chronic/Subchronic Toxicity Studies

Lambda-Cyhalothrin : Reversible paresthesia (abnormal skin sensation).
Reversible clinical signs of neurotoxicity in mammals.

Carcinogenicity

Lambda-Cyhalothrin : No treatment-related tumors in rats or mice.

Chemical Name	NTP/IARC/OSHA Carcinogen
Mineral Oil	No
Petroleum Solvent	No
Other ingredients	No

LAMDEC INSECTICIDE

Date: 5/11/2015

Replaces: 2/5/2014

[1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl- No
3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-
dimethylcyclopropanecarboxylate

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

Toxicity of Other Components

Mineral Oil

May cause respiratory irritation when inhaled as a mist.

Other ingredients

Not Applicable

Petroleum Solvent

Repeated exposure may cause skin dryness or cracking. If swallowed, may be aspirated and cause lung damage. May be irritating to the eyes, nose, throat and lungs. May cause central nervous system depression.

Target OrgansActive Ingredients

Lambda-Cyhalothrin : Liver, nervous system

Inert Ingredients

Mineral Oil: Respiratory tract

Other ingredients: Not Applicable

Petroleum Solvent: Skin, eye, respiratory tract, CNS

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Lambda-Cyhalothrin :

Fish (Rainbow Trout) 96-hour LC50 0.19 ppb

Bird (Mallard Duck) LD50 Oral > 3950 mg/kg

Invertebrate (Water Flea) 48-hour EC50 0.04 ppb

Environmental Fate

Lambda-Cyhalothrin :

The information presented here is for the active ingredient, lambda-cyhalothrin.
Not persistent in soil or water. Immobile in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

LAMDEC INSECTICIDE

Date: 5/11/2015

Replaces: 2/5/2014

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Proper Shipping Name: Pyrethroid Pesticides, Liquid, Toxic (Lambda-Cyhalothrin)

Hazard Class: Division 6.1

Identification Number: UN 3352

Packing Group: PG III

Comments

Water Transport - International

Proper Shipping Name: Pyrethroid Pesticides, Liquid, Toxic (Lambda-Cyhalothrin), Marine Pollutant

Hazard Class: Division 6.1

Identification Number: UN 3352

Packing Group: PG III

Air Transport

Proper Shipping Name: Pyrethroid Pesticides, Liquid, Toxic (Lambda-Cyhalothrin)

Hazard Class: Division 6.1

Identification Number: UN 3352

Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: May be fatal if swallowed. Causes moderate eye irritations. Causes skin irritation. Harmful if absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1086

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard
Fire Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Available

TSCA Status:

Exempt from TSCA, subject to FIFRA

LAMDEC INSECTICIDE

Date: 5/11/2015
Replaces: 2/5/2014

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
Flammability: 2
Instability: 0

HMIS Hazard Ratings

Health: 2
Flammability: 2
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 2/5/2014

Revision Date: 5/11/2015

Replaces: 2/5/2014

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.