



<b>SECTION 1</b>		<b>PRODUCT AND COMPANY INFORMATION</b>				
TRADE NAME:	MicroEssentials SZ					
CHEMICAL NAME:	Monoammonium Phosphate with Sulfur and Zinc					
CAS NUMBER:	MAP: 7722-76-1 Sulfur: various Zinc: various					
CHEMICAL FAMILY:	Ammonium Phosphates- Inorganic Salts					
SYNONYMS:	Monoammonium Phosphate + Sulfur and Zinc Monobasic Ammonium Phosphate + Sulfur and Zinc Ammonium Dihydrogen Phosphate + Sulfur and Zinc MESZ MAP + S + Z Ammonium dihydrogen orthophosphate					
PRIMARY USE:	Crop nutrient to be applied as intact granule					
COMPANY INFORMATION:	<p style="text-align: center;"><b>The Mosaic Company</b> Atria Corporate Center 3033 Campus Drive, Suite E490 Plymouth, MN 55441USA <a href="http://www.mosaicco.com">www.mosaicco.com</a></p> <p style="text-align: center;">For non-emergency questions, phone hours are 8 AM to 5 PM Central Time US 800.918.8270 (toll free) 763.577.2700 (phone)</p>					
EMERGENCY TELEPHONE:	<p style="text-align: center;"><b>EMERGENCY OVERVIEW</b> <b>24 Hour Emergency Telephone Number</b> <b>For Chemical Emergencies:</b> <b>Spill, Leak, Fire or Accident</b> <b>Call CHEMTREC</b> <b>North America: (800) 424-9300</b> <b>Others: (703) 527-3887 (collect)</b></p>					
<b>SECTION 2</b>		<b>HAZARD IDENTIFICATION</b>				
EMERGENCY OVERVIEW :	Health Hazards:	Avoid contact with eyes, skin and clothing. Avoid ingestion. Wash thoroughly after handling. Also refer to Sections 11, and 15.				
	Physical Hazards:	Slippery when wet.				
	Physical Form:	Solid				
	Appearance:	Grey, tan, brown, or black granules				
	Odor:	Slight ammonia odor				
	Toxicity:	Non-toxic				
	<b>NFPA HAZARD CLASS</b>		<b>HMIS HAZARD CLASS</b>		<b>WHMIS HAZARD CLASS</b>	
	Health:	2	Health:	2	Symbol	N/A
	Flammability:	0	Flammability:	0	Classification	Not WHMIS controlled
	Instability:	0	Physical Hazard:	0	Sub Class (N/A)	
Special Hazard:	None	PPE:	Section VIII			



POTENTIAL HEALTH EFFECTS:	<b>Eye:</b>	Contact may cause eye irritation including stinging, watering and redness.
	<b>Skin:</b>	Contact may cause mild irritation including redness and a burning sensation. No harmful effects from skin absorption have been reported.
	<b>Inhalation (Breathing):</b>	Effects of overexposure to dusts can include irritation of the eyes and respiratory tract, pneumoconiosis (dust congested lungs) pneumonitis (lung inflammation), coughing, vomiting, diarrhea, abdominal pain. Contact with particulate matter may cause irritation of the nose and throat, coughing and shortness of breath including a burning sensation.
	<b>Ingestion (Swallowing)</b>	Moderate degree of toxicity by ingestion, however ingestion is NOT an intended use.
	<b>Signs and Symptoms:</b>	Effects of overexposure may include irritation of the nose, throat and digestive tract, nausea, vomiting, diarrhea, headache, runny nose, coughing, shortness of breath, abdominal cramping and chest pain.
	<b>Cancer:</b>	Data not available.
	<b>Target Organs:</b>	Data not available.
	<b>Developmental:</b>	Inadequate data available.
	<b>Other Comments:</b>	<p>These comments relate to minor ingredients or impurities that are present and bound within finished product granules. Overexposure to these minor components during proper handling and use are not expected.</p> <p>Allergic skin responses after repeated contact with sulfur, a component, have been reported but are not common.</p> <p>Prolonged or repeated overexposure to fluoride compounds may cause fluorosis. Fluorosis is characterized by skeletal changes, consisting of osteosclerosis (hardening or abnormal density of bone) and osteomalacia (softening of bones) and by mottled discoloration of the enamel of teeth (if exposure occurs during enamel formation). Symptoms may include bone and joint pain and limited range of motion.</p>
	<b>Pre-Existing Medical Conditions:</b>	Skin and Respiratory (asthma-like) disorders.
POTENTIAL ENVIRONMENTAL EFFECTS:	MicroEssentials SZ is considered biodegradable and is taken up as a nutrient by vegetation. Large spills can harm or kill vegetation. May release ammonium ions that are toxic to fish in water systems. May release phosphates which will result in algae growth, increased turbidity and depleted oxygen in water systems.	



<b>SECTION 3</b>		<b>COMPOSITION INFORMATION ON INGREDIENTS</b>	
COMPOSITION:	Phosphate as P <sub>2</sub> O <sub>5</sub>	Primary nutrient ingredient	40%
	Nitrogen as N	Primary nutrient ingredient	12%
	Water	Trace as moisture	0.5 – 2%
	Sulfur as S	Secondary nutrient ingredient	5%
	Sulfate as S	Secondary nutrient ingredient	5%
	Zinc as Zn	Micro nutrient	1%
	Fluorides as F	Impurity	2-4%
<b>SECTION 4</b>		<b>FIRST AID MEASURES</b>	
FIRST AID PROCEDURES:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop (see Signs and Symptoms, Section 2), move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If exposed individual is conscious, immediately give water or milk. Do not induce vomiting. Seek medical attention. If person is unconscious, do not give anything by mouth.	
NOTE TO PHYSICIAN:	If individual has been exposed to concentrated decomposition products (see Section 10), treat symptomatically and watch for delayed symptoms of pulmonary edema.		
<b>SECTION 5</b>		<b>FIRE FIGHTING MEASURES</b>	
FLAMMABLE PROPERTIES:	Flash Point:	Not applicable	
	OSHA Flammability Class:	Not applicable	
	LEL/UEL:	LEL: Not explosible (at product concentration) UEL: Not explosible (at product concentration)	
	Auto-Ignition Temperature:	Not applicable	
EXTINGUISHING MEDIA:	Use extinguishing agent suitable for type of surrounding fire. Avoid use of excessive quantities of water to minimize runoff to environment (see Section 2). <u>Small fires:</u> water spray, foam, dry chemical or CO <sub>2</sub> – collect or direct water to containment <u>Large fires:</u> water spray, fog or foam – collect or direct water to containment		
PROTECTION OF FIREFIGHTERS:	Positive pressure, Self-Contained Breathing Apparatus (SCBA) is required for all fire-fighting activities involving hazardous materials. Section 10 notes decomposition products that may evolve.		



<b>SECTION 6</b>	<b>ACCIDENTAL RELEASE MEASURES</b>	
RESPONSE TECHNIQUES:	Stay upwind and away from product spill that may generate a dust hazard. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other drainage systems, and natural waterways. Notify appropriate federal, state/provincial and local agencies as may be required (see Section 15.) Sweep up and package appropriately for use as intended or disposal; minimize dust generation during cleanup.	
RELEASE NOTES :	If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the United States, contact the US COAST GUARD NATIONAL RESPONSE CENTER toll-free number 800-424-8802. In case of accident or road/rail spill notify: CHEMTREC in North America at 800-424-9300 and from other countries (collect) at 0-703-527-3887. (See Section 1)	
<b>SECTION 7</b>	<b>HANDLING AND STORAGE</b>	
HANDLING:	<p>This product is intended for use intact - as produced and shipped by Mosaic.</p> <p>The use of appropriate respiratory protection is advised when airborne concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, mouth, nose, hands/skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.</p> <p>Avoid systems that would tend to segregate dust or any components of this product. Avoid accumulation of fugitive dust, as high concentrations of sulfur dust may present an explosion hazard. Follow standard safe-work practices, including hot-work procedures when working around this product.</p>	
STORAGE:	Use and store this material in cool, dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.	
<b>SECTION 8</b>	<b>EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
ENGINEERING CONTROLS:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards (see Section 8) or in accordance with applicable regulations.	
PERSONAL PROTECTIVE EQUIPMENT (PPE):	Eye/Face:	Approved eye/face protection to safeguard against potential eye contact, irritation or injury is advised. Eye protection that provides a seal to the skin around the eye is advised.
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact and irritation.
	Respiratory:	Use a dust mask or other appropriate respiratory protection where engineering controls are not feasible or during operations that generate airborne concentrations exceeding the relevant standards.
	Other:	A source of clean water should be available in the work area for flushing eyes and skin.
GENERAL HYGIENE CONSIDERATIONS:	Use in adequate ventilation. Wash thoroughly after handling.	



EXPOSURE GUIDELINES:	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Specified (nos): 5 mg/m <sup>3</sup> TWA (respirable) 15 mg/m <sup>3</sup> TWA (total) Ammonia: 50 ppm (35 mg/m <sup>3</sup> ) TWA Fluorides, as F : 2.5 mg/m <sup>3</sup> TWA
	ACGIH Threshold Limit Value (TLV):	Particulates Not Otherwise Specified (nos): 3 mg/m <sup>3</sup> TWA (respirable) 10 mg/m <sup>3</sup> TWA (total) Ammonia: 25 ppm (18 mg/m <sup>3</sup> ) TWA 35 ppm (27 mg/m <sup>3</sup> ) STEL

**SECTION 9**

**PHYSICAL AND CHEMICAL PROPERTIES**

Note: Unless otherwise stated, values in this section are determined at 20 °C (68 °F) and 760 mm Hg (1 atm).

Flash Point:	Not applicable
Flammability/ Explosive Limits (%):	LEL: Not explosive (at product concentration) UEL: Not explosive (at product concentration)
Auto-Ignition Temperature:	Not applicable
Appearance:	Grey, tan, brown, or black granules
Physical State:	Solid
Odor:	Slight ammonia odor
pH:	4.2-5.0 in a 1% solution.
Vapor Pressure (mm Hg):	Not applicable
Vapor Density (air=1):	Not applicable
Boiling Point:	Not applicable
Freezing/Melting Point:	Decomposes at 374 °F (190 °C) before melting.
Solubility in Water:	80% - 90% 328 g/L at 20 °C
Specific Gravity:	Not applicable
Volatility:	Not applicable
Bulk Density:	57 - 66 lbs./ft <sup>3</sup> (Packed); 54 - 62 lbs./ft <sup>3</sup> (Loose)

**SECTION 10**

**STABILITY AND REACTIVITY**

Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 374 °F (190 °C).
Conditions to Avoid:	Extreme temperatures
Incompatible Materials:	Avoid contact with alkaline materials
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, nitrogen and/or sulfur (e.g., SO <sub>2</sub> ) may be released, as well may ammonia and fluoride vapor.
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc, and copper.
Hazardous Polymerization:	Will not occur.



<b>SECTION 11</b>	<b>TOXICOLOGICAL INFORMATION</b>
Acute Oral Toxicity	Monoammonium Phosphate – LD50(rat) >2000 mg/kg Ammonium Sulfate – LD50(rat) = 2000 to 4250 mg/kg, LD50(mouse) = 640 or 4,280 mg/kg
Acute Inhalation Toxicity	Data not available for mixture or components
Acute Dermal Toxicity	Data not available Monoammonium Phosphate – LD50(rat) >5000 mg/kg Ammonium Sulfate – LD50(rat and mouse) >2000 mg/kg
Mutagenesis	Data not available for mixture or major component
Target Organ	Data not available for mixture or major component
Developmental Toxicity	Data not available for mixture. The available data for components are inadequate.
Carcinogenicity	The ingredient(s) of this product is (are) not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA
<b>SECTION 12</b>	<b>ECOLOGICAL INFORMATION</b>
ECOTOXICOLOGY:	This product is a concentrated source of nutrients that have been indicated (see Section 2) to impact vegetation and aquatic systems. May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic (USA) in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream.
<b>SECTION 13</b>	<b>DISPOSAL CONSIDERATIONS</b>
	It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities. Consult federal state/provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.
<b>SECTION 14</b>	<b>TRANSPORTATION INFO</b>
Regulatory Status	Not regulated
Proper Shipping Name	Not applicable
Hazard Class	Not listed in the hazardous materials shipping regulations (49 CFR, Table 172.101) by the U.S. Department of Transportation, or in the Transport of Dangerous Goods (TDG) Regulations Canada.
Packing Group	Not applicable
Identification Number	HTS (Harmonized Tariff Schedule) Code 3105.40.0050
Guide Number	Not applicable



SECTION 15	REGULATORY INFORMATION
FDA:	Phosphate compounds are Generally Recognized As Safe (GRAS) by the U.S. Food and Drug Administration (21 CFR 582.1141; Bhat and Ramaswamy 1993) which allows them to be used as food and color additives.
CERCLA:	Product is not listed with an RQ (reportable quantity)
RCRA 261.33:	Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof are not listed as hazardous waste
SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	SARA – 311/312: Solid; Immediate (acute): Yes (MAP); Chronic: No; Fire: No; Pressure: No; Reactivity: No
	SARA – 313: Listed (Zinc compounds)
	SARA – 302/304: Zinc 1,000 lb RQ
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed
TSCA:	Components are listed or exempt from being listed on the TSCA inventory.
CA Proposition 65: (Health & Safety Code Section 25249.5)	Warning: This product contains substances that are known to the State of California to cause cancer and/or reproductive harm.
WHMIS:	Not controlled
CBSA:	Canadian Border Services Agency- This product does not contain any bovine, ruminant or other animal by-products.
SECTION 16	OTHER INFORMATION
Disclaimer:	<p>The information in this document is believed to be correct as of the date issued. Nothing herein contained shall be deemed to be a representation or warranty with respect to the product described herein. <b>NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE, AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED BY MOSAIC.</b> This information and product are furnished on the condition that the person receiving them shall make their own determination as to suitability of the product for their particular purpose and on the condition that they assume the risk of their use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this substance.</p>
Preparation:	The preparation of this MSDS was in accordance with ANSI Z400.1-2010.
References:	FCI Chemical Engineers Fertilizer Technical Data Book, 1994
Note to ____ (if applicable):	Not applicable