

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name: Everlast

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Agriculture foam marker

1.3 Details of the supplier of the safety data sheet**Company**

Rosen's Inc.,
700 SW 291 Hwy.
Ste. 204
Liberty, MO 64068
Telephone number: 877-781-9191

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

Acute toxicity, Category 4
Acute toxicity, Category 3
Acute toxicity, Category 3
Skin irritation, Category 2
Serious eye damage, Category 1

H302: Harmful if swallowed.
H331: Toxic if inhaled.
H311: Toxic in contact with skin.
H315: Causes skin irritation.
H318: Causes serious eye damage.

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- Danger

Hazard Statements

- H302 Harmful if swallowed.
- H311 + H331 Toxic in contact with skin or if inhaled.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

Precautionary Statements**Prevention**

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- First responder needs to protect himself.
- Place affected apparel in a sealed bag for subsequent decontamination.

In case of inhalation

- If breathed in, move person into fresh air.
- If breathing is difficult, give oxygen.
- If victim has stopped breathing:
 - administer CPR (cardio-pulmonary resuscitation)
- Get immediate medical advice/ attention.

In case of skin contact

- In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Seek medical advice.
- Wash contaminated clothing before re-use.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Seek medical advice.

In case of ingestion

- Do not induce vomiting without medical advice.
- If victim is conscious:
 - Rinse mouth with water.
 - Keep at rest.
 - Do not leave the victim unattended.
 - Vomiting may occur spontaneously
 - Risk of product entering the lungs on vomiting after ingestion.
- Lay victim on side.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

- Skin contact may aggravate existing skin disease
- Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Treat symptomatically.
- There is no specific antidote available.

SECTION 5: Firefighting measures

<u>Flash point</u>	> 200 °F (> 93 °C) closed cup Flammability class: Will burn
<u>Autoignition temperature</u>	no data available
<u>Flammability / Explosive limit</u>	Lower flammability/explosion limit : 1.10 %(V) Upper flammability/explosion limit : 10.10 %(V)

5.1 Extinguishing media

Suitable extinguishing media

- Extinguishing media - small fires
- Dry chemical
- Carbon dioxide (CO₂)

- Extinguishing media - large fires
- Foam
- Water spray

Unsuitable extinguishing media

- Water spray jet
- (frothing possible)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting

- Under fire conditions:
- Will burn

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides
- Sulfur oxides
- Sodium oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Further information

- Standard procedure for chemical fires.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear suitable protective equipment.
- For further information refer to section 8 "Exposure controls / personal protection."

6.2 Environmental precautions

- Do not flush into surface water or sanitary sewer system.
 - Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of
-

-
- containers or transfer systems.
 - Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up

Methods for containment

- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Dam up with sand or inert earth (do not use combustible materials).

Recovery

- Soak up with inert absorbent material.
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.

Decontamination / cleaning

- Clean contaminated surface thoroughly.
- Flush with plenty of water.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal

- Dispose of in accordance with local regulations.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Avoid inhalation of vapor or mist.
- Avoid contact with skin and eyes.
- Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.
- Avoid localized overheating.
- Vent drums while heating
- Homogenize before using.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Recommended storage temperature: 46 - 104 °F (8 - 40 °C)

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Components with workplace occupational exposure limits

Ingredients	Value type	Value	Basis
Ethylene Glycol Monobutyl Ether	TWA	5 ppm 24 mg/m ³	National Institute for Occupational Safety and Health
Potential for dermal absorption			
Ethylene Glycol Monobutyl Ether	TWA	20 ppm	American Conference of Governmental Industrial Hygienists
Ethylene Glycol Monobutyl Ether	TWA	50 ppm 240 mg/m ³	Occupational Safety and Health Administration - Table Z-1 Limits for Air Contaminants
Skin designation, The value in mg/m ³ is approximate.			

NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations)

Ingredients	CAS-No.	Concentration
Ethylene Glycol Monobutyl Ether	111-76-2	700 ppm

Biological Exposure Indices

Ingredients	Value type	Value	Basis
Ethylene Glycol Monobutyl Ether	BEI	Butoxyacetic acid (BAA) Urine End of shift (As soon as possible after exposure ceases)	American Conference of Governmental Industrial Hygienists

8.2 Exposure controls

Control measures

Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system

Individual protection measures

Respiratory protection

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- Under normal conditions, in the absence of other airborne contaminants, the following devices should provide protection from this material up to the conditions specified by the appropriate local standard(s):
- Respirator with filter for organic vapor

Hand protection

- Recommended preventive skin protection
- Gloves
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
 - Safety glasses with side-shields

Skin and body protection

- Recommended preventive skin protection
- Footwear protecting against chemicals
- impervious clothing
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

Protective measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	<u>Form</u> : thin <u>Physical state</u> : liquid <u>Color</u> : clear colorless
<u>Odor</u>	characteristic
<u>Odor Threshold</u>	no data available
<u>pH</u>	6.0 - 7.5 (1 % (m/v))
<u>Freezing point</u>	48 °F (9 °C)
<u>Boiling point/boiling range</u>	no data available
<u>Flash point</u>	> 200 °F (> 93 °C) closed cup Flammability class: Will burn
<u>Evaporation rate (Butylacetate = 1)</u>	no data available
<u>Flammability (solid, gas)</u>	no data available
<u>Flammability (liquids)</u>	no data available
<u>Flammability / Explosive limit</u>	<u>Lower flammability/explosion limit</u> : 1.10 %(V) <u>Upper flammability/explosion limit</u> : 10.10 %(V)
<u>Autoignition temperature</u>	no data available
<u>Vapor pressure</u>	no data available
<u>Vapor density</u>	no data available
<u>Density</u>	1.1 g/cm ³ (68 °F (20 °C)) <u>Relative density</u> : >= 1 (77 °F (25 °C))
<u>Solubility</u>	<u>Water solubility</u> : soluble
<u>Partition coefficient: n-octanol/water</u>	no data available
<u>Thermal decomposition</u>	no data available
<u>Viscosity</u>	no data available
<u>Explosive properties</u>	no data available

Oxidizing properties

no data available

9.2 Other information

no data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

- no data available

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions**Polymerization**

- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from heat and sources of ignition.
- Keep away from flames and sparks.

10.5 Incompatible materials

- Strong reducing agents
- Strong oxidizing agents

10.6 Hazardous decomposition products

- Carbon oxides
- Sulfur oxides
- Sodium oxides

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

According to the data on the components
Harmful if swallowed.
According to the classification criteria for mixtures.

Acute inhalation toxicity

According to the data on the components
Toxic if inhaled.
According to the classification criteria for mixtures.

Acute dermal toxicity

According to the data on the components
Toxic in contact with skin.
According to the classification criteria for mixtures.

Acute toxicity (other routes of administration)

no data available

Skin corrosion/irritation

Irritating to skin.
According to the data on the components
According to the classification criteria for mixtures.

Serious eye damage/eye irritation

Risk of serious damage to eyes.
According to the data on the components
According to the classification criteria for mixtures.

Respiratory or skin sensitization

Does not cause skin sensitization.
According to the data on the components
According to the classification criteria for mixtures.

Mutagenicity**Genotoxicity in vitro**

According to the data on the components
Product is not considered to be genotoxic
According to the classification criteria for mixtures.

Genotoxicity in vivo

According to the data on the components
Product is not considered to be genotoxic
According to the classification criteria for mixtures.

Carcinogenicity

no data available

Ingredients	CAS-No.	Rating	Basis
Ethylene Glycol Monobutyl Ether	111-76-2	Confirmed animal carcinogen with unknown relevance to humans	ACGIH

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP
IARC
OSHA
ACGIH
NTP
IARC
OSHA

Toxicity for reproduction and development**Toxicity to reproduction / fertility**

According to the data on the components
The product is not considered to affect fertility.
According to the classification criteria for mixtures.

Developmental Toxicity/Teratogenicity

According to the data on the components
The product is not considered to be toxic for development.
The product is not considered to be teratogenic.
According to the classification criteria for mixtures.

STOT

STOT-single exposure	The substance or mixture is not classified as specific target organ toxicant, single exposure. According to the classification criteria for mixtures.
STOT-repeated exposure	The substance or mixture is not classified as specific target organ toxicant, repeated exposure. According to the classification criteria for mixtures.
<u>Aspiration toxicity</u>	no data available

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment**

Acute toxicity to fish	The product itself has not been tested.
Acute toxicity to daphnia and other aquatic invertebrates.	The product itself has not been tested.
Toxicity to aquatic plants	The product itself has not been tested.
Toxicity to microorganisms	The product itself has not been tested.
Chronic toxicity to fish	The product itself has not been tested.
Chronic toxicity to daphnia and other aquatic invertebrates.	The product itself has not been tested.

12.2 Persistence and degradability

<u>Degradability assessment</u>	All or most of the components are considered to be rapidly degradable in the environment
--	--

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects no data available

Ecotoxicity assessment

Acute aquatic toxicity According to the data on the components
Toxic to aquatic life.
According to the classification criteria for mixtures.

Chronic aquatic toxicity According to the data on the components
Toxic to aquatic life with long lasting effects.
According to the classification criteria for mixtures.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

Advice on cleaning and disposal of packaging

- Rinse with an appropriate solvent.
- Dispose of contents/container in accordance with local regulation.

SECTION 14: Transport information

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification. The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

DOT

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium alkyl (C10-16) ether sulfates (2 EO))
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	III
Packing group	171
ERG No	
14.5 Environmental hazards	YES
Marine pollutant	

TDG

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium alkyl (C10-16) ether sulfate (2 EO))
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
ERG No	171
14.5 Environmental hazards	YES
Marine pollutant	Marine Pollutant (Sodium alkyl C10-C16 ether sulphate (2 EO))

NOM

no data available

IMDG

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium alkyl (C10-16) ether sulfate (2 EO))
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
14.5 Environmental hazards	YES
Marine pollutant	
14.6 Special precautions for user	
EmS	F-A , S-F

For personal protection see section 8.

IATA

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Sodium alkyl (C10-16) ether sulfate (2 EO))
14.3 Transport hazard class	9
Label(s):	9
14.4 Packing group	
Packing group	III
14.5 Environmental hazards	YES
Marine pollutant	
14.6 Special precautions for user	

Packing instruction (cargo aircraft)	964
Max net qty / pkg	450.00 L
Packing instruction (passenger aircraft)	964
Max net qty / pkg	450.00 L
For personal protection see section 8.	

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Notification status

Inventory Information	Status
United States TSCA Inventory	On TSCA Inventory
Canadian Domestic Substances List (DSL)	All components of this product are on the Canadian DSL.
Australia Inventory of Chemical Substances (AICS)	On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	On the inventory, or in compliance with the inventory

15.2 Federal Regulations

US. EPA EPCRA SARA Title III

SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

Section 313 Toxic Chemicals (40 CFR 372.65)

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients	CAS-No.	Concentration
Ethylene Glycol Monobutyl Ether	111-76-2	< 40%

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

WARNING! This product contains a chemical known in the State of California to cause cancer.

Ingredients	CAS-No.
1,4-Dioxane	123-91-1
Ethylene Oxide	75-21-8

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients	CAS-No.
Ethylene Oxide	75-21-8

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	2 moderate
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	2 moderate
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Product classified under the US GHS format.

Date Prepared: 03/06/2015

Key or legend to abbreviations and acronyms used in the safety data sheet

- TWA 8-hour, time-weighted average
- American Conference of Governmental Industrial Hygienists of Governmental

SAFETY DATA SHEET

Revision Date 03/06/2015

- Industrial Hygienists
- Occupational Safety and Health Administration Occupational Safety and Health Administration
- National Toxicology Program National Toxicology Program
- International Agency for Research on Cancer International Agency for Research on Cancer
- National Institute for Occupational Safety and Health National Institute for Occupational Safety and Health

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.