

Report Date 24-May-15

Page 1 of 4

1. Identification

Product Name: TRACITE LF MANGANESE STARTER CHELATE

Synonyms: None

Product Use : Chelated Micronutrient - Manganese

Manufacturer/Supplier: Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

2. Hazard Identification





Signal Word: Warning

Skin Irritation: Prolonged or repeated exposure may cause skin irritation.

Eye Irritation: May cause moderate to severe eye irritation.

Acute Toxicity Oral : No LD50. Ingestion may cause abdominal cramps and vomiting.

Acute Toxicity Dermal : No LD50 available.

Hazard Categories: Oral/Dermal/Inhalation Toxicity-5/5/5; Eye/Skin Irritation-2A/2; STOT,

central nervous system-2

Hazard Statement: May be harmful if swallowed

May be harmful in contact with skin

Causes serious eye irritation Causes skin irritation May be harmful if inhaled

May cause damage to organs (state all organs affected, if known) through

prolonged or repeated exposure (state route of exposure if it is

conclusively proven that no other routes of exposure cause the hazard)

3. Composition / Information on Ingredients

Component

CAS Number Proprietary Weight % 100.00

Blend of Manganese Sulfate (CAS No. 10034-96-5). The chelating agent is citric acid (CAS No. 77-92-9).

GUARANTEED ANALYSIS:
Sulfur (S): 3.00%

Sulfur (S): 3.00% Manganese (Mn): 5.00%

4. First Aid Measures

Eye: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for

15 to 20 minutes. Call a poison control center or doctor for treatment advice.



Report 24-May-15 Date

2 of 4 Page

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse

mouth with water. Do not induce vomiting. Do not give anything by mouth if

Indication of Immediate Medical

: In the event of an adverse response, treatment should be directed toward

Attention and Special Treatment

Needed

control of the symptoms.

Fire Fighting Measures

Extinguishing Media: Non-combustible liquid. Use extinguishing media suitable for underlying cause

Specific Hazards Arising from the

Chemical

Product may produce toxic fumes under fire conditions.

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Use water

spray to keep fire-exposed containers cool.

Accidental Release Measures

Personal Precautions: Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

Emergency Procedures : Dike spilled product to prevent spreading. Do not contaminate water supplies,

lakes, streams, ponds or drains with spilled material.

Containment and Cleanup

Methods and Materials for : If uncontaminated, collect and reuse product. If contaminated, absorb with an inert material such as clay, sand or sawdust, then collect and place in suitable

containers for proper disposal.

Handling and Storage

Precautions for Safe Handling : Keep locked up and out of reach of children. Do not contaminate water, food or

feed by storage, handling or disposal. Keep container tightly closed. Do not

allow water to be introduced into the contents of the container.

Conditions for Safe Storage : Store in original container only. May be corrosive to aluminum, mild steel and

brass. Store in HDPE, fiberglass or stainless steel. Use only stainless steel,

PVC or polypropylene fittings.

Exposure Controls / Personal Protection

TLV/PEL: Manganese dust and compounds (as Mn), TLV = 0.2 mg/m3 and PEL = 5

mg/m3.

Appropriate Engineering Controls : Local exhaust sufficient.

Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

Physical and Chemical Properties

Odor/Appearance: Clear, reddish-brown liquid with ammonia odor.



Report 24-May-15

Page 3 of 4

Flash Point, °F : Non-combustible Boiling Point, °F : >212 Degrees F.

Melting Point(Freezing point), °C : <30 Degrees F.

Vapor Pressure, mm Hg @ 20 °C : Not established

Vapor Density : Not established

Solubility in Water : Soluble

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.190-1.220 Evaporation Rate(Butyl Acetate = : Not established

1)

Octanol/Water Partition : No information found

Coefficient

pH: 10.0 to 10.7

Flammable Limits (approximate : Not determined

volume % in air)

Auto-ignition Temperature : Not determined Decomposition temperature : No information found

10. Stability and Reactivity

Reactivity: No information found

Chemical Stability: Stable

Hazardous Decomposition : May emit sulfur dioxide under fire conditions.

Products

Hazardous Polymerization : Will not occur

Conditions to Avoid: None currently known

Incompatible Materials: Product may react vigorously with acidic materials.

11. Toxicological Information

Acute Toxicity (Oral LD50) : No LD50 available. Ingestion may cause vomiting/abdominal cramps. May be

harmful if swallowed.

Acute Toxicity (Dermal LD50) : No LD50 available. May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : No LC50 available. Inhalation may cause nose and throat irritation. May be

harmful if inhaled.

Likely Routes of Exposure : Skin, eyes, inhalation (effects central nervous system)

Skin Irritation : Causes skin irritation.
Eye Irritation : Causes serious eye irritation.
Skin Sensitization : Not listed as a sensitizer.
Carcinogenic : None currently known.
Chronic Effects : None currently known.

Other Hazards : Manganese compounds may cause damage to central nervous system through

prolonged or repeated exposure (inhalation).

12. Ecological Information

Ecotoxicity: No information found

Persistence and Degradability : No information found Bioaccumulative Potential : No information found

Mobility in Soil : No information found Other Adverse Effects : No information found

13. Disposal Considerations



Report Date 24-May-15

Page 4 of 4

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name: Not regulated by DOT.

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

Environmental Hazards : No information found Transport in Bulk : No information found

Special Precautions for: May be regulated if shipped if by air (IATA) or water (IMDG).

Transportation

Freight Classification: Fertilizing Compound, (Manufactured Fertilizer), Liquid, NOIBN (NMFC Item

68140, Sub 6, Class 70)

15. Regulatory Information

National Fire Protection :

Association Rating

Health: 2 Fire: 1 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate(Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of N
Pressure:

Fire: N Reactive: N

16. Other Information

Data of Preparation/Revision: 24-May-2015