

dust or vapor.

IV. FIRST AID MEASURES

going for treatment.

## OHP, INC.

P.O. BOX 230, MAINLAND, PA 19451 800-659-6745

advice.

06/14/2006 Approval Date: 11/16/2004 Supersedes: 02/13/1997

## TRANSPORTATION EMERGENCY CHEMTREC ..... (800)-424-9300 MARATHON® 60 WP GREENHOUSE and NURSERY INSECTICIDE in WATER SOLUBLE PACKAGING EPA Registration Number: 432-1361-59807 I. CHEMICAL PRODUCT INFORMATION PRODUCT NAME . . . . . . . : Marathon 60 WP Greenhouse and Nursery Insecticide in Water Soluble Packaging CHEMICAL FAMILY . . . . . . : Chloronicotinyl CHEMICAL NAME . . . . . . . : 1-((6-chloro-3pyridinyl)methyl)-N-nitro-2-imidazolidinimine **SYNONYMS** ..... Imidacloprid **EPA Registration No....**: 432-1361-59807 PRODUCT USE ..... Insecticide for systemic insect control on ornamental and vegetable plants in green houses, nurseries, and interior plantscapes. **II. COMPOSITION / INFORMATION ON INGREDIENTS Hazardous Component Name** /CAS No. **Concentration % by Weight** Minimum Maximum **Imidacloprid Technical** 138261-41-3 58.2000 61.8000 Crystalline silica (Quartz) 14808-60-7 0.9120 **III. HAZARDS IDENTIFICATION NOTE:** Please refer to Section XI for detailed toxicological information. **Emergency Overview** . . : Caution! Harmful if swallowed, inhaled or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust or vapor. Physical State . . . . . . : Solid powder Appearance . . . . . . : Light grey Routes of Exposure . . . : Ingestion, Eye contact, Skin Absorption, Inhalation **IMMEDIATE EFFECTS** Eye . . . . . . . . . . . . . . . . . Causes eye irritation. Do not get in Avoid contact with skin and clothing Ingestion . . . . . . . : Harmful if swallowed. Do not take internally. Inhalation. . . . . . . . : Harmful if inhaled. Avoid breathing

**General** . . . . . . . . . . . . . . . . . Have the product container or label with you when calling a poison control center or doctor or

gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

<b>Ingestion</b> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>
Note to Physician Treatment :: There is no antidote. Treat symptomatically.
V. FIRE FIGHTING MEASURES
Flash point Not applicable Suitable Exitinguishing Media : Water, Carbon dioxide (CO <sub>2</sub> ), Foam, Dry chemical
<b>Fire Fighting Instructions</b> : Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Dike area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become contaminated.
In the event of fire, wear self-contained breathing apparatus.
VI. ACCIDENTAL RELEASE MEASURES
<b>General and Disposal</b> : Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Land Spill or Leaks
VII. HANDLING AND STORAGE

Handling Procedures . . . . . . : Handle and open container

in a manner as to prevent spillage.

Do not freeze.

**EMERGENCY AND PRODUCT INFORMATION** 

immediately. Rinse immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment

## MARATHON® 60 WP GREENHOUSE and NURSERY INSECTICIDE in WATER SOLUBLE PACKAGING

EPA Registration Number: 432-1361-59807

**Storing Procedures** . . . . . . . . : Do not contaminate water, food, or feed by storage or disposal.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizer, food and feed. Store in original container and out of the reach of children, preferably in a locked area.

Work/Hygienic Procedures . . . . : Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and change into clean clothing.

Min / Max Storage Temperatures. : Do not transport or store below 0° C / 32° F.

## **VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Engineering Controls . . . . . : Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Ensure adequate ventilation.

**Eye/Face Protection** . . . . . . : Tightly fitting safety goggles.

Hand Protection . . . . . . : Chemical resistant gloves made of any waterproof material such as polyethylene or polyvinvl chloride.

Chemical-resistant gloves (barrier laminate such as Silver Shield, butyl rubber nitrile rubber or Viton)

**Body Protection** . . . . . . : Wear long-sleeved shirt and long pants and shoes plus socks.

**Respiratory Protection**. . . . . : When respiratory protection is necessary under the conditions of use, wear a respirator approved by the National Institute for Occupational Safety and Health (NIOSH)

General Protection . . . . . . : Educate and train employees in safe use of the product. Follow all label instructions.

Follow manufacturer's instructions for cleaning/maintaiing PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **Exposure Limits**

Crystalline Silica 14808-60-7 NIOSH REL 0.05 mg/m3 (Quartz)

Form of Exposure Respirable dust OSHA ZIA TWA Respirable dust Form of Exposure US CA OEL TWA PEL Form of Exposure Respirable dust US CA OEL TWA PEL Form of Exposure Total dust **ACGIH** TWA Form of Exposure Respirable fraction OSHA ZI PEL

Form of Exposure

0.05 mg/m3

0.1 mg/m3

0.1 mg/m3

0.3 mg/m3

5.0 mg/m3 Respirable fraction

OSHA ZI Form of Exposure ACGIH NIC Form of Exposure

PEL 15.0 mg/m3 Total dust TWA 0.025 mg/m3

Respirable fraction

#### IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance . . . . . . . . : Light grey Physical State . . . . . . . : Solid powder

pH.....8.3 Determined as a 1%

suspension in distilled water.

**Bulk Density** . . . . . . . . . : 0.45 g/mL Water Solubility. . . . . . : Dispersible

## X. STABILITY AND REACTIVITY

Chemical Stability. . . . . . . . : Stable under recommended

storage conditions.

Incompatibility ...... Not known.

Hazardous Products....: Proposed compounds due to

Decomposition fire or other extreme

conditions:

Hydrogen chloride (HCI) Hydrogen cyanide (hydrocyanic acid) Carbon monoxide

Nitrogen oxides (NOx) Hazardous Polymerization . . . . : Will not occur.

(Conditions to Avoid)

#### XI. TOXICOLOGICAL INFORMATION

Acute toxicity studies have not been conducted on this product as formulated. The acute toxicity data provided has been bridged from a similar product containing a higher percentage of the active ingredient, imidacloprid. The non-acute information pertains to imidacloprid technical.

Acute Oral Toxicity . . . . . . . . : Male Rat: LD50: 2,591 mg/kg Female Rat: LD50: 1,858 mg/kg

Acute Dermal Toxicity. . . . . . : Male/Female Rat: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity . . . . : Male Rat:

LC50: 2.65 mg/L Exposure time: 4 h

Determined in the form of liquid

aerosol. (actual)

Female Rat: LC50: 2.75 mg/L

Exposure time: 4 h

Determined in the form of liquid

aerosol. (actual)

Male Rat: LC50: 10.6 mg/L Exposure time: 1 h

Determined in the form of liquid

aerosol.

Extrapolated from the 4 h

LC50. (actual)

Female Rat: LC50: 11.0 mg/L

Exposure time: 1 h

Determined in the form of liquid

aerosol.

Extrapolated from the 4 h LC50. (actual)

# MARATHON® 60 WP GREENHOUSE and NURSERY INSECTICIDE in WATER SOLUBLE PACKAGING

EPA Registration Number: 432-1361-59807

Skin Irritation : Rabbit: Slight irritation  Eye Irritation : Rabbit: Minimal eye irritation  Sensitization : Guinea pig: non-sensitizing  Sub-Chronic Toxicity : In a 3-week dermal toxicity  study, rabbits treated with imidacloprid showed no local or systemic effects at levels up to and including 1000 mg/Kg, the limit	This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.
dose.  In a 4 week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and organ weights.	<b>Ecological Information</b> :This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.
Chronic Toxicity In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were	XIII. DISPOSAL CONSIDERATIONS
the thyroids and/or liver.	<b>General Disposal Guidance</b> : Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site
Assessment Carcinoaenicity: In oncongenicity studies in rats and mice, imidicloprid was not considered carcinogenic in	or at an approved waste disposal facility.
either species.  ACGIH  Createlling Siling (Quarte) 14000 00 7 Create A0	Container Disposal After the water soluble packet(s) have been put into the mix tank, dispose of empty box in a sanitary landfill or by incineration, or, if allowed by State and
Crystalline Silica (Quartz) 14808-60-7 Group A2  NTP  Crystalline Silica (Quartz) 14808-60-7	local authorities, by burning. If burned, stay out of smoke.
Crystalline Silica (Quartz) 14808-60-7	RCRA Classification : Not Regulated under this Statute
Crystalline Silica (Quartz) 14808-60-7 Overall evaluation: 1  OSHA  Nana	XIV. TRANSPORT INFORMATION
None  Reproductive &	TRANSPORTATION CLASSIFICATION:: Not regulated for transportation
<b>Developmental Toxicity</b> : REPRODUCTION: In a two- generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity.	FREIGHT CLASSIFICATION: : Insecticides or Fungicides, N.O.I., other than poison  XV. REGULATORY INFORMATION
DEVELOPEMTNAL TOXICITY: In developmental toxicity stud-	<b>EPA Registration No</b> : 432-1361-59807
ies in rats and rabbits, there was no evidence of an embryotoxic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.	US Federal Regulations TSCA list Crystalline Silica 14808-60-7
<b>Neurotoxicity</b>	US Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None SARA Title III - section 302 - notification and information None SARA Title III - section 313 - toxic chemical release reporting None
In a one-generation developmental neurotoxicity screening study in rats, offspring exposed to imidacloprid showed decreased motor activities. These effects occurred at the high-	US States Regulatory Reporting CA Prop65
est dose tested and in conjunction with maternal toxicity. There were no correlating morphological changes observed in the neural tissues.	This product does not contain any substances known to the state of California to cause cancer.
	Crystalline Silica (Quartz) 14808-60-7
<b>Mutagenicity</b> The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.	This product does not contain any substances known to the State of California to cause reproductive harm.
KII. ECOLOGICAL INFORMATION	US State right-to-know ingredients Crystalline Silica (Quartz) 14808-60-7 IL,MA,MN,PA
AII. LUULUUIVAL INFUNMAIIUN	orystalline silica (Quartz) 14000-00-7 IL,IVIA,IVIN,PA

**Canadian Regulations** 

**Canadian Domestic Substance List** 

Crystalline Silica (Quartz) 14808-60-7

Environmental Precautions . . . : Highly toxic to aquatic inverte-

brates. Do not apply directly to water, to areas where surface

water is present or to intertidal areas below the mean high

wash water.

water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment

# MARATHON® 60 WP GREENHOUSE and NURSERY INSECTICIDE in WATER SOLUBLE PACKAGING

EPA Registration Number: 432-1361-59807

Environmental

**CERCLA** 

None

**Clean Water Section 307 Priority Pollutants** 

None

Safe Drinking Water Act Maximum Contaminant Levels

None

## **XVI. OTHER INFORMATION**

Health Flammability Reactivity Others NFPA 1 1 1 0

0=minimal hazard, 1=slight hazard, 2=moderate hazard 3=severe hazard, 4=extreme hazard

MSDS REVISION INDICATOR: New Material Safety Data Sheet

Approval Date: 11/16/2004

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions.

Marathon is a registered trademark of OHP, Inc.

