

## PALISADE® EC

Date: 7/13/2015  
 Replaces: 1/28/2015

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **PALISADE® EC**  
 Product No.: A8981A  
 Use: Growth Inhibitor  
 Manufacturer: Syngenta Crop Protection, LLC  
 Post Office Box 18300  
 Greensboro NC 27419  
 Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Repeated Category 2  
 Specific Target Organ Toxicity: Drowsiness Category 3  
 Specific Target Organ Toxicity: Respiratory Irritation Category 3  
 Aspiration Hazard: Category 1  
 Flammable Liquid: Category 4  
 Eye Damage/Irritation: Category 2B  
 Carcinogenicity: Category 1B

Signal Word (OSHA): Danger

Hazard Statements: Combustible liquid  
 May be fatal if swallowed and enters airways  
 Causes eye irritation  
 May cause respiratory irritation  
 May cause drowsiness or dizziness  
 May cause cancer  
 May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Wash hands and face thoroughly after handling.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice.  
 Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Keep away from heat, sparks, open flames, hot surfaces. No smoking.

## PALISADE® EC

Date: 7/13/2015  
 Replaces: 1/28/2015

Do not breathe mist, vapors, spray.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves, protective clothing, eye protection.  
 If swallowed: Immediately call a poison center, doctor or Syngenta.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 If exposed or concerned: Get medical advice/attention.  
 Call a poison center, doctor or Syngenta if you feel unwell.  
 Do NOT induce vomiting.  
 In case of fire: Use dry chemical, foam or CO2 for extinction.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.  
 Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2,4-Trimethylbenzene	1,2,4-Trimethylbenzene	95-63-6	<10.0%
Naphthalene	Naphthalene	91-20-3	<15.0%
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Mineral Oil	Mineral Oil	8042-47-5	Trade Secret
Petroleum Solvent	Petroleum Solvent	Trade Secret	Trade Secret
Other ingredients	Other ingredients	Trade Secret	>63.0%
4-(Cyclopropyl-a-hydroxymethylene)-3,5-dioxo-cyclohexanecarboxylic acid ethylester	Trinexapac-Ethyl	95266-40-3	12.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

**Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

## PALISADE® EC

Date: 7/13/2015

Replaces: 1/28/2015

Eye irritation

Drowsiness or dizziness

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

Occupational Exposure Limits:

## PALISADE® EC

Date: 7/13/2015  
Replaces: 1/28/2015

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
1,2,4-Trimethylbenzene	Not Established	25 ppm TWA	25 ppm TWA	NIOSH
Naphthalene	10 ppm TWA	10 ppm TWA (skin)	10 ppm TWA	NIOSH
Propylene Glycol	Not Established	Not Established	10 mg/m <sup>3</sup> TWA	AIHA
Mineral Oil	Not Established	5 mg/m <sup>3</sup> TWA inhalable	Not Established	Not Applicable
Petroleum Solvent	Not Established	Not Established	50 mg/m <sup>3</sup> (8 ppm) TWA	Manufacturer
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Trinexapac-Ethyl	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber liquid

Odor: Aromatic

Odor Threshold: Not Available

pH: 3 - 5 (1% solution in H<sub>2</sub>O @ 77°F (25°C))

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): 185°F (Closed Cup)

Flammable Limits (% in Air): Not Available

Flammability: Combustible liquid

Vapor Pressure: Trinexapac-Ethyl 1.6 x 10<sup>(-5)</sup> mmHg @ 77°F (25°C)

**PALISADE® EC**

Date: 7/13/2015  
Replaces: 1/28/2015

Vapor Density: Not Available  
Relative Density: 0.9868 - 1.0068 g/ml ; 8.31 lbs/gal  
Solubility (ies): Trinexapac-Ethyl 10.2 g/l @ 77°F (25°C)  
Partition coefficient: n-octanol/water: Not Available  
Autoignition Temperature: Not Available  
Decomposition Temperature: Not Available  
Viscosity: Not Available  
Other: None

**10. STABILITY AND REACTIVITY**

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Will not occur.  
Conditions to Avoid: Not Available  
Incompatible materials: None known.  
Hazardous Decomposition Products: Not Available

**11. TOXICOLOGICAL INFORMATION**Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Drowsiness or dizziness

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Drowsiness or dizziness

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	5130 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2020 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.7 mg/l air - 4 hours
Eye Contact:	Moderately Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Trinexapac-Ethyl: None observed.

## PALISADE® EC

Date: 7/13/2015  
Replaces: 1/28/2015

### Chronic/Subchronic Toxicity Studies

Trinexapac-Ethyl: Liver, kidney and brain (dogs) effects at high doses (>5000 ppm).

### Carcinogenicity

Trinexapac-Ethyl: Slight increase in forestomach tumors in male rats at high doses (20000 mg/kg/day). Not applicable to humans.

Chemical Name	NTP/IARC/OSHA Carcinogen
---------------	--------------------------

1,2,4-Trimethylbenzene	No
------------------------	----

Naphthalene	See "Toxicity", Sec. 11
-------------	-------------------------

1,2-Propanediol	No
-----------------	----

Mineral Oil	No
-------------	----

Petroleum Solvent	No
-------------------	----

Other ingredients	No
-------------------	----

4-(Cyclopropyl- $\alpha$ -hydroxymethylene)-3,5-dioxo-cyclohexanecarboxylic acid ethylester	No
---	----

### Other Toxicity Information

None

### Toxicity of Other Components

#### 1,2,4-Trimethylbenzene

Inhalation of 1,2,4-trimethylbenzene at high concentrations can cause central nervous system depression, respiratory tract irritation, asphyxiation, cardiac stress and coma. Effects of chronic exposure to this solvent can include blood disorders (anemia, leukopenia) and kidney or liver damage.

#### Mineral Oil

May cause respiratory irritation when inhaled as a mist.

#### Naphthalene

Exposure to naphthalene can cause cataracts, liver damage, kidney failure, respiratory failure, hematuria, anemia, damage to red blood cells, leukocytosis, or coma.

#### Carcinogen Status:

NTP: Anticipated Carcinogen

IARC: Group 2B Possible Human Carcinogen

#### Other ingredients

Not Applicable

#### Petroleum Solvent

Repeated exposure may cause skin dryness or cracking. If swallowed, may be aspirated and cause lung damage. May be irritating to the eyes, nose, throat and lungs.

Breathing of high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea and loss of coordination.

#### Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

### Target Organs

#### Active Ingredients

Trinexapac-Ethyl: Liver, kidney, brain

#### Inert Ingredients

1,2,4-Trimethylbenzene: CNS, liver, kidney, blood, respiratory tract, skin, eye

## PALISADE® EC

Date: 7/13/2015  
Replaces: 1/28/2015

Mineral Oil:	Respiratory tract
Naphthalene:	Eye, liver, kidney, respiratory tract, blood, CNS
Other ingredients:	Not Applicable
Petroleum Solvent:	Respiratory tract, stomach, liver, thyroid, urinary bladder, CNS, skin
Propylene Glycol:	CNS, kidney, liver

### 12. ECOLOGICAL INFORMATION

#### Eco-Acute Toxicity

##### Trinexapac-Ethyl:

- Fish (Rainbow Trout) 96-hour LC50 65.7 ppm
- Green Algae 5-day EC50 < 1.4 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 142.5 ppm
- Bird (Mallard Duck) 14-day LD50 > 2000 mg/kg

#### Environmental Fate

##### Trinexapac-Ethyl:

The information presented here is for the active ingredient, trinexapac-ethyl.  
Low bioaccumulation potential. Not persistent in soil or water. Moderate mobility in soil. Sinks in water (after 24 h).

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

### 14. TRANSPORT INFORMATION

#### DOT Classification

- Ground Transport - NAFTA
- Containers < 119 gallons cap.: Not regulated
- Containers > 119 gallons cap.:
- Proper Shipping Name: RQ, Combustible Liquid, N.O.S. (Naphthalene)
- Hazard Class: Combustible Liquid
- Identification Number: NA 1993
- Packing Group: PG III

#### Comments

- Water Transport - International
- Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Trinexapac-Ethyl), Marine Pollutant
- Hazard Class: Class 9
- Identification Number: UN 3082
- Packing Group: PG III

#### Air Transport

- Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Trinexapac-Ethyl)
- Hazard Class: Class 9
- Identification Number: UN 3082
- Packing Group: PG III

**PALISADE® EC**

Date: 7/13/2015  
 Replaces: 1/28/2015

**15. REGULATORY INFORMATION**

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear such as goggles, face shield, or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist.

EPA Registration Number(s):

100-949

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard  
 Fire Hazard

Section 313 Toxic Chemicals: 1,2,4-Trimethylbenzene <10.0% (CAS No. 95-63-6)  
 Naphthalene <15.0% (CAS No. 91-20-3)

CERCLA/SARA 304 Reportable Quantity (RQ):

Report spills > 125 gal. (based on naphthalene [RQ= 100 lbs] content in formulation).

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

**16. OTHER INFORMATION**

NFPA Hazard Ratings

Health: 2  
 Flammability: 2  
 Instability: 0

HMIS Hazard Ratings

Health: 1  
 Flammability: 2  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: B,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 3/3/1999

Revision Date: 7/13/2015

Replaces: 1/28/2015

Section(s) Revised: 2



## PALISADE® EC

Date: 7/13/2015

Replaces: 1/28/2015

---

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.