


## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION



**PRODUCT NAME(S):** FORTRESS® 2.5G Granular Insecticide

**GENERAL USE:** Insecticide

**PRODUCT DESCRIPTION:** Gray to reddish brown granule

**EPA Registration Number:** 5481-494

**MSDS No.:** 295\_4

**Current MSDS Revision Date:** 16 March, 2006

**MANUFACTURER:**

**AMVAC CHEMICAL CORPORATION**

**4100 E. Washington Blvd.**

**Los Angeles, CA 90023-4406**

**Ph: 323-264-3910**

**FAX: 323-268-1028**

**EMERGENCY TELEPHONE NUMBERS:**

**MANUFACTURER: 323-264-3910**

**TRANSPORTATION (24 HOURS)**

**CHEMTREC(USA): 800-424-9300**

**OTHER (24 HOURS)**

**AMVAC: 323-264-3910**

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	WT %	CAS No.
Chlorethoxyfos (O,O-Diethyl O-(1,2,2,2-tetrachloroethyl)-phosphorothioate)	2.5%	54593-83-8
Inert Ingredients Including:	97.5%	
Crystalline Silica (as a portion of the inert ingredients)	< 10%	14808-60-7

#### OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)

COMPONENT	HAZARD	OSHA PEL*	ACGIH TLV*	OTHER*
Chlorethoxyfos	POISON			AMVAC AEL = 0.05 mg/m <sup>3</sup>
Crystalline Silica	Pulmonary fibrosis, silicosis	10 mg/m <sup>3</sup> (respirable)	0.05 mg/m <sup>3</sup> (respirable)	AMVAC AEL = 0.1 mg/m <sup>3</sup> (respirable)

\* Exposure Limits 8 hrs. TWA

FORTRESS is a registered trademark of AMVAC Chemical Corporation

3. HAZARDS IDENTIFICATION

---

**EMERGENCY OVERVIEW:**

**DANGER! POISON!** Fatal if swallowed, inhaled or absorbed through skin or eyes. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to organophosphate poisoning.

**KEEP OUT OF REACH OF CHILDREN!**

**TOXIC to fish, birds and other wildlife. Do not contaminate water bodies with this product.**

---

POTENTIAL HEALTH EFFECTS

**ROUTE(S) OF ENTRY:** May be fatal if absorbed through the eye or skin, is ingested or is inhaled. May produce acute cholinesterase depression.

**SIGNS OF ACUTE OVEREXPOSURE:** Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.

**SIGNS OF CHRONIC OVEREXPOSURE:** Repeated exposures to small doses of Chlorethoxyfos (FORTRESS®) and other organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.

**CARCINOGENICITY:** None of the components of FORTRESS® Technical has been found to be carcinogenic. Crystalline silica, a component of one of the formulation ingredients, is listed as a carcinogen.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) genetic cholinesterase deficiency; advanced liver disease; chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.

---

#### **4. FIRST AID MEASURES**

**CHLORETHOXYFOS (FORTRESS®) IS A SEVERE CHOLINESTERASE INHIBITOR. A PHYSICIAN SHOULD BE CONTACTED IN ALL CASES OF EXPOSURE TO FORTRESS® AND ITS FORMULATIONS.**

**CAUTION: Persons attending victim should avoid direct contact with heavily contaminated clothing or vomitus. Rubber gloves should be worn by the emergency responder or medical personnel while washing the pesticide from skin and hair of the exposed victim.**

**EYES:** Immediately flush the eyes with copious amounts of clear, cool running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Contact a physician immediately. If there will be a delay in getting medical attention, rinse the eyes for at least another 15 minutes.

**INHALATION:** Remove victim to fresh air. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration. If breathing is difficult, give oxygen. Contact a physician immediately.

**INGESTION:** Induce vomiting immediately by giving two glasses of water and giving Syrup of Ipecac according to directions on the bottle or by sticking finger down throat. Never give anything by mouth to an unconscious or convulsing person. Contact a physician immediately.

**SKIN:** Immediately flush all affected areas with large amounts of clear water for at least 15 minutes. Remove contaminated clothing. Do not attempt to neutralize with chemical agents. Wash clothing before reuse. Contact a physician immediately.

**NOTE TO PHYSICIANS:** This is an Organophosphate (OP) Insecticide. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. For further information on the treatment of organophosphate poisonings contact your local or state poison control center.

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazines, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test.

**4. FIRST AID MEASURES, cont'd**

Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal may be useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) followed by water (2 glasses for adults, 1 glass for children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

---

**5. FIRE FIGHTING MEASURES**

**FLAMMABLE PROPERTIES**

Not a fire or explosion hazard

**HAZARDOUS COMBUSTION PRODUCTS:** This product will emit toxic fumes when burned, including carbon monoxide. Vapors of the unburned product may also be hazardous. Contact with the fumes and vapors should be avoided by staying upwind and by wearing impervious clothing and positive pressure self-contained breathing apparatus.

**EXTINGUISHING MEDIA:** Foam, dry chemical, carbon dioxide, water spray (fog).

**FIRE FIGHTING INSTRUCTIONS:** Evacuate nonessential personnel from the area. Keep upwind. Wear self-contained breathing apparatus and impervious clothing, including gloves and eye protection. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated, and must be disposed as a hazardous waste. Shower with soap and water after contact with this product.

---

**6. ACCIDENTAL RELEASE MEASURES**

**GENERAL:** Evacuate personnel and thoroughly ventilate the area. Use adequate ventilation and appropriate personal protective equipment (PPE, see Section 8). Keep bystanders upwind and away from the spill.

**SMALL SPILL:** For spills during agricultural use see the label.

**LARGE SPILL:** Ventilate for a minimum of one hour unless this is a fresh spill. Wear appropriate personal protective equipment (see Section 8) during clean-up. Shovel first, then sweep material into a fiber drum (e.g., overpack) with a plastic bag liner. Do not vacuum dust. Spill area and tools can be washed with soap and water or with dilute caustic or aqueous ammonia. Treat the washings as a hazardous waste. See section 13 (Disposal Considerations) for further information.

---

## 7. HANDLING AND STORAGE

**HANDLING:** Prevent skin contact. Do not breathe fumes. Wear appropriate personal protective equipment (PPE, Section 8). Wash thoroughly and change clothes after handling. Wash clothes separately; do not wash heavily contaminated clothing. Dispose of heavily contaminated clothing as a hazardous waste. Keep product away from food drink, cosmetics, and tobacco products. See product label for more detailed handling procedures.

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Store product in a cool, dry, locked place out of reach of children. Store in original container.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** A well-ventilated area is recommended for handling FORTRESS® 2.5G Granular Insecticide. Use of mechanical or local exhaust systems is recommended.

**RESPIRATORY PROTECTION:** When respiratory protection is required, or concentrations may exceed the PEL, use a NIOSH/MSHA approved air-purifying respirator equipped with organic vapor cartridges or canisters. It is recommended that the canisters be changed whenever breakthrough occurs or eight (8) hours of use has occurred, whichever comes first. For emergency and other conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply.

**SKIN PROTECTION:** Prevent skin contact. Chemical resistant gloves (preferably nitrile), coveralls or long-sleeved shirt and pants, and chemical resistant shoes or boots, are necessary to prevent skin contamination. A chemical resistant apron or chemical resistant clothing will provide additional protection when there is a risk of spillage or dust formation. Remove contaminated clothing as soon as possible. Wash dirty or contaminated clothing separately from other clothes. Wear clean clothes daily. Wash well with soap and water after handling this product. See the label for more specific instructions.

**EYE PROTECTION:** Safety glasses should be worn whenever working with chemicals. In addition, goggles or a faceshield are required if there is a chance of dust formation.

**OTHER PROTECTION:** There should be an eyewash station and a safety shower in the work area.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Solid
<b>Appearance:</b>	Gray to reddish brown clay granule
<b>Odor:</b>	Stinky sweet (sulfur overlaid with sickly sweet)
<b>Odor threshold:</b>	Not available
<b>Boiling Point:</b>	Not applicable
<b>Melting Point:</b>	Not available for product

9. **PHYSICAL AND CHEMICAL PROPERTIES, cont'd**

<b>Specific Gravity:</b>	Not determined
<b>Bulk Density (loose):</b>	40 lb/cu ft
<b>Bulk Density (packed):</b>	45 lb/cu ft
<b>Vapor Pressure (mm/Hg):</b>	1.7 x 10 <sup>-3</sup> mm Hg @ 25°C (a.i.)
<b>Vapor Density (a.i.):</b>	11.6 (air = 1)
<b>Percent Volatile by Vol:</b>	Not available
<b>Solubility in Water:</b>	3 ppm @ 20°C (68°F)
<b>Solubility (Other):</b>	Soluble in aliphatic and aromatic solvents, ketones (a.i.)
<b>Partition Coefficient (O/W):</b>	Not available
<b>pH (5% mix with water):</b>	Not determined
<b>Evaporation Rate:</b>	Not available

---

10. **STABILITY AND REACTIVITY**

**CHEMICAL STABILITY (Conditions to avoid):** This product is stable under normal use and storage conditions.

**INCOMPATIBILITY:** Avoid strong oxidizers, strong bases, heat, and sources of ignition.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Heating product to decomposition will cause emission of acrid smoke and fumes of phosphorous oxides and carbon oxides.

**HAZARDOUS POLYMERIZATION:** This product will not polymerize.

---

11. **TOXICOLOGICAL INFORMATION**

The following information is for either this product (2.5G), a similar product, FORTRESS® 5G Granules (5G), or the technical active ingredient (T).

<b>INGESTION (2.5G):</b>	Oral LD <sub>50</sub> (rat):	229 mg/kg (males), 118 mg/kg (females)
<b>INHALATION (5G):</b>	Inhalation LC <sub>50</sub> (rat):	64 mg/m <sup>3</sup> (female); 205 mg/m <sup>3</sup> (male) (4 hr)
<b>DERMAL (5G):</b>	Skin LD <sub>50</sub> (rabbit):	> 2000 mg/kg
<b>IRRITATION (5G):</b>	Eye irritation:	mild eye irritant
	Skin irritation:	Not a skin irritant
<b>OTHER (5G):</b>	Skin sensitization: (guinea pig)	Not a sensitizer

**TERATOGENICITY (T):** No evidence of teratogenicity in rats or rabbits.

**MUTAGENICITY (T):** No evidence of mutagenicity was found in a range of laboratory tests.

**CARCINOGENICITY (T):** Fortress® Technical is not oncogenic when tested in both the rat and mouse. Respirable crystalline silica, present at less than 0.1% in the formulation, has been found to be a carcinogen.

**11. TOXICOLOGICAL INFORMATION, cont'd**

**REPRODUCTIVE TOXICITY (T):** No evidence of reproductive toxicity has been seen in laboratory tests.

**TOXICOLOGICAL SYNERGISTIC PRODUCTS (T):** No data available.

---

**12. ECOLOGICAL INFORMATION**

**GENERAL:** No aquatic data is available for this product. However, the active ingredient in this product is highly toxic to fish. This product is moderately toxic to birds, and other wildlife. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters or wastes. Notify authorities if any exposure to the general public or environment occurs or is likely to occur.

---

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed by use according to label instructions, contact your nearest State Pesticide or Environmental Control Agency, the Hazardous Waste representative at the nearest EPA regional office or national equivalent to these agencies, for guidance. Open dumping is prohibited.

**CONTAINER DISPOSAL:** Dispose of empty bags in a sanitary landfill or, if permitted, by incineration. Contact your nearest State Pesticide or Environmental Control Agency, the Hazardous Waste representative at the nearest EPA regional office or national equivalent to these agencies, for guidance.

---

**14. TRANSPORTATION INFORMATION**

<b>DOT Class:</b>	6.1
<b>UN Number:</b>	2783
<b>IMDG Class (sea):</b>	6.1
<b>IATA Class:</b>	6.1
<b>Marine Pollutant:</b>	Yes (If by water or in bulk)
<b>Packing Group:</b>	III
<b>Hazard Label(s):</b>	TOXIC
<b>ADR Class (road):</b>	6.1
<b>Proper Shipping Name(s):</b>	Organophosphorus pesticide(s), solid, toxic (Chlorethoxyfos)
<b>Reportable Quantity: (DOT, 172.101, Appendix A)</b>	No

**14. TRANSPORTATION INFORMATION, cont'd**

**PACKAGING**

**General Description:** 50 lb bag

---

**15. REGULATORY INFORMATION**

**U.S. FEDERAL REGULATIONS:** This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

**SARA TITLE III DATA**

**Section 311 & 312 Hazard Categories:**

Immediate Health Hazard:	Yes
Delayed Health Hazard:	No
Fire Hazard:	No
Reactive Hazard:	No
Sudden Pressure Release Hazard:	No

**Section 302 Extremely Hazardous Substances:** None

**Section 313 Toxic Chemicals:** None

**CERCLA/EHS Reportable Quantities (RQ):** None

**RCRA Hazardous Waste Codes:** None

**STATE REGULATIONS:**

**CALIFORNIA (Proposition 65):** This product may contain respirable crystalline silica, known to the State of California to cause cancer.

---

**16. OTHER INFORMATION**

**MSDS Status:**

**Date This Revision:** 16 March, 2006

**Date Previous Revision:** 12 May, 2004

**Person Responsible for Preparation:** Gary A. Braden

**Reasons for Revision:** Annual Review. Changes were made in sections 6 and 8 to reflect current directions for using PPE. Some formatting changes have also been made throughout the MSDS to make it more readable.



**16. OTHER INFORMATION, cont'd**

**DISCLAIMER:** This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

**ABBREVIATIONS:**

ACGIH	-	American Conference of Governmental Industrial Hygienists
ADR	-	European <u>A</u> greement Concerning the International Carriage of <u>D</u> angerous Goods by <u>R</u> oad
AEL	-	Acceptable Exposure Limit (Self-imposed Internal Company Limit)
CERCLA	-	Comprehensive Environmental Response, Compensation, and Liability Act
EHS	-	Extremely Hazardous Substances
EPA	-	Environmental Protection Agency
FIFRA	-	Federal Insecticide, Fungicide, and Rodenticide Act
IARC	-	International Agency for Research on Cancer
NTP	-	National Toxicology Program
OSHA	-	Occupational Safety and Health Agency
SARA	-	Superfund Amendments and Reauthorization Act
TSCA	-	Toxic Substances Control Act

---

This is the last page of this MSDS. There should be 9 pages.