MATERIAL SAFETY DATA SHEET ATRAZINE 4L

Page 1 of 5

1. IDENTIFICATION

Product name: ATRAZINE 4L (EPA Reg. No. 66222-36)

Chemical name of active ingredient(s): Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine

Manufacturer/Registrant: Makhteshim Agan of North America, Inc.

3120 Highwoods Blvd., Suite 100

Raleigh, NC 27604 Phone: 919-256-9300 Phone: 1-800-535-5053

For fire, spill, and/or leak emergencies, contact

Infotrac:

For medical emergencies and health and safety

inquiries, contact Prosar:

Phone: 1-877-250-9291

2. COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL	%	CAS NO.	OSHA/ PEL	ACGIH/TLV	OTHER	NTP/IARC/OSHA (Carcinogen)
Atrazine	42.9	1912-24-9	Not Established	5 mg/m3 (TWA)	5 mg/m3** (TWA)	IARC3

^{**} recommended by NIOSH

3. HAZARDS IDENTIFICATION

PHYSICAL PROPERTIES:

Appearance: White liquid

Odor: Faint odor

EMERGENCY OVERVIEW: CAUTION Harmful if swallowed. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, or clothing.

SYMPTOMS OF ACUTE EXPOSURE: Exposure may cause mild irritation of eyes, skin or respiratory tract. If swallowed, nausea, vomiting, or diarrhea can result. A skin sensitization (allergic) reaction may occur in some individuals.

HAZARDOUS DECOMPOSITION PRODUCTS: None known

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZAARDS: Thermal decomposition products may include, but are not limited to, carbon monoxide, hydrogen cyanide, and acetonitrile. This product is a NFPA Class IIIB Combustible Liquid.

4. FIRST AID

IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. 			
	Do not give anything by mouth to an unconscious person.			
IF INHALED:	Move person to fresh air.			
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.			
	Call a poison control center or doctor for further treatment advice.			
IF ON SKIN OR	Take off contaminated clothing.			
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.			
	Call a poison control center or doctor for treatment advice.			
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			

MATERIAL SAFETY DATA SHEET

ATRAZINE 4L

Page 2 of 5

NOTE TO PHYSICIAN: If ingested, induce emesis or lavage stomach. Treat symptomatically.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT: >200°F (TCC)

FLAMMABLE LIMITS (% IN AIR): Not Applicable AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABILITY: Not Applicable

FIRE & EXPLOSION HAZARD: Thermal decomposition products may include, but are not limited to, carbon

monoxide, hydrogen cyanide, and acetonitrile. This product is a NFPA Class IIIB Combustible Liquid.

FIRE-FIGHTING EQUIPMENT: Use dry chemical, foam, or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes, or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO TAKE FOR SPILLS/LEAKS: Wear chemical safety glasses with side shields or chemical goggles, rubber gloves, rubber boots, long-sleeved shirt, long pants, head covering, and a NIOSH-approved chemical cartridge pesticide respirator with dust/mist pre-cartridges of a self-contained breathing apparatus (SCBA). For small spills cover with an absorbent material such as pet litter. Sweep up and place in an approved chemical container. Wash the spill area with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container. Seal the container and handle in an approved manner. Flush the area with water to remove any residue. Do not allow wash water to contaminate water supplies. Do not contaminate water, food, or feed by disposal or cleaning of equipment.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING: Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment. Avoid contact with skin or eyes. Wash thoroughly with soap and water after handling. Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.

PRECAUTIONS TO BE TAKEN IN STORAGE: Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material. Do not allow product to freeze. Store above -5° C (23°F).

STORAGE TEMPERATURE (MIN/MAX):

Minimum: 23° F (-5° C)

Maximum: Normal ambient temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATION AND ON-FARM APPLICATIONS, CONSULT THE PRODUCT LABEL.

INGESTION: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.

EYE CONTACT: To avoid eye contact, wear safety glasses with side shields or chemical goggles.

SKIN CONTACT: To avoid skin contact, wear chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride, rubber boots, long-sleeved shirt, long pants and a head covering.

INHALATION: To avoid breathing mist or spray, wear a NIOSH-approved chemical cartridge pesticide respirator with dust/mist pre-cartridges or a supplied-air respirator.

USER SAFETY RECOMMENDATIONS:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

MATERIAL SAFETY DATA SHEET

ATRAZINE 4L

Page 3 of 5

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS: Refer to product label.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White Liquid

ODOR: Faint Odor

RELATIVE DENSITY: 1.103 @ 22° C

pH: 6-8.7 @ 25° C

FLASH POINT: >200°F (TCC)

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal ambient and anticipated storage conditions.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: Do not allow product to freeze. Store above -5° C (23°F).

HAZARDOUS DECOMPOSITION PRODUCTS: None Known

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY/IRRITATION STUDIES:

Ingestion: Oral LD50 (Rat) Females: 972 mg/kg body weight

Males: between 1,000 & 3,000 mg/kg body weight

Dermal: Dermal LD50 (rabbit) >5,000 mg/kg body weight

Inhalation: Inhalation LC50 (rat) 2.13 mg/L (4 hrs)

Eye irritation: Mildly irritating

Dermal irritation: Non-irritating

Skin sensitization: Not a contact sensitizer

MUTAGENIC POTENTIAL:

ATRAZINE: Not mutagenic **REPRODUCTIVE HAZARD POTENTIAL:**

ATRAZINE: No adverse reproductive affects observed.

CHRONIC/SUBCHRONIC TOXICITY STUDIES:

ATRAZINE: Cardiotoxicity in Long Term Study with High Doses (Dogs)

CARCINOGENIC POTENTIAL:

ATRAZINE: Mammary Tumors (Female Sprague-Dawley Rats), Sex and Strain Specific

None Observed (Male Sprague-Dawley Rats, F-344 Rats or Mice)

TARGET ORGANS:

ATRAZINE: Heart

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

SUMMARY OF EFFECTS: Slight toxicity to fish and wildlife

ECO-ACUTE TOXICITY

MATERIAL SAFETY DATA SHEET

ATRAZINE 4L Page 4 of 5

Atrazine: Rainbow Trout 96-hours LC50 = 9.9 mg/L

Bluegill Sunfish 96-hours LC50 =42 mg/L

Bobwhite Oral LD50 940 mg/kg

Bobwhite 8-day Dietary LC50>5,000 ppm Mallard 8-day Dietary LC50 >5,000 ppm

Invertebrate Ceriodaphnia dubia 48 HR LC50 4.9 mg A.I./L

Peking Duck LD50>10,000 mg/kg

Bees $LC_{50} > 100 \mu g/bee$

ECO-CHRONIC TOXICITY

Atrazine: Fish (Fathead minnow) Early Life Stage MATC >0.25 and <0.46 mg A.I./L

Mallard Reproduction NOEC 225 ppm a.i. Bobwhite Reproduction NOEC 225 ppm a.i.

Invertebrate (Ceriodaphnia dubia) Life Cycle NOEL 2.5 ppm

ENVIRONMENTAL PERSISTANCE/MOBILITY: Stable in sterile water, both in the light and dark. In laboratory soil, degrades slowly under both aerobic and anaerobic conditions in the dark (t½~5 mo.); more rapidly in the light (t½~45 d). Exhibits medium to very high mobility with four soil textures (Koc= 39 to 155).

13. DISPOSAL CONSIDERATIONS:

PESTICIDE DISPOSAL: Open dumping is prohibited. Wastes resulting from the use of this product are acutely toxic. Improper disposal of unused pesticide, spray mixture, or rinsate is a violation of federal law. Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures. For guidance in proper disposal methods, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL: Dispose of product containers, waste containers, and residues according to label instructions and local, state, and federal health and environmental regulations.

14. TRANSPORT INFORMATION:

DOT CLASSIFICATION:

Not regulated

INTERNATIONAL TRANSPORTATION:

MO (vessel): Not regulated IATA (air): Not regulated

15. REGULATORY INFORMATION:

SARA TITLE III CLASSIFIED:

Section 313 chemical(s):

Section 302 Not applicable
Section 311/312: Acute Health Hazard
Chronic Health Hazard

Atrazine (42.9%) (CAS No. 1912-24-9)

CA PROPOSITION 65: Not applicable

CERCLA REPORTABLE QUANTITY (RQ): None

RCRA CLASSIFICATION: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

TSCA: ingredients of this product are listed on the TSCA inventory or are exempt.

16. OTHER INFORMATION:

NFPA HAZARD RATINGS 0 Least
Health: 1 1 Slight
Flammability: 1 2 Moderate
Reactivity: 0 3 High

4 Severe

MATERIAL SAFETY DATA SHEET ATRAZINE 4L Page 5 of 5

MSDS DATE: 10-11-13; Supersedes version dated 10-20-08. Changes made to Sections 1, 8, 12, and 16.

The information contained herein is given in good faith and is believed to be correct, but no warrant, express or implied, is made. Consult Makhteshim Agan of North Amreica, Inc. for further information.