

4001 W Sam Houston Parkway N, Suite 100 · Houston, Texas 77043-1226 U.S.A. Toll- Free: 1-800-539-5283 · Tel: 713-461-1493 · Fax: 713-461-4467 · stoller@stollerusa.com

Bio-Forge® Gold

Material Safety Data Sheet (rev.01/05)

SECTION I PRODUCT IDENTIFICATION

NFPA HAZARD RATINGS

HEALTH HAZARD 0 FIRE HAZARD 0 REACTIVITY 0

SARA/ TITLE III HAZARD CATEGORIES

Immediate (ACUTE) Health: NO Reactive Hazard: NO

Delayed (Chronic) Health: NO Fire Hazard: NO Sudden Release of Pressure: NO

Company Name: STOLLER USA, INC.

Address: 4001 W. Sam Houston Parkway N., Suite 100

Houston, Texas 77043-1226 U.S.A.

Emergency Phone Number: CHEMTREC In the U.S. and Canada call Toll- free: 1(800)424-9300

From other countries call collect: 1+(703)527-3887

Phone Number for Information: 1(800)539-5283 or 1(713)461-1493

Chemical Family: Urea, Potassium salts.

Chemical Name & Synonyms:

Formula:

Trade name & Synonyms:

None

Proprietary

BIO FORGE

SECTION II PHYSICAL AND CHEMICAL CHARACTERISTICS

INGREDIENTS: CAS# Approx. % TLV

 Urea
 57-13-6
 4.3 - 4.5%

 Potassium Hydroxide
 1310-58-3
 8.5 - 9.0%

SECTION III PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: 100°C VAPOR PRESSURE (mm/ Hg):

(212°F)

 MELTING POINT:
 N/ A
 VAPOR DENSITY (air = 1):
 Not known

 SPECIFIC GRAVITY:
 1.15
 REACTIVITY IN WATER:
 N/ E

 SOLUBILITY IN WATER:
 100%
 EVAPORATION RATE:
 Not known

APPEARANCE AND ODOR: Clear amberish liquid with a slight vinegar kind odor.

SECTION IV FIRE AND EXPLOSION DATA

FLASH POINT: Not Applicable (N/ A).

FLAMMABLE LIMITS: N/ A LEL: UEL:

EXTINGUISHER MEDIA: Product is non flammable. May use all means adequate to fight

surrounding fire.

SPECIAL FIRE FIGHTING N/ A

PROCEDURES:

UNUSUAL FIRE AND EXPLOSION

HAZARDS:

None

SECTION V

PHYSICAL HAZARDS (REACTIVITY DATA)

STABILITY: Stable: Yes Unstable: N/A

CONDITIONS TO AVOID:

INCOMPATIBILITY, MATERIALS TO AVOID: Not known. As a precaution avoid strong acids and strong

N/A

alkalies. N/A

HAZARDOUS DECOMPOSITION PRODUCTS:

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR: X MAY OCCUR:

SECTION VI HEALTH HAZARDS

A. **EXPOSURE LIMITS:**

- 1. OSHA Permissible Exposure Limit (PEL): N/ A
- 2. Threshold Limit Value (TLV): N/ A

B. CARCINOGEN OR POTENTIAL CARCINOGEN:

C. EFFECTS OF OVEREXPOSURE:

1. ACUTE:

EYES: Contact with product may cause severe irritation and possibly irreversible damage.

SKIN: Harmful if absorbed through broken skin. Prolonged exposure may cause deeper damage. May cause discomfort, rash and irritation unless treated promptly.

INHALATION: Prolonged exposure to vapors may cause temporary discomfort of respiratory tract and headache.

INGESTION: May cause nausea, gastrointestinal damage, or even death.

2. CHRONIC: Prolonged or repeated inhalation overexposure may cause bronchitis or pneumonia.

D. EMERGENCY FIRST AID PROCEDURES:

EYES: Immediately flush with plenty of clean water for at least 15 minutes. Seek medical attention.

SKIN: Wash thoroughly with soap and water. Seek medical attention if inflammation occurs.

INHALATION: Remove from exposure area from mists or in the event of massive inhalation. Seek medical attention if irritation persists.

INGESTION: Give at least two glasses of milk or water and induce vomiting. Get medical attention.

E. ADDITIONAL INFORMATION: Note to Physician: Symptomatic treatment.

SECTION VII

SPECIAL PRECAUTIONS & SPILL/ LEAK PROCEDURES

HANDLING AND STORAGE: Keep lid tightly closed. Store in dry area, above freezing and below 100°F, out of direct sunlight. Keep out of reach of children.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED: Recover as much as possible for reuse by scooping. Then use an absorbent inert to pick up all residues and dispose of as a solid waste.

WASTE DISPOSAL METHODS: Follow all applicable federal, state and local regulations.

SECTION VIII

SPECIAL PROTECTION / CONTROL MEASURES

RESPIRATORY PROTECTION: Use an OSHA or NIOSH approved respirator.

VENTILATION: General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions.

OTHER SPECIAL CLOTHING/ EQUIPMENT: An eye bath and washing facilities should be available. Wash thoroughly after handling. Do not smoke, eat or chew gum or tobacco when handling chemicals.

The available data on this plant nutrient material does not indicate any undue hazard to the environment under anticipated use and storage. Any waste due to spillage or leakage should be contained and disposed of as a Fertilizer (see above under Waste Disposal Methods). Due to its nutrient value, may contribute to eutrophication in bodies of water.

SECTION X TRANSPORTATION DATA

PROPER SHIPPING NAME: Not Applicable (Trade name: BIOFORGE)

DOT HAZARD CLASS: Non- regulated.

PLACARD: N/A

USDOT Proper Shipping Name: Not Applicable (Trade name: BIOFORGE)

To aid our customers in complying with regulatory requirements, SARA Title III hazard categories for this product are indicated in Section I. If the word "YES" appears next to any category, this product may be reportable by you under the requirements of 40 CFR Part 370. Please consult those regulations for details.

Stoller Enterprises, Inc., believes the information contained in this material safety data sheet is accurate based on the information supplied by reputable suppliers of our raw materials. The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.