

4001 W Sam Houston Parkway N, Suite 100 * Houston, Texas 77043-1226 U.S.A. Toll- Free: 1-800-539-5283 * Tel: 713-461-1493 * Fax: 713-461-4467 * stoller@stollerusa.com

BIO POWER

Material Safety Data Sheet (rev.01/05)

SECTION I

PRODUCT IDENTIFICATION

NFPA HAZARD RATINGS

HEALTH HAZARD 1 FIRE HAZARD 0 REACTIVITY 0

SARA/ TITLE III HAZARD CATEGORIES

Immediate (ACUTE) Health: NO Reactive Hazard: NO

Delayed (Chronic) Health: NO Fire Hazard: NO Sudden Release of Pressure: N/ A

Company Name: STOLLER USA, INC.

Address: 4001 W. Sam Houston Parkway, N., Suite 100

Houston, Texas 77043-1226 U.S.A.

Emergency Phone Number: CHEMTREC: In the U.S. and Canada call Toll- free: 1 (800) 424-9300

From other countries call collect: 1 (703) 527-3887 Phone Number for Information: 1 (800) 539-5283 or 1 (713) 461-1493

Chemical Family: Metallic Oxides

Chemical Name & Synonyms: Chelates mixture

Formula: See SECTION II. COMPOSITION/ INGREDIENTS INFORMATION

Trade name & Synonyms: BIO POWER

SECTION II PHYSICAL AND CHEMICAL CHARACTERISTICS

INGREDIENTS: CAS# Approx. % TLV 1314-13-2 <10 Zinc Oxide Manganese Oxide 1344-43-0 <5 Copper Hydroxide 20427-59-2 <5 Magnesium Oxide 1309-48-4 <5

SECTION III PHYSICAL AND CHEMICAL CHARACTERISTICS

 BOILING POINT:
 220°F
 VAPOR PRESSURE (mm/ Hg):

 MELTING POINT:
 N/ A
 VAPOR DENSITY (air = 1):
 2.1

 SPECIFIC GRAVITY:
 1.2
 REACTIVITY IN WATER:
 N/ A

 SOLUBILITY IN WATER:
 100%
 EVAPORATION RATE:
 0.1

APPEARANCE AND ODOR: Clear dark blue- green solution, no odor.

SECTION IV FIRE AND EXPLOSION DATA

FLASH POINT: NOT ESTABLISHED

FLAMMABLE LIMITS: NOT ESTABLISHED LEL: UEL:

EXTINGUISHER MEDIA:Use all means adequate to fight surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: NONE UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

STABILITY: CONDITIONS TO AVOID: INCOMPATIBILITY, MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION PRODUCTS:
MAY OCCUR: WILL NOT OCCUR: X

Stable: Yes Unstable: Stable under normal conditions.

Intimate mixtures with chlorinated rubber above 216°F.

none

SECTION VI HEALTH HAZARDS

A. EXPOSURE LIMITS:

- 1. OSHA Permissible Exposure Limit (PEL): NOT ESTABLISHED
- 2. Threshold Limit Value (TLV): NOT ESTÁBLISHED
- B. CARCINOGEN OR POTENTIAL CARCINOGEN:
- C. EFFECTS OF OVEREXPOSURE:

1. ACUTE:

EYES: May cause irritation. SKIN: May irritate skin. INHALATION: N/ A

INGESTION: May cause thirst, pain, nausea, vomiting and diarrhea.

D. EMERGENCY FIRST AID PROCEDURES:

EYES: Flush with water for at least 15 minutes. **SKIN:** Wash thoroughly with soap and water.

INHALATION: N/ A

INGESTION: Drink several glasses of water. Induce vomiting by introducing finger into throat.

SECTION VII

SPECIAL PRECAUTIONS & SPILL/ LEAK PROCEDURES

HANDLING AND STORAGE:Keep containers closed and away from oxidizing agents. Store only in shipping container: Bulk material should be stored in Polyethylene Tanks with PVC fittings.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED: It is necessary to contain spill into the smallest area possible by diking, etc., replace liquid into plastic container. If liquid is absorbed onto dry carrier such as soil or absorbent material, then this material should be put in covered labeled containers and disposed of as a dry waste.

WASTE DISPOSAL METHODS: Follow all applicable federal, state and local regulations.

SECTION VIII

SPECIAL PROTECTION / CONTROL MEASURES

LOCAL EXHAUST: Provide general or local exhaust ventilation.

SPECIAL VENTILATION: Not Applicable.

PROTECTIVE GLOVES: Wear protective gloves and clothing impervious to this material.

EYE PROTECTION: Use chemical goggles. Use full- face respirator when there is any likelihood of splashes.

OTHER SPECIAL CLOTHING/ EQUIPMENT: Eye wash fountain should be located in immediate work area.

The available data on this plant nutrient material does not indicate any undue hazard to the environment under anticipated use and storage. Any waste due to spillage or leakage should be contained and disposed of as a Fertilizer (see above under Waste Disposal Methods). Due to its nutrient value, may contribute to eutrophication in bodies of water.

SECTION X TRANSPORTATION DATA

PROPER SHIPPING NAME: N/ A (Trade Name: BIO POWER)

DOT HAZARD CLASS: Non Hazardous material; Non- regulated material

PLACARD: N/A

USDOT Proper Shipping Name: N/ A (Trade Name: BIO POWER)

To aid our customers in complying with regulatory requirements, SARA Title III hazard categories for this product are indicated in Section I. If the word "YES" appears next to any category, this product may be reportable by you under the requirements of 40 CFR Part 370. Please consult those regulations for details.

Stoller Enterprises, Inc., believes the information contained in this Material Safety Data Sheet is accurate, based on the information supplied by reputable suppliers of our raw materials. The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.