

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

- 1.1 **PRODUCT IDENTIFIER:**
TRADE NAME: DIMETHOATE 2.67 EC
- 1.2 **RECOMMENDED USE:** GROUP 1B SYSTEMIC INSECTICIDE - MITICIDE
- 1.3 **SUPPLIER DETAILS:**
 LOVELAND PRODUCTS, INC.
 P.O. Box 1286 • Greeley, CO 80632-1286
- 1.4 **24 Hour Emergency Phone:** 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 – **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity – Oral	Category 3	H301
Eye Damage/Irritation	Category 2A	H319
Acute Toxicity – Dermal	Category 4	H312
Flammable Liquid and Vapor	Category 3	H226

2.2 Label elements



- Signal word: DANGER
- Hazard Statement:
 H301 – Toxic if swallowed.
 H319 – Causes severe eye irritation.
 H312 – Harmful in contact with skin.
 H226 – Flammable liquid and vapor.
- Precautionary Statement: (Prevention):
 P264 – Wash hands and face thoroughly after handling.
 P270 – Do not eat, drink or smoke when using this product.
 P280 – Wear protective gloves/protective clothing/eye protection/face protection.
 P210 – Keep away from heat/sparks/open flames/hot surfaces – No smoking.
 P233 – Keep container tightly closed.
 P240 – Ground/bond container and receiving equipment.
 P241 – Use explosion-proof electrical/ventilating/lighting/other equipment.
 P242 – Use only non-sparking tools.
 P243 – Take precautionary measures against static discharge.
- Precautionary Statement: (Response):
 P301+P310: IF SWALLOWED: Immediately call a poison center/doctor/physician.
 P321 – Specific treatment (see NOTE TO PHYSICIAN on the product label).
 P330 – Rinse mouth.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 P337+P315 – If eye irritation persists: Get medical advice/attention.
 P302+P352: IF ON SKIN: Wash with plenty of water.
 P312 – Call a poison center/doctor/physician if you feel unwell.
 P321 – Specific treatment (see FIRST AID on the product label).
 P362 – Take off contaminated clothing and wash it before reuse.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P370 – In case of fire: Use dry chemical, carbon dioxide, foam, water spray or fog to extinguish. If water is used contain runoff by diking to prevent contamination of water supplies.
- Precautionary Statement: (Storage):
 P405 – Store locked up.
 P403+P235 – Store in a well-ventilated place. Keep cool.



SAFETY DATA SHEET

DIMETHOATE 2.67 EC

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

SUPERSEDES: 08/30/14

Precautionary
Statement:
(Disposal):

P501 – Dispose of contents/container in accordance with all local, state and federal requirements.

2.3 Other hazards

None known

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Concentration [%]
Dimethoate	60-51-5	29.59 – 31.42
Cyclohexanone	108-94-1	33.95 - 36.05
Solvent Naphtha (Petroleum), Light Aromatic, contains 1,2-4 Trimethylbenzene	64742-95-6	27.16 – 28.84
*Other ingredients	95-63-6	0.08 – 0.09
	n/a	5.70 – 6.30

*Ingredients not specifically listed are to be considered proprietary or confidential business information per 29 CFR 1910.1200(i)

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Eyes: Causes severe eye irritation.
Oral: Toxic if swallowed.
Skin: Harmful in contact with skin.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

NOTES TO PHYSICIAN: Atropine is antidotal. Pralidoxime chloride may be effective as an adjunct to atropine. This product may cause cholinesterase inhibition. Aspirated cyclohexanone may cause severe lung damage. If swallowed. Stomach contents should be evacuated quickly in a manner which avoids aspiration. Otherwise treatment should be directed at the control of the symptoms and clinical condition. Contains petroleum distillate. May pose an aspiration pneumonia hazard.



SAFETY DATA SHEET

DIMETHOATE 2.67 EC

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

SUPERSEDES: 08/30/14

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO₂), foam, water spray or fog.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: Oxides of sulfur, phosphorus-containing compounds, carbon monoxide and other unknown hazardous materials may be formed.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: For large spills: contain liquid by diking the area, keep product out of water supplies. If possible, use a pump to pick up liquid, then use absorbent material to absorb any residual liquid. Place both in a chemical container. Flush area with a household bleach and water mixture (1:1) and then absorb the liquid as described above in small spills.
For small spills, absorb with an absorbent material such as pet litter. Sweep up and transfer to containers for possible land application according to label use or for proper disposal. Wash the spill with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container and handle in an approved manner. Check local, state and federal regulations for proper disposal. Flush the area with water to remove any residue. Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Flammable. Do not use or store the product near heat or open flame. Do not store below 32 °F / 0 °C. Store in original container in a well-ventilated area separately from fertilizer, feed and foodstuffs. Avoid cross-contamination with other pesticides. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
Cyclohexanone	TWA	20 ppm (Skin)
Cyclohexanone	STEL	50 ppm (Skin)
1,2-4 Trimethylbenzene	TWA	25 ppm

U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
Cyclohexanone	TWA	50 ppm 200 mg/m ³



SAFETY DATA SHEET

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

DIMETHOATE 2.67 EC

SUPERSEDES: 08/30/14

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
Acetylcholinesterase Inhibiting Pesticides	70% of individual's baseline	Cholinesterase activity in red blood cells

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

- Eye / Face Protection: Goggles or shielded safety glasses are recommended.
- Skin Protection: Long-sleeved shirt and long pants. Chemical-resistant gloves. Shoes plus socks.
- Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved approved respirator with any R, P, or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 APPEARANCE : Liquid
- ODOR: Solvent and mild mercaptan.
- ODOR THRESHOLD: No data available.
- COLOR: Light amber to yellow.
- pH: 3.87 (5% solution)
- MELTING POINT / FREEZING POINT: No data available
- BOILING POINT: No data available
- FLASH POINT: 116 °F / 46.7°C (PMCC).
- FLAMMABILITY (solid, gas): No data available.
- UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
- VAPOR PRESSURE: 28.44 mm Hg.
- SOLUBILITY: Emulsifiable.
- PARTITION CO-EFFICIENT, n-OCTANOL / WATER: Log K_{OW} 0.704 (Dimethoate technical).
- AUTO-IGNITION TEMPERATURE: No data available.
- DECOMPOSITION TEMPERATURE: No data available.
- VISCOSITY: (kinematic): No data available
- SPECIFIC GRAVITY (Water = 1): 1.0 g/ml
- DENSITY: 8.4 lbs./gal / 1.0 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available. Will not polymerize.

10.4 CONDITIONS TO AVOID

Excessive heat and ignition sources.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers, acids and bases.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of sulfur, oxides of nitrogen, phosphorus-containing compounds, carbon monoxide and other unknown hazardous materials may be formed.



SAFETY DATA SHEET

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

DIMETHOATE 2.67 EC

SUPERSEDES: 08/30/14

11 TOXICOLOGICAL INFORMATION

11.3 LIKELY ROUTES OF EXPOSURE

Eye contact. Toxic if swallowed. Avoid contact with skin.

LC₅₀ (rat): >5.34 mg/L (4 HR)

LD₅₀ Oral (rat): 425 mg/kg

LD₅₀ Dermal (rat): 2,020 mg/kg

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): Slight irritant.

Eye Irritation (rabbit): Causes substantial but temporary eye injury.

Specific Target Organ Toxicity: Skin, CNS, liver, kidneys.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: IARC Group 2B (limited evidence for carcinogenicity in humans).

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

12 ECOLOGICAL INFORMATION

12.3 ECOTOXICITY

The product is toxic to fish and aquatic invertebrates. This product is highly toxic to bees and other pollinators exposed to direct treatment or residues on blooming crops or weeds. Do not apply product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging in the treatment area. Information below is based on the technical ingredient Dimethoate.

Ecotoxicological Data

	Species	Test Results
Dimethoate	Rainbow trout	30.2 mg/L – 96-hour LC ₅₀
	Daphnia magna	2.0 mg/L – 48-hour EC ₅₀
	Honey bees	0.15 µ/bee – Acute oral LD ₅₀
Other ingredient (Proprietary)		0.12 µ/bee – Contact
	Fish	30.36 mg/L – 96-hour LC ₅₀
	Daphnia magna	12.26 mg/L – 48-hour EC ₅₀

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: Dimethoate is biodegradable. Undergoes rapid degradation in the environment.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Does not occur.

12.4 MOBILITY IN SOIL

Dimethoate has a potential mobility in soil but is relatively unstable.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.



SAFETY DATA SHEET

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

DIMETHOATE 2.67 EC

SUPERSEDES: 08/30/14

14 TRANSPORT INFORMATION

14.3 LAND TRANSPORT

DOT Shipping Description: RQ UN3017, ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, (DIMETHOATE, CYCLOHEXANONE) 6.1, (3), III ERG GUIDE 131
U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS, NOI, OR VERMIN EXTERMINATORS, ANIMAL OR POULTRY, NOI; POISON (NMFC 102100; CLASS 77.5)

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA		HMIS			
2	Health	0	Least	2	Health
2	Flammability	1	Slight	2	Flammability
1	Instability	2	Moderate	1	Reactivity
		3	High	H	PPE
		4	Severe		

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>Y</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>Y</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Dimethoate (CAS: 60-51-5): 10 pounds; Cyclohexanone (CAS: 108-94-1) 5000 pounds
SARA, Title III, Section 313: Dimethoate (CAS: 60-51-5) 30.5%; 1,2,4 Trimethylbenzene (CAS: 95-63-6) <0.089%; Xylene (CAS: 1330-20-7) <0.006%; Cumene (CAS: 98-82-8) <0.003%
SARA, Title III, Section 302: Threshold Planning Quantity: 500/10000 pounds
RCRA Waste Code: P044
CA Proposition 65: Not listed.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be fatal if swallowed.
Causes substantial but temporary irreversible eye injury.
Harmful if absorbed through skin.
Do not get in eyes or on clothing.
Avoid contact with skin.



SAFETY DATA SHEET

SDS NUMBER: 000489-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 08/31/16

DIMETHOATE 2.67 EC

SUPERSEDES: 08/30/14

16 OTHER INFORMATION

SDS STATUS: Format revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

EPA REG. NO.: 34704-489

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.