FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC. 24-Hour Emergency Phone: 1-800-424-9300 P.O. Box 1286 • Greeley, CO 80632-1286

Medical Emergencies: 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: INITIATE® 720 FLOWABLE FUNGICIDE CHEMICAL NAME: Chlorothalonil: Tetrachloroisophthalonitrile

CHEMICAL FAMILY: GROUP M5 FUNGICIDE

34704-881 FPA RFG NO:

SDS Number: 000881-14-LPI **SDS Revisions:** Secs. 1, 2, 4, 7, 8, 14, 15 Date of Issue: 05/15/14 **Supersedes: 02/19/09**

HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION - Harmful if swallowed, absorbed through skin, or inhaled. Causes moderate eve irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This product is a light gray liquid with slight odor. Primary routes of entry are skin contact, eye contact, and inhalation.

NOTES TO PHYSICIAN: Persons suffering with temporary allergic skin reactions may respond to treatment with oral antihistamines and topical or oral steroids.

3. **COMPOSITION, INFORMATION ON INGREDIENTS**

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Chlorothalonil Other Ingredients, including	54.00 46.00	1897-45-6	not listed
Propylene Glycol Silica, amorphous		57-55-6 112926-00-8	not listed withdrawn

FIRST AID MEASURES

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center

or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth

to mouth, if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control center

or doctor, or going for treatment.

FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): Does not flash. FLAMMABLE LIMITS (LFL & UFL): Not applicable.

EXTINGUISHING MEDIA Dry chemical, foam, or CO₂.

HAZARDOUS COMBUSTION PRODUCTS: May thermally decompose under fire conditions emitting irritating and possibly toxic gases and vapors

generated by thermal decomposition or combustion.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective clothing. Evacuate area and fight fire from

a safe distance. Minimize the amount of water used for firefighting. Equipment should be completely

decontaminated after use.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, contain runoff, using dikes to prevent contamination of

water supplies. Avoid using heavy water streams.

ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Small spill or leak: Avoid bodily contact. Confine spill by diking with suitable absorbent material. Pick up absorbed spill and place in a suitable container for proper disposal in accordance with all Federal, State and Local regulations.

Large spill or leak: Follow basic procedure as outlined in small spill or leak steps above. To clean and neutralize spill area, tools and equipment, scrub with a solution of hard water detergent (e.g. commercial products such as Tide®, Joy®, Spic and Span®). Absorb any excess liquid and add to the drums of waste collected. Repeat if necessary. Dispose in accordance with Federal, State and Local regulations.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

HANDLING AND STORAGE

HANDLING: Do not breathe vapors or spray mist. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

> Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly

and change into clean clothing.

STORAGE: Store in original container only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak

on floor or paved surfaces, soak up with vermiculite, earth, or synthetic absorbent. Store in a cool place. Protect from

excessive heat. Do not contaminate water, food or feed by storage or disposal.

Personal Protective Equipment (PPE): Mixers, loaders, applicators and all other handlers must wear: long sleeved shirt and long pants, chemicalresistant gloves made of any waterproof material - Category A (e.g. barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, natural rubber, polyethylene, polyvinyl chloride (PVC), or Viton®), shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. A dust/mist filtering respirator must be worn if the mixer/loader/applicator uses a high-pressure, hand wand sprayer.

EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the

Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240 (d)(4-6)], the handler PPE

requirements may be reduced or modified as specified in the WPS.

Control airborne concentrations below the exposure guidelines. Local exhaust may be necessary when used in a

confined area. Eye wash facility and safety shower should be available.

RESPIRATORY PROTECTION: Wear a NIOSH approved dust/mist filtering respirator (approval number prefix TC-23C) when using in an area with

inadequate ventilation.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

Wear protective clothing: coveralls over long-sleeved shirts and pants, chemical-resistant footwear plus socks. Wear **SKIN PROTECTION:**

chemical-resistant gloves.

OSHA PEL 8 hr TWA ACGIH TLV-TWA

Silica, amorphous 80 mg/m³/% SiO₂ withdrawn

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Light gray liquid with slight odor

SOLUBILITY: Disperses

SPECIFIC GRAVITY (Water = 1): 1.34 g/ml VAPOR PRESSURE: 5.72 x 10⁻⁷ torr (based on technical data) BULK DENSITY: 11.18 lbs/gal. **pH:** 6.5-8.5

BOILING POINT: 212°F / 100°C (lowest boiling component) PERCENT VOLATILE (by volume): Not established

EVAPORATION RATE: Not established Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: None known. INCOMPATIBILITY: Highly alkaline conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: May thermally decompose under fire conditions emitting irritating and possibly toxic gases and vapors

generated by thermal decomposition or combustion HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 9000 mg/kg Acute Dermal LD₅₀ (rabbit): >2020 mg/kg Eye Irritation (rabbit): Moderate eye irritant Skin Irritation (rabbit): Mildly irritating Inhalation LC₅₀ (rat): 0.704 mg/L (4 hr). Skin Sensitization (guinea pig): A skin sensitizer

Carcinogenic Potential: None listed in OSHA, NTP, ACGIH or IARC.

12. ECOLOGICAL INFORMATION

This product is toxic to aquatic invertebrates and wildlife. Do NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do NOT contaminate water when disposing of equipment wash water or rinsate. Chlorothalonil is known to leach through soil into groundwater under certain conditions as a result of label use. Chlorothalonil can contaminate surface water through spray drift. Do not apply when weather conditions favor drift from target area.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORT INFORMATION

DOT Shipping Description: 120 GALLONS AND GREATER: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CHLOROTHALONIL), 9, UN3082, III MARINE POLLUTANT ERG GUIDE 171

DOT Shipping Description: NOT REGULATED BY USDOT FOR SURFACE TRANSPORTATION IN CONTAINERS 119 GALLONS OR LESS **U.S. Surface Freight Classification:** INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS; NOI; OTHER THAN POISON (NMFC 102120; CLASS: 60)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION					
NFPA & HMIS Hazard Ratings:	NFPA		HMIS		
	2 Health1 Flammability0 Instability	0 Least 1 Slight 2 Moderate 3 High 4 Severe	2 Health1 Flammability0 ReactivityH PPE		
SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate Y Delayed Y	Fire Reactive	N Sudden Release of Pressure	<u>N</u>	

SAFETY DATA SHEET

INITIATE® 720 FUNGICIDE

Reportable Quantity (RQ) under U.S. CERCLA: Not listed SARA, Title III, Section 313: Chlorothalonil (CAS: 1897-45-6) 54.0%

RCRA Waste Code: Not listed

CA Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive

harm.

CAUTION - This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

16. OTHER INFORMATION

MSDS STATUS: Sections 1, 2, 4, 7, 8, 14, and 15 revised PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Viton is a registered trademark of DuPont Performance Elastomers L.L.C.

®Tide and ®Joy are registered trademarks of The Procter & Gamble Company ®Spic and Span is a registered trademark of The Spic and Span Company

®Initiate is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.