MATERIAL SAFETY DATA SHEET

84320

Peters® **Water Soluble Fertilizer** 20-20-20

Scotts-Sierra Horticultural Products Co.

The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 In Case of Emergency call: 1-937-644-0011 (USA) For non-Emergency calls: 1-937-644-0011 (USA)

I. MATERIAL IDENTIFICATION

NFPA Hazard Ratings Peters® Water Soluble Fertilizer 0 Least Product Name: Health Analysis: 20-20-20 2 Moderate Flammability 0 3 High Stock Number: 84320 Reactivity

II. HAZARDOUS INGREDIENTS

		OSHA	ACGIH
<u>MATERIAL</u>	CAS #	PEL	TLV
Ammonium Phosphate	7722-76-1	None	None
Potassium Nitrate	7757-79-1	None	None
Urea	57-13-6	None	None
Potassium Phosphate	7778-77-0	None	None
Boric Acid	10043-35-3	None	None
Copper EDTA	14025-15-1	None	None
Manganese EDTA	15375-84-5	None	None
Iron EDTA	15708-41-5	None	None
Sodium Molybdate	7631-95-0	5 mg(Mo)/m3	5 mg(Mo)/m3
Zinc EDTA	14025-21-9	None	None

The ACGIH Threshold Limit Values for nuisance (inert) dusts containing <1% crystalline silica and no asbestos are: 10 mg/m3 total, 5 mg/m3 respirable.

III. FIRST AID PROCEDURES

If in eyes, flush with water for 15 minutes holding eyelids open. Get medical attention if irritation persists. Eyes: Ingestion: Never give anything by mouth to an unconscious or convulsing person. Have conscious person drink 1 to 2

glasses of water, then induce repeated vomiting until vomit is clear. Call physician.

Wash with plenty of soap and water. Skin:

Remove to fresh air. Treat symptomatically. Inhalation:

IV. HEALTH HAZARD INFORMATION

Summary of Risks

Prolonged or repeated direct contact with fertilizer may irritate eyes and skin. Inhalation of dust may irritate nose, throat, and lungs. Prolonged exposure may cause weakness, depression, headache, mental impairment, anemia, methemoglobinemia, and kidney injury. Ingestion of product can cause severe gastrointestinal irritation, muscular weakness, and blue-tinged skin (cyanosis). Infants and children are especially at risk for cyanosis. Ingestion of large amounts may result in death.

One experimental study of mice and rats fed large doses of urea (394 gm/kg and 821 gm/kg over a period of one year) produced tumors of the blood-forming organs. Human reproductive effects have been reported at high doses by intraplacental route. Mutagenic effects are also reported.

Tumorigenic, mutagenic, and reproductive effects of potassium nitrate and urea in laboratory animals are reported in the NIOSH Registry of Toxic Effects.

Blue dye may cause temporary staining of skin.

Urea is moderately toxic by ingestion. It may cause headache, nausea, and vomiting. Other possible effects are disorientation, nervousness, hypertension, hypothermia, and cardiac effects.

Medical conditions which may Skin abrasions and sores.

be aggravated by contact: Inhalation of dust may aggravate asthma.

Target Organs: Skin, eyes, respiratory tract, gastrointestinal tract, and central nervous system.

Primary Entry Route(s): Ingestion, inhalation.

Chronic Effect(s): Chronic exposure to nitrates may cause weakness, depression, headache, blood

changes (methemoglobinemia and anemia), and kidney injury (nephritis).

Excessive inhalation of dust may cause irritation and coughing. Prolonged Acute Effect(s):

skin contact with product may cause mild irritation.

A study of 67 workers in an environment with high airborne concentrations of urea found a high incidence of protein metabolism disturbances, moderate emphysema, and chronic

weight loss.

Ingredients Listed as a Carcinogen

IARC Monographs: No NTP: No OSHA: No

V. PERSONAL PROTECTION AND PRECAUTIONS

Personal protective equipment:

Goggles: None required for routine use as fertilizer. High airborne dust levels or mists of product dissolved in

liquid may be irritating; use chemical goggles.

None required for normal use. If prolonged or repeated use irritates skin, use natural rubber Gloves:

gloves.

Respirator: If airborne dust levels are high or irritation occurs, use NIOSH/MSHA approved respirator for dusts,

mists, and fumes to reduce exposures to acceptable levels.

Workplace Considerations

Ventilation: Ventilation and personal protection are recommended whenever dust levels are high or

product does not remain intact.

Safety Stations: Running water should be available in case material gets in eyes.

VI. PHYSICAL HAZARD INFORMATION

Flammable Limits (% in Air): N/A Color: Aqua-blue powder Extinguishing Media: Water Odor: Slight yeasty odor Decomposes on heating Auto Ignition Temperature: N/A **Boiling Point:**

Solubility in H₂0 Flash Point (method): Decomposes on heating 3.5 lbs/gal

> Specific Gravity: 45.1-47.2 lbs/ft3 Not Known Vapor Pressure: **Evaporation Rate:** N/A

pH: 5.4 (10% solution) Reactivity

Stability: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid: Extreme heat. Contact with strong alkalies, oxidizers, and reducing agents. Contact with

fuels and other organic or combustible materials. Active metals such as aluminum and

magnesium. Strong alkalies and reducing agents. Chlorine compounds.

Hazardous Decomposition

In a fire, may produce toxic oxides of nitrogen, potassium, and carbon, as well as ammonia, biuret, and cyanuric acid.

Products: Chemical Incompatibilities:

Nitrates are incompatible with strong alkalies and reducing agents, active metals (such as

aluminum and magnesium), ammonia, organic, and combustible materials.

Urea is incompatible with strong oxidizers, alkalies, sodium nitrate, and many chlorine

compounds (including bleach and other household cleaning products).

Unusual Fire, Explosion and Reactivity Hazards:

This product is comprised of materials which are oxidizers in their pure, unmixed forms. It will not burn but can provide oxygen for existing fires and cause combustible materials

to ignite explosively.

Material decomposes on heating to emit ammonia and toxic oxides of nitrogen, carbon,

and potassium as well as biuret and cyanuric acid.

In Case of Fire: Evacuate area. Flood with water to cool containers. Apply water from a safe distance to

avoid splattering of molten material. Wear self-contained breathing apparatus to fight

large fires.

VII. REGULATORY INFORMATION

DOT Classification: Not DOT regulated.

VIII. STORAGE AND SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage

Store in a cool, dry area away from incompatible materials and heat sources. Store away from feed and foodstuffs, as well as household cleaning products. Wash hands with soap and water after handling product. Keep out of reach of children.

In case of spills

Avoid dusting or misting conditions during cleanup. If material is uncontaminated, collect and reuse as recommended for product. If contaminated, put in appropriate container and dispose. Keep spills away from drinking water supplies. After cleaning up spill, flush area with water.

Waste Management/Disposal

Apply as fertilizer to field. If product is contaminated, dispose of in an approved landfill disposal facility, in accordance with applicable federal, state, and local regulations.

Revised: 11/17/97 Date Issued: 6/21/96

The information contained herein is, to the best of Scott's knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Scotts shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Scotts shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.