Material Safety Data Sheet Product: ByPass May be used to comply with OSHA's Hazard Communication Standard. **QUICK IDENTIFIER** 29CFR 1910. Standard must be consulted for specific requirements. Common Name: ByPass **SECTION 1 -**Manufacturers Name: KeyPlex **Emergency Telephone Number:** 1-800-433-7017 Address: P.O. Box 2515 Other Information Calls: 1-407-682-6500 City, State, Zip: Winter Park, FL 32790 Date Prepared: Sep 4, 2009 **SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY** Hazardous Component(s) chemical & common name(s) **OSHA PEL ACGIH TLV EXPOSURE LIMITS** CAS NO. Phosphoric Acid N/A 7664-38-2 N/A Ammonium Nitrate 13446-48-5 N/A Potassium Nitrate 7757-79-1 N/A 16940-66-2 Sodium Borate N/A 31138-65-5 Sodium Glucoheptanate **SECTION 3 - PHYSICAL AND CHEMICAL CHARACTERISTICS Boiling Point:** N/A **Specific Gravity:** 1.2 **Vapor Pressure:** N/A **Vapor Pressure:** N/A Reactivity in Water: Soluble **Melting Point:** N/A **Appearance and Odor:** Dark opaque with sweet smell. **SECTION 4 - FIRE AND EXPLOSION DATA Flash Point:** N/A F° Method Used: N/A Flammable Limits in Air: N/A **LEL Lower: Auto-Ignition** Extinguisher Non flammable if involved in fire, can extinguish with dry chemical; CO2, water spray N/A Temp: Media: or foam. Special Fire Fighting This product is non-flammable, and does not support combustion. If heated to decomposition, the nitrate ion will support Procedures: combustion and could explode. Use of self contained breathing apparatus is recommend when there is extreme heat. Unusual Fire and If this product is heated to an anhydrous state it will omit Sulfur dioxide which are hazardous if inhaled. Exposure to high

Explosion Hazards: heat can emit toxic vapors.

SECTION 5 - PHYS	ICAL HAZ	ARDS (RE	ACTIVITY	DATA)				
Stability:	\checkmark	Stable		Unstab	ole		Condi	tions to Avoid: Excessive Hea
tibility Materials to Avoid!:	concentrated		dized material					orrosive to metals in ompatible with phosphate
Hazardous Decomposition Products:	Nitrate							
	Hazar	dous Polymeri				Will Not Occu	ır:	\checkmark
		Conditions to	Avoid: Extren	ne Heat.				
SECTION 6 - HEAL	TH HAZA	RDS						
ACUTE:	Mild skin irritant, conjunctivitis, upset stomach and or gastrointestinal symptoms are temporary.							
CHRONIC:	Prolonged skin contact may result in dermatitis (drying) or eczema (itching)							
CARCINOGEN: LISTED IN:		NTP IARC MONOG	GRAPH •	OSHA NOT LI				
	R	ROUTES OF EN	TRY AND EM	ERGENCY FI	RST AID	PROCEDURES		
1. Inhalation:	Move victim to fresh air. If Person Not Breathing CALL 911, perform artificial respiration if necessary. Call physician if symptoms persist.							
2. Eyes:	Flush eyes with running water for 15-20 minutes. If wearing eye contact remove after the first few minutes.							
3. Skin:	Wash with soap and water, remove contaminated clothing.							
4. Ingestion:	Call a Physician. This Product Contains Nitrates, Which Can Effect Heart Rhythm. If Taking Heart Medication Contact Physician Immediately. Have Person Sip a Glass of Water. Do NOT Induce Vomiting Unless Instructed by Physician.							
SECTION 7 - SPEC	IAL PREC	AUTIONS	AND SPIL	L/LEAK F	PROCE	DURES		
Precautions to be Taken								
Handling and Storage:		ventilated place or below 34 Fal	•	hazards, exc	essive hea	at, flammable or	easily ox	dizable materials. Will
Other Precautions:	Do not allow product to go below 35 degrees. Apply product in open areas. Keep away from children and pets.							
Steps to be taken in case of Release or Spill	Clean at once	. Do not allow d	ry material or	come in conta	ct with he	at.		
Waste Disposal:		al, state, and loc	.		ater to and	d collect in a che	emical wa	ste disposal. Dispose

SECTION 8 - CONTROL AND PROTECTIVE MEASURES

Respiratory Protection: None required if used in open under normal conditions. Self contained respiratory equipment should be used in the event of

a spill.

Protective Gloves: Rubber or plastic.

Eye Protection: Side-Sheilded Safety Goggles or face shield.

Other Protective Clothing Wear clean clothing. or equipment:

Hygienic Work Practice: Bath and wash clothes after mission is complete.

SECTION 9 - TRANSPORT AND REGULATORY INFORMATION

MATERIAL IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name: KeyPlex ByPass

Hazard Class Number: None

Description: None

UN Identification Number: None

Packing Group: None

DOT Label(s) Required: None

Flammability = 0 NFPA CODE: Health = 1 Reactivity = 0

Toxicity:

Notes: This product is not regulated by EPCRA or any of the provisions of SARA Title III.

END