

# FIFRA Section 24(c) Special Local Need (SLN) Label



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Starane<sup>®</sup> Ultra

EPA Reg. No. 62719-577

EPA 24(c) Special Local Need Registration SLN No. WI-150002  
(For Distribution and Use Only in the State of Wisconsin)

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2019.

### Control of Susceptible Broadleaf Weeds in Dry Bulb Onions

#### Special Conditions and Risks of Use

USE OF Starane<sup>®</sup> Ultra herbicide (THE "PRODUCT") ON DRY BULB ONION (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.

Dow AgroSciences makes the Product available for use in the manner described in this SLN label on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this SLN label must be made by each individual user on the basis of anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this SLN label, you acknowledge and accept that:

- (1) To the extent permitted by law, you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this SLN label;
- (3) Dow AgroSciences does not make, and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaims all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability;
- (4) Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Dow AgroSciences, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container. These Special Conditions and Risks of Use are required by Dow AgroSciences and not specified by the U.S. EPA or the State of Wisconsin.

## ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Starane<sup>®</sup> Ultra herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- In addition to restrictions and limitations imposed by this SLN label, use of Starane Ultra is subject to all use precautions and limitations imposed by the label affixed to the container for Starane Ultra.

## Directions for Use

Apply Starane Ultra for postemergence control of chickweed, common purslane, common ragweed, morningglory, Venice mallow, volunteer potatoes and other susceptible broadleaf weeds in dry bulb onions using ground or aerial application equipment. Refer to the product label for Starane Ultra for a complete list of weeds controlled. Follow all mixing and application instructions on the product label for Starane Ultra.

**Application Rate:** Apply 0.35 pint of Starane Ultra per acre as a broadcast postemergence treatment to susceptible broadleaf weeds less than 4 inches tall.

**Application Timing:** Volunteer potatoes should be from 4 to 8 inches tall for optimum control. Broadcast (over-the-top) application may be made to dry bulb onions from the 2 true leaf stage through the 6-leaf stage. Do not apply as a broadcast over-the-top spray after the 6-leaf stage of growth. Application to dry bulb onions beyond the 6-leaf stage must be made as a directed spray using drop nozzles (see crop injury warning below). Tank mix combinations with other herbicides registered for use in dry bulb onions may result in unacceptable crop injury. Adjuvants are not recommended with applications of Starane Ultra in dry bulb onions.

**Sequential Applications:** To control heavy populations or successive flushes of volunteer potatoes or other susceptible broadleaf weeds, two postemergence applications can be made on a 10- to 14-day re-treatment interval. Do not make more than two applications per season.

**Crop Injury Warning:** Crop injury (such as leaf twisting) may occur with some onion cultivars when Starane Ultra is applied as a broadcast treatment, especially when applications are made to larger dry bulb onions. Do not use Starane Ultra if the risk of injury is unacceptable.

### Environmental Hazards

This product is toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### Specific Use Restrictions:

- **Preharvest Interval:** Do not apply within 42 days of harvest.
- Do not allow livestock to graze treated areas or harvest treated forage within 7 days of application.
- Do not make more than two applications per season.
- **Plantback Restriction:** Plant only labeled crops within 120 days of application.
- **Chemigation:** Do not apply through any type of irrigation system.
- Do not apply this product when furrow irrigation is running. Manage treated fields to avoid water runoff for at least 6 hours after application.

It is a violation of federal law to harm an endangered species. Dry bulb onions are grown in counties which have endangered and threatened species present; therefore, growers should evaluate their fields and take necessary precautions to avoid harming endangered species or their habitat/environment. Growers who are uncertain of the presence of a protected species should contact the Wisconsin Department of Agriculture, Trade and Consumer Protection at 608-224-4547.

<sup>®</sup>Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R357-031

Accepted: 03/18/15

Replaces R357-025