



Section 2(ee) Recommendation

Date: June 4, 2013

Product: Scholar® SC Fungicide
EPA Reg. No. 100-1242

Uses: Use of lower rate for control of postharvest diseases caused by brown rot (*Monolinia* spp.), gray mold (*Botrytis cinerea*), Rhizopus rot (*Rhizopus stolonifer*), Alternaria rot (*Alternaria* spp.) on cherry

States: CA, WA

Directions for Use

Mix 10 fl oz Scholar SC in 100 gallons of a water, wax/emulsion, or aqueous dilution of a wax/oil emulsion and apply as an in-line aqueous or flooder application, or as a high-volume (dilute-spray) application using flooders, T-jet, or similar application systems to 50,000 pounds of fruit. Ensure good coverage of the fruit.

The user must refer to the federally approved Scholar SC Fungicide label and read and follow all directions for use, restrictions, and precautions.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The user should have this recommendation in their possession at the time of use.

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.

©2013 Syngenta

Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Scholar® SC trademark of a Syngenta Group Company

Label Code: CA1242165BC0513