



**FIFRA Section 2(ee) Recommendation**

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the U.S. Environmental Protection Agency

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF ALABAMA, TENNESSEE, LOUISIANA, FLORIDA, GEORGIA, MISSISSIPPI, VIRGINIA, NORTH CAROLINA AND SOUTH CAROLINA**

**SNIPER Insecticide/Miticide**

EPA REG NO. 34704-858

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<b>SOYBEANS</b>			
<b>Pests</b>	<b>DOSAGE</b>		<b>REMARKS</b>
	<b>LB AI/A</b>	<b>FL OZ/A</b>	
Kudzu bug	0.10	6.4	<ul style="list-style-type: none"> <li>Apply in a minimum of 10 gallons per acre with ground equipment or 2 gallons per acre by aircraft at a minimum of 30 days intervals.</li> <li>Do not apply more than 0.3 lb ai per acre per season.</li> <li>Do not apply within 18 days of harvest.</li> <li>Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.</li> </ul>

<b>COTTON</b>			
<b>Pests</b>	<b>DOSAGE</b>		<b>REMARKS</b>
	<b>LB AI/A</b>	<b>FL OZ/A</b>	
Kudzu bug	0.10	6.4	<ul style="list-style-type: none"> <li>Apply in a minimum of 5 gallons per acre with ground equipment or 1 gallon per acre by aircraft.</li> <li>Do not apply more than 0.5 lb ai per acre per season.</li> <li>Do not apply within 14 days of harvest.</li> <li>Utilize an intensive scouting program for proper application timing. Repeat</li> </ul>



**FIFRA Section 2(ee) Recommendation**

			applications may be necessary. <ul style="list-style-type: none"> <li>Do not graze livestock in treated area or cut treated crops for feed.</li> </ul>
--	--	--	--

<b>Potato</b>			
<b>Pests</b>	<b>DOSAGE</b>		<b>REMARKS</b>
	<b>LB AI/A</b>	<b>FL OZ/A</b>	
Kudzu bug	0.10	6.4	<ul style="list-style-type: none"> <li>Apply in a minimum of 10 gallons per acre with ground equipment or 3 gallons per acre by aircraft.</li> <li>Do not make more than 2 foliar applications per season no sooner than 21 days apart.</li> <li>Do not apply more than 0.5 lb ai per acre per season.</li> <li>Do not apply within 21 days of harvest.</li> <li>Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.</li> </ul>

<b>Succulent Peas and Beans</b>			
<b>Pests</b>	<b>DOSAGE</b>		<b>REMARKS</b>
	<b>LB AI/A</b>	<b>FL OZ/A</b>	
Kudzu bug	0.10	6.4	<ul style="list-style-type: none"> <li>Apply in a minimum of 10 gallons per acre with ground equipment or 2 gallons per acre by aircraft. When applying by air, 1-2 qts of emulsified oil may be substituted for 1-2 qts of water in the finished spray. Thorough coverage is essential to achieve control.</li> <li>Do not apply more than 0.2 lb ai per acre per season.</li> <li>Do not apply within 3 days of harvest.</li> <li>Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.</li> </ul>

**Loveland Products, Inc**  
**P.O. Box 1286**  
**Greeley, CO 80632**