



Section 2(ee) Recommendation

Date: May 5, 2014

Product: Quadris Top[®] Fungicide
EPA Reg. No. 100-1313

Use: For control of *Botryosphaeria* panicle and shoot blight in walnuts

States: California

This is a recommendation of FIFRA Section 2(ee) as it relates to the use of Quadris Top[®] Fungicide in walnuts. The user must refer to the federally approved label for Quadris Top[®] Fungicide and read and follow all directions for use, restrictions, and precautions.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Botryosphaeria panicle and shoot blight: Apply 12 – 14 oz/A of Quadris Top[®] Fungicide to control Botryosphaeria panicle and shoot blight. Make a second application 14-21 days later then alternate to another fungicide with a non-QoI (Group 11) mode of action.

Follow all use directions under the tree nuts group section of the Quadris Top[®] Fungicide container label.

Do not apply more than 56 oz product of Quadris Top[®] Fungicide per crop/year.

Do not apply within 45 days of harvest (45 day PHI).

The user must refer to the federally approved Quadris Top[®] Fungicide label and read and follow all directions for use, restrictions, and precautions.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The user should have this recommendation in its possession at the time of use.

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.

Syngenta Crop Protection, LLC
Greensboro, NC 27419

Quadris Top[®] is a trademark of a Syngenta group company

Expiration Date: May 8, 2019

Label Code: CA1313170AC0514