

# Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Intrepid<sup>®</sup> 2F

EPA Reg. No. 62719-442

### 2(ee) Recommendation<sup>†</sup>

For Distribution and Use Only in the States of Arizona and California

### Provisional Overhead Sprinkler Chemigation Use on Certain Crops

#### ATTENTION

<sup>†</sup> This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to container for Intrepid<sup>®</sup> 2F insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Except as specified in this product bulletin, use of Intrepid 2F is subject to all use precautions and limitations imposed by the label affixed to the container for Intrepid 2F.

#### Directions for Use

**Note: This product bulletin is intended for use only under the direction of a Dow AgroSciences representative or approved cooperator.**

In addition to cranberries and ornamentals, Intrepid 2F may be applied through sprinkler irrigation systems to the following crops and crop groups listed on the product label affixed to the container: cilantro leaves, *Brassica* (cole) leafy vegetables (crop group 5), leafy vegetables (Crop Group 4), leaves of root and tuber vegetables (Crop Group 2), and turnip greens, cucurbit vegetables (crop group 9), fruiting vegetables (crop group 8) and okra, globe artichoke, green onion (subgroup 3-07B), legume vegetables (succulent or dried) (crop group 6) and foliage of legume vegetables (except soybean)(subgroup 7A), root vegetables (crop group 1A, 1B), strawberry and tuberous and corm vegetables (except potato) (subgroup 1D).

Follow the directions for use and the directions for Chemigation Application listed on the product label affixed to the container. Application by sprinkler chemigation to a crop listed above must be made at the rates specified on the product label. Follow all other specific requirements and restrictions for each crop as indicated on the product label.

For continuously moving systems, the mixture containing Intrepid 2F must be injected continuously and uniformly into the irrigation water line as the sprinkler is moving. If continuously moving irrigation equipment is used, apply in no more than 0.25 inch of water. For sprinkler systems that do not move during operation, apply in no more than 0.25 inch of irrigation immediately before the end of the irrigation cycle.

The level of pest control achieved when Intrepid 2F is applied through sprinkler irrigation systems may be lower than the level that can be achieved when Intrepid 2F is applied with properly calibrated and well maintained ground sprayer equipment.

<sup>®</sup>Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R846-093

Issued: 06/09/14

Initial printing.