



TECHNICAL INFORMATION BULLETIN
FOR THE USE OF GRANDEVO™
TO CONTROL LYGUS ON CARROTS

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the U. S. Environmental Protection Agency.

FOR USE IN ALL STATES WHERE CROP AND PEST(S) EXIST AND WHERE 2(EE) RECOMMENDATIONS ARE RECOGNIZED.

EPA Reg. No. 84059-17

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROPS	PEST	RATE	USE RECOMMENDATIONS
Carrots	Lygus	Apply GRANDEVO™ at a rate of 2-3 pounds per acre when applied alone or 1-3 pounds per acre when tank mixed with another insecticide.	Add the amount of spray tank water required for thorough coverage of the crop canopy not to exceed the point of excessive runoff. Repeat application as necessary based on scouting observations to maintain target pest below economic threshold. Add surfactant of choice to enhance spray coverage and cuticle penetration.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and carefully observe the cautionary statements plus all the other information appearing on the product label.

This recommendation must be in the possession of the user at the time of pesticide application.

© Copyright Marrone Bio Innovations, Inc., 2010

Marrone Bio Innovations, Inc.
2121 Second Street, Suite B-107
Davis, California 95618
Telephone (530) 750-2800
www.marronebioinnovations.com