



**For Use on Crucifer (Brassica and Raphanus)  
Crops Grown for Seed, Except for  
Canola/Rapeseed.**  
EPA Reg. No. 279-9564    EPA SLN. No. OR-130001

## FIFRA Sec. 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON**

**This label is valid until December 31, 2018  
or until otherwise amended, withdrawn,  
canceled, or suspended.**

**Active Ingredient:**

Iprodione: 3-(3,5-dichlorophenyl)-N-(1Methylethyl)  
-2,4-dioxo-1imidazolidinecarboxamide\* .....41.6%

**Other Ingredients:**.....58.4%

\*Equivalent to 4 lbs. Iprodione per gallon.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hrs.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves such as barrier laminate, butyl rubber (>14 mils), nitrile rubber (>14 mils), neoprene rubber (>14 mils), polyvinyl rubber (>14 mils), polyvinyl chloride (PVC) (>14 mils), or viton (>14 mils), and shoes plus socks.

### Environmental Hazards

This chemical can contaminate surface water through aerial and ground spray applications. Under some conditions, it may also have a high potential for runoff into surface water after application. These include poorly draining or wet soils with readily visible slopes towards adjacent surface waters, frequently flooded areas, and areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

This pesticide is toxic to invertebrates. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water or rinsate.

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in any manner inconsistent with labeling.**

Do not apply this product in a way that will contact workers or other persons, either directly or indirectly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

| CROP/SITE:  | TARGET PESTS:  | RATE:  | DILUTION RATE AND METHOD OF APPLICATION:  | FREQUENCY AND TIMING OF APPLICATION:   |
|---|--|--|---|--|
| For use on Crucifer (Brassica and Raphanus) crops grown for seed, except for canola/rapeseed. | <i>Alternaria</i> leaf and pod blight, and <i>Sclerotinia</i> white rot. | Use 2 to 4 pints of product per acre/application. The higher rate should be used when severe disease conditions exist. | Apply in 20 to 100 gallons of water by ground. Apply in a minimum of 10 gallons of water per acre by air. Addition of suitable resin-based surfactant is recommended according to dilution rates on the surfactant label. Thorough coverage is necessary for effective control. | Application should be made at full bloom, at pod set, and just prior to harvest if favorable disease conditions exist. |

### Restrictions/Precautions:

- Do not apply more than 3 applications or 12 pints Rovral 4 Flowable Fungicide per acre per season.
- For use on crops grown for seed in which the seed is to be planted. Do not use on seed crops grown for oil.

Do not use on rapeseed/canola.



**FMC Corporation  
Agricultural Products Group  
1735 Market Street  
Philadelphia, PA 19103**

## Special Use Restrictions for Crops Grown for seed:

The pesticide applicator, the producer of the crop grown for seed, and the seed conditioner must be aware that the use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown For Seed.

If the applicator of this pesticide is not the producer, the applicator must provide a copy of this label to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for these crops. Consequently, no portion of these seed crops may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage, or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used as food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipping in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

*"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements if the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies.*

**Rovral and FMC** are trademarks of FMC Corporation-All rights reserved.