

FIFRA §24(c) SPECIAL LOCAL NEED REGISTRATION

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF LOUISIANA
FOR CONTROL OF LEPIDOPTEROUS PESTS IN PASTURES AND RANGELAND**

Confirm[®]
2F INSECTICIDE

ACTIVE INGREDIENT: Tebufenozide

% By Wt.

benzoic acid, 3,5-dimethyl-, 1-(1,1-dimethylethyl)-2-(4-ethylbenzoyl) hydrazide.....23%

OTHER INGREDIENTS.....77%

TOTAL 100%

Contains 2 lbs. active ingredient per gallon

EPA Reg No. 8033-111-10163

SLN No. LA13-0011

Keep Out of Reach of Children

CAUTION

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container of Confirm 2F Insecticide before applying. Carefully follow all precautionary statements and application use directions.
- Use of Confirm 2F Insecticide according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Confirm 2F Insecticide.

Directions for Use

Refer to product label for General Information, Mixing and Application instructions.

Pests	Application Rate (fl oz/Acre)	Application Timing	Restrictions
Beet armyworm Fall armyworm Southern armyworm True armyworm Yellowstriped armyworm	6 – 8 (0.09 – 0.125 lb ai/Acre)	Begin applications when first signs of feeding damage appear or when threshold levels of feeding damage occur. Use a higher rate for heavier infestations and under conditions in which thorough coverage is more difficult.	<ul style="list-style-type: none"> • Do not apply more than 16 fl oz of Confirm 2F per acre per season. • Do not make more than 2 applications per season. • Do not mow or graze livestock in treated areas until spray has dried. • A minimum of 6 hours drying time is required between the completion of application and the onset of precipitation to ensure retention of the spray deposit.

The addition of agricultural adjuvants to sprays of Confirm 2F will improve initial spray deposits, redistribution and weatherability. Select adjuvants that are recommended and registered for your specific use pattern and follow their use directions. Always add adjuvants last in the mixing process.

Equipment and spray volume should be carefully adjusted to assure thorough uniform coverage of infested parts of the crop.

Ground Application: Apply in a minimum of 10 gallons per acre by conventional ground equipment.

Aerial Application: Apply in a minimum of 5 gallons per acre,

Note: This product is toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

Expiration Date: 12/13/2018

Confirm[®] is a registered trademark of Nippon Soda Company Ltd.

EPA Reg. No. 8033-111-10163