



FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the U.S. Environmental Protection Agency

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF ALABAMA, TENNESSEE, LOUISIANA, FLORIDA, GEORGIA, MISSISSIPPI, VIRGINIA, NORTH CAROLINA AND SOUTH CAROLINA

SWAGGER
EPA REG NO. 34704-1045

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SOYBEANS			
Pests	DOSAGE		REMARKS
	LB AI/A	FL OZ/A	
Kudzu bug	0.095	12.2	<ul style="list-style-type: none"> Do not apply more than 0.19 lb ai per acre per season. Do not apply within 18 days of harvest. Minimum interval between applications: 30 days. Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.

COTTON			
Pests	DOSAGE		REMARKS
	LB AI/A	FL OZ/A	
Kudzu bug	0.12	15.4	<ul style="list-style-type: none"> Apply in a minimum of 5 gallons per acre with ground equipment or 1 gallon per acre by aircraft. Do not apply more than 0.62 lb ai per acre per season. Do not apply within 14 days of harvest. Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary. Do not graze livestock in treated area or



FIFRA Section 2(ee) Recommendation

			cut treated crops for feed.
--	--	--	-----------------------------

PEANUT			
Pests	DOSAGE		REMARKS
	LB AI/A	FL OZ/A	
Kudzu bug	0.0875	11.2	<ul style="list-style-type: none"> Do not apply more than 0.26 lb ai per acre per season. Do not apply within 14 days of harvest. Minimum interval between applications: 14 days. Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.

SUCCULENT BEANS AND PEAS			
Pests	DOSAGE		REMARKS
	LB AI/A	FL OZ/A	
Kudzu bug	0.086	11.0	<ul style="list-style-type: none"> Apply in a minimum of 5 gallons per acre with ground equipment or 1 gallon per acre by aircraft. When applying by air, 1 qt of emulsified oil may be substituted for 1 qt of water in the finished spray. Do not apply more than 0.26 lb ai per acre per season. Do not apply within 7 days of harvest. Utilize an intensive scouting program for proper application timing. Repeat applications may be necessary.

Loveland Products, Inc
P.O. Box 1286
Greeley, CO 80632