



**FIFRA**

Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS**

**Dual MAGNUM<sup>®</sup>**

EPA Reg. 100-816  
EPA SLN No. TX-100014

**SPLIT APPLICATIONS OF DUAL MAGNUM FOR WEED CONTROL IN LIMA BEAN**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

---

**DIRECTIONS FOR USE**

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Dual MAGNUM label.

This labeling must be in the possession of the user at the time of herbicide application.

**Important:** Do not apply Dual MAGNUM by irrigation for crops on this label.

---

**LIMA BEAN**

---

Apply Dual Magnum preplant, preplant incorporated, or preemergence for control or suppression of yellow nutsedge, annual grasses, and small-seeded broadleaves. In general, the risk of crop injury from the use of Dual Magnum Herbicide is greater from preplant incorporated than from preplant non-incorporated or preemergence applications. Rainfall or irrigation immediately following Dual Magnum application will increase the risk of crop injury

Dual Magnum use rates in lima beans:

<b>Soil Type</b>	<b>&lt;3% OM</b>	<b>≥3%OM</b>
<b>Coarse</b>	1-1.33 pt/A	1.33 pt/A
<b>Medium</b>	1.33-1.67 pt/A	1.33-1.67 pt/A
<b>Fine</b>	1.33-1.67 pt/A	1.67-2.0 pt/A

**Split application**

Dual Magnum may also be applied as a split application where ½ of the use rate is applied preplant, preplant incorporated or preemergence and the other ½ use rate is applied as a row middle treatment with a hooded or shielded sprayer prior to initiation of pods. Lima beans treated under the split application method can be harvested at normal timing.

**Restrictions:**

1. Do not apply more than 2.0 pts./A of Dual Magnum during any one crop year
2. Do not cut hay within 120 days following a Dual Magnum application.
3. Do not use for forage within 60 days following a Dual Magnum application.

---

Dual Magnum® trademark of a Syngenta Group Company

©2010 Syngenta Crop Protection

24(c) Registrant:  
Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27419

TX0816070BA1210