Supplemental Label



For use in soybean with reduced planting interval when applied with Group 14/Group E herbicides

This supplemental label expires August 31, 2018, and must not be used or distributed after this date.

Active Ingredients*:

saflufenacil: N'-[2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-3,6-dihydro-1(2H)-pyrimidinyl)benzoyl]-N-isopropyl-N-methylsulfamide6.24%dimethenamid-P: (S)-(2-chloro-N-[(1-methyl-2-methoxy)ethyl]-N-(2,4-dimethyl-thien-3-yl)-acetamide)55.04%Other Ingredients**:38.72%Total:100.00%

EPA Reg. No. 7969-279

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire Verdict® herbicide container label, EPA Reg. No. 7969-279, must be in possession of the user at the time of application.
- Read the label affixed to the container for Verdict before applying.
- Use of Verdict according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Verdict.

Use Information

Verdict may be applied in the fall and/or in the spring as a preplant surface application or preemergence burndown application in conventional and reduced-till or no-till soybean for broadleaf weed control (refer to Table 1 and Table 2 in the product container label for lists of weeds controlled). An adjuvant system (refer to Additives section in the product container label for details) is required for optimum burndown activity.

Under high soil moisture and/or cool conditions, **Verdict** application may cause temporary stunting or

leaf chlorosis/necrosis of soybean. Soybean normally outgrows these symptoms within 10 to 14 days.

Not for use in soybean in California.

Application Rate and Timing

Fall Application

Apply **Verdict** at 5.0 to 10.0 fl ozs/A for burndown broadleaf weed control after the prior crop is harvested. Application must be made before first killing frost. Fall application can be made to all soil types.

Spring Application

For all spring applications of **Verdict**, refer to **Soybean Planting Interval** information for minimum planting intervals.

Apply **Verdict** early preplant through preemergence at 5.0 fl ozs/A for burndown broadleaf weed control before crop emergence.

Apply **Verdict** at 7.5 or 10.0 fl ozs/A for enhanced burndown broadleaf weed control.



^{*} Contains 0.57 pound of saflufenacil and 5.0 pounds of dimethenamid-P per gallon, formulated as an emulsifiable concentrate

^{**} Contains petroleum distillates

Soybean Planting Interval

Depending on **Verdict**® **herbicide** use rate, soil texture, and organic matter, an interval between **Verdict** application and planting may be required (see the following chart). This interval must be observed before planting soybean or crop injury may occur.

Minimum Preplant Interval (days)

Required between Verdict Application and Soybean Planting when Tank Mixed or Sequentially Applied with a Group 14/Group E Herbicide¹

Verdict Use Rate (fl ozs/A)	Soil Texture ²	
	Coarse Soils with ≤ 2.0% Organic Matter	All Other Soils
		0
5.0	30	14 days when tank mixed or sequentially applied with other Group 14/Group E³ herbicides on reduced-till or no-till soybean
7.5	30	14
		30 days when tank mixed or sequentially applied with other Group 14/Group E ³ herbicides
10.0	44	30

¹ Refer to other product's label and follow the most restrictive interval.

Crop-specific Restrictions and Limitations

 DO NOT apply more than a maximum cumulative amount of 20.0 fl ozs/A of Verdict (0.089 lb ai/A of saflufenacil) per cropping season. Sequential applications MUST be separated by at least 30 days.

- DO NOT apply more than a maximum cumulative amount of 0.089 lb ai/A of saflufenacil from all product sources per cropping season in soybean.
- DO NOT apply Verdict when soybean has reached the cracking stage or after emergence or severe crop injury will occur.
- DO NOT apply Verdict within 30 days of planting where an at-planting application of an organophosphate or carbamate insecticide(s) is planned and/or has occurred because severe injury may result.
- Ensure the seed row is sufficiently covered with soil to avoid washing and concentration of the herbicide in the seed zone.
- Always use the most restrictive preplant interval of all inclusive herbicides when applying **Verdict** as part of a tank mix.
- DO NOT graze or feed forage, hay, or straw to livestock.
- Reduced-till or no-till soybean DO NOT apply Verdict at more than 5.0 fl ozs/A with other products containing Group 14/Group E herbicides (such as sulfentrazone or flumioxazin) as a tank mix or a sequential spring application within 14 days of planting because crop injury may result.
- Reduced-till or no-till soybean DO NOT apply Verdict at more than 7.5 fl ozs/A with other products containing Group 14/Group E herbicides (such as sulfentrazone or flumioxazin) as a tank mix or a sequential spring application within 30 days of planting because crop injury may result.
- Conventional-till soybean DO NOT apply Verdict
 with other products containing Group 14/Group E
 herbicides (such as sulfentrazone or flumioxazin) as
 a tank mix or a sequential spring application within
 30 days of planting because crop injury may result.
- Other Group 14/Group E herbicides labeled for postemergence application in soybean may be used 14 days or more after soybean emergence. Refer to other products' labels for use directions.
- Refer to product container label for rotational crop intervals.

Tank Mixes

Verdict may be tank mixed or applied sequentially with one or more of, but not limited to, the following herbicide products:

- Clarity® herbicide (preplant only)
- Extreme® herbicide
- Prowl® H₂O herbicide
- Pursuit® herbicide
- Zidua® herbicide
- glyphosate (e.g. Roundup® herbicide)

² Refer to **Table 3** in product container label for definition of soil texture groups.

³ Group 14/Group E herbicides such as sulfentrazone or flumioxazin

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Clarity, Extreme, Kixor, Prowl, Pursuit, Verdict, and Zidua are registered trademarks of BASF.

Roundup is a registered trademark of Monsanto Technology LLC.

© 2015 BASF Corporation All rights reserved.

007969-00279.20150416c.**NVA 2015-04-320-0051**Based on: NVA 2015-04-320-0050

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709

