



Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

BALANCE® PRO Herbicide
For Control of Broadleaf Weeds and
Grasses in Field Corn.
EPA Reg. No. 264-600
SLN #: CO-030003

24(c) Supplemental Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF COLORADO

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label. Do not apply this product through any type of irrigation system.

RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible non-target plants.

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Commercial and certified applicators must ensure that all persons involved in these activities are informed of the precautionary statements.

BALANCE® PRO HERBICIDE

EPA Reg No. 264-600

GENERAL INFORMATION

MIXING AND APPLICATION INSTRUCTIONS

BALANCE® PRO HERBICIDE APPLIED ALONE OR TANK MIX

APPLICATION TIMING	Amount of BALANCE PRO Herbicide per Acre					
	Soil Texture					
	COARSE SOILS Sand, Loamy sand, Sandy loam		MEDIUM SOILS Loam, Silt loam, Silt, Sandy clay loam		FINE SOILS Silty clay loam, Clay loam, Sandy clay, Silty clay, Clay	
	<1.5% O.M.	> 1.5% O.M.	<1.5% O.M.	>1.5% O.M.	<1.5% O.M.	>1.5% O.M.
EARLY PREPLANT 8 TO 21* Days Prior to Planting	Do Not Use	1.88 fluid ounces	1.88 fluid ounces	1.88 fluid ounces	1.88 fluid ounces	1.88 fluid ounces
PREPLANT 0 to 7 Days Prior to Planting preemergence	Do Not Use	1.5 to 1.88 fluid ounces	1.5 to 1.88 fluid ounces	1.5 to 1.88 fluid ounces	1.5 to 1.88 fluid ounces	1.5 to 1.88 fluid ounces

O.M. = Organic Matter by weight

If grass pressure is moderate to severe, tank mixing with a pre-emergence herbicide is recommended

Restrictions and Precautions

- See Federal label for tank mix partners. The most restrictive precautionary statements with respect to rate, groundwater restrictions, plant back restrictions and soil types on any label used must be followed when tank mixing BALANCE® PRO Herbicide with these products.

- Proper mixing and application procedures are critical. Refer to Federal Label under “MIXING DIRECTIONS” and “APPLICATION PROCEDURES”.
- Do not apply more than 1.88 fluid ounces of BALANCE® PRO Herbicide per acre in one season.

ENVIRONMENTAL PRECAUTIONS

AGRICULTURAL CHEMICALS HAVE THE POTENTIAL TO MOVE INTO SHALLOW GROUNDWATER. THE FOLLOWING RESTRICTIONS HAVE BEEN DEVELOPED TO PROTECT DRINKING WATER SUPPLIES.

Do not wash, load, or empty application equipment near any well, as this practice is a potential source of ground water contamination. In fields having coarse soils, special care must be taken not to over-irrigate, since substantial over-irrigation promotes the leaching of chemicals.

SOIL TYPE RESTRICTIONS

COLORADO

If the water table (i.e., level of saturation) is less than 25 feet below the ground surface, do not apply to the following vulnerable sandy loam, loamy sand or sand soils.

Ascalon	Dix	Ironsprings	Nakai	Siebert
Bangston	Dunday	Juget	Nesda	Southace
Bankard	Dune Land	Julesburg	Neville	Space City
Barcus	Dunul	Kandaly	Newcomb	Sphinx
Baroid	Dwyer	Kerber	Olney	Spool
Batterson	Eachuston	Kettle	Orsa	Stapleton
Bijou	Ecklund	Kippen	Osgood	Stecum
Blakeland	Eghelm	Laird	Otero	Sundance
Boel	Ellicott	Laney	Ouray	Tassel
Brad	Els	Las Animas	Pando	Thoroughfare
Breece	Elsmere	Lajoint	Patna	Tipper
Bresser	Farb	Legault	Peetz	Tipperary
Canlodore	Farisita	Lincoln	Pinequest	Tivoli
Cascajo	Fruita	Littlebear	Platte	Tomah
Chappell	Fruitland	Lonetree	Redcreek	Tomichi
Chaseville	Gilcrest	Luning	Resort	Trail
Clark Fork	Glenberg	Mathis	Riverwash	Tricera
Columbine	Glendive	Maybell	Rosebud	Tullock
Comad	Gracot	Medano	Roswell	Ustic Torriorthents
Corlena	Gretdivid	Mespun	Ruedloff	Valent
Corlett	Grieves	Mido	Ruhe	Valentine
Costilla	Grimm	Mirror Lake	Ryark	Vona
Cotopaxi	Grimstone	Moenkopie	San Isabel	Wigton
Coyet	Gunbarrel	Moosed	Sandy Aluvial Land	Willwood
Crestman	Hiwan	Mosca	Sawcreek	Yetull
Crustown	Inavale	Munjoy	Schooner	Zeona
Dailey	Ipaga	Mysten	Sheppard	

PLANT BACK RESTRICTIONS

- Only corn may be planted back within 6 months of a BALANCE® PRO Herbicide application.
- Dry beans, sugarbeets and melons can not be planted back within 18 months of a BALANCE® PRO Herbicide application.
- For dryland agriculture, only corn can be planted back within 16 months of a BALANCE® PRO Herbicide application.
- Do not rotate to other crops within 6 months after application of BALANCE® PRO Herbicide.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com