

Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937) http://www.bayercropscienceus.co FINISH® 6 PRO Harvest Aid for Cotton

EPA Reg. No. 264-703

For use on Cotton.

PRODUCT BULLETIN

FOR USE AND DISTRIBUTION ONLY IN THE STATE OF CALIFORNIA

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

Use	Crop Condition	RATE Ounces Product/A	Time of Application and Tank Mixes
Boll opening Defoliation Enhancement Regrowth Suppression	For best results apply when the crop is mature and in cutout condition.	Apply 16-21 ounces of FINISH® 6 Pro brand Harvest Aid for Cotton per acre plus a labeled rate of a cotton defoliant such as Ginstar.	Apply when sufficient numbers of mature bolls are present to produce the desired crop. The 16-21 ounce rate of FINISH® 6 Pro brand Harvest Aid for Cotton enhances activity of cotton defoliants, and should be mixed with labeled rates of Ginstar.

For best performance by ground or air application, choose equipment and spray volumes that will insure uniform coverage of the bolls. Rainfall within 6 hours of application may reduce product performance.

RESTRICTIONS

- Do not harvest cotton sooner than 7 days after a treatment with FINISH® 6 Pro brand Harvest Aid for Cotton.
- Do not apply this product through any kind of irrigation equipment.
- Do not plant small grains or leafy vegetables within one month of application. Small grains planted earlier than 1 month or intercropped with the cotton crop to which FINISH[®] 6 Pro will be applied may only be used as cover crops and may not be harvested for food or feed. FINISH[®] 6 Pro may cause yellowing and growth inhibition of treated small grains.
- Do not plant any crops other than small grain and leafy vegetable crops within 4 months after last application.
- Do not exceed 0.25 lb cyclanilide active ingredient per acre per year.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT</u> <u>USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

or

Visit our worldwide web site at www.bayercropscienceus.com

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

FINISH® 6 Pro, and GINSTAR are registered trademarks of Bayer CropScience.