
SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, North Carolina 27419-8300
SCP 1254A-S5 0915

GROUP	40	FUNGICIDE
-------	----	-----------

Revus®

Fungicide

This supplemental label expires on 09/09/2018 and must not be used or distributed after this date.

Active Ingredient/Guarantee:

Mandipropamid*	23.3%
----------------------	-------

<i>Other Ingredients:</i>	76.7%
---------------------------	-------

Total:	100.0%
--------	--------

* CAS No. 374726-62-2

Revus is formulated as a suspension concentrate.

Contains 1,2-benzisothiazolin-3-one at 0.017% as a preservative.

Contains 23.3% Mandipropamid equivalent to 2.08 pounds per gallon or 250 grams per liter of active ingredient.

KEEP OUT OF REACH OF CHILDREN.

EPA Reg. No. 100-1254

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Revus as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

syngenta

DIRECTIONS FOR USE

Crop	Disease	Rate fl oz/100 gal	Remarks
Citrus – NON-BEARING only For use in container production in nurseries and prior to transplanting.	Phytophthora root rot (<i>Phytophthora</i> spp.)	8.0 – 16.0	Revus controls the germinating spores of Phytophthora so it is important that Revus be used preventively. Apply as a drench (see Table below for volume) to the container 2-4 times a year, with a minimum interval of 3 months, during root flushes to protect the new root growth and the crown of the plant. In order to maintain protection in the field, drench pot prior to transplanting.
Application: Use a sufficient volume of water to wet the soil in the container.			

Citrus Crop Group 10-10: Australian desert lime; Australian finger-lime; Australian round lime; Brown River finger lime; calamondin; citron; citrus hybrids; grapefruit; Japanese summer grapefruit; kumquat; lemon; lime; Mediterranean mandarin; mount white lime; New Guinea wild lime; orange, sour; orange, sweet; pummelo; Russell River lime; satsuma mandarin; sweet lime; tachibana orange; Tahiti lime; tangelo; tangerine (mandarin); tangor; trifoliate orange; uniq fruit; cultivars, varieties, and/or hybrids of these

Specific Use Restrictions:

- 1) Do not apply more than 16 oz/100 gallons per application.
- 2) Do not apply within 365 days of harvest (365-day PHI).
- 3) Do not apply more than 32 fl oz of product/A/season (0.52 lb ai/A/year).

Volume of Revus Drench by Container Size

Pot Diameter	Drench Solution (oz) per Container
4	4
5	5
6	6
8	10
10	20
12	30

Amount of Revus to Achieve Desired Volume of Drench Solution

Rate/100 gal	5 gal	10 gal	25 gal	50 gal	75 gal	100 gal
8 oz	0.4 oz	0.8 oz	2 oz	4 oz	6 oz	8 oz
16 oz	0.8 oz	1.6 oz	4 oz	8 oz	12 oz	16 oz

Revus and the Syngenta logo are trademarks of a Syngenta Group Company