THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.



EPA Reg. No. 279-3340

2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN MARYLAND, DELAWARE, VIRGINIA AND PENNSYLVANIA

Tank Mix Instructions with 2,4-D ester for Control of Glyphosate Resistant Marestail and Mayweed

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED AUTHORITY MTZ DF AND 2,4-D ESTER LABELS MUST BE FOLLOWED.

THIS RECOMMENDATION MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Fall applications to stubble of harvested crops	Glyphosate resistant marestail (rosette no-wider than 3 inches)	8-14 oz/A Authority MTZ DF
	Glyphosate resistant mayweed (rosette no wider than 3 inches)	16 oz/A 2,4-D ester

DIRECTIONS FOR USE:

Apply Authority MTZ DF at 8 to 14 oz/A + 2,4-D ester at 1 pt/A in a fall application after October 15 and before December 31st to the stubble of harvested crops for the burndown of existing vegetation and pre-emergence control of glyphosate resistant marestail and mayweed the following spring in conservation tillage or no-till production systems when the sustained soil temperature is 55 degrees F and falling at a soil depth of 4 inches. Apply in a minimum of 15 gallons of finished spray per acre. Use higher spray volumes where weed vegetation is dense. Field corn may be planted after 4 months and soybeans may be planted the following spring.

RESTRICTIONS:

- Do not apply more than 14 oz/A (0.393 lbs ai/A) Authority MTZ DF and 16 oz/A (0.5 lbs ai/A) of 2,4-D ester formulated as a 4 lbs ai/gal product.
- Do not apply to soils classified as sand, which have less than 1% organic matter.
- Do not apply Authority MTZ DF to frozen soil.

