

RESTRICTED USE PESTICIDE
TOXIC TO FISH, MAMMALS, AND AQUATIC ORGANISMS
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR
DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED
APPLICATOR'S CERTIFICATION.

ABBA Ultra®
Miticide/Insecticide

EPA Reg. No. 66222-226

EPA SLN No. ID-150009

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

This label for ABBA Ultra expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

ALFALFA GROWN FOR SEED / TWOSPOTTED SPIDER MITE

Apply ABBA Ultra to alfalfa grown for seed when twospotted spider mites first appear. Do not apply a second application within 21 days of the last treatment and only after an alternative miticide with a different mode of action has been used.

Ground Application: Apply 4-8 fl oz/A of ABBA Ultra by ground application in a minimum of 20 gallons of water per acre.

Aerial Application: Apply 6-8 fl oz/A of ABBA Ultra by aerial application in a minimum of 10 gallons of water per acre.

Restrictions/Precautions: (see below; page 2)

- Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
- Do not apply more than 2 applications of ABBA Ultra or any other foliarly applied product containing abamectin per cropping season.
- Do not apply more than 8 fl oz/A (0.019 lb ai/A) of ABBA Ultra or any other foliarly applied product containing abamectin per application.
- Do not apply more than 16 fl oz/A (0.038 lb ai/A) of ABBA Ultra or any other foliarly applied product containing abamectin per cropping season.
- For use under this SLN label do not apply this product through any type of irrigation system.
- All alfalfa seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed. The seed conditioner shall keep records of screening disposal for three years from the date of the disposal. Disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter or other equivalent disposal site and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
- No portion of the alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- Alfalfa seed shall bear a tag or container label which forbids use of the seed for human consumption or animal feed.
- Alfalfa seed may not be distributed for human consumption or animal feed.
- This pesticide is toxic to fish and wildlife. ABBA Ultra should not be used under this SLN label where impact on listed threatened or endangered species is likely. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.
- Apply ABBA Ultra only when wind velocity favors on target product deposition (approximately 3 to 10 mph).
- Do not apply with ground application equipment within 25 ft of or with aircraft within 150 ft of lakes, reservoirs, rivers, permanent streams, marshes, pot holes, natural ponds, estuaries, or commercial fish farm ponds.
- Do not cultivate within 25 ft. of the aquatic area to allow growth of a vegetative filter strip.

Precautions for Bees: This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply in the evening after bees have stopped foraging or in early morning before bees begin foraging.

Section 24(c) Registrant:
Makhteshim-Agan of North America, Inc. d/b/a ADAMA
3120 Highwoods Blvd, Suite 100
Raleigh, NC 27604

070615

Makhteshim Agan of North America, Inc. d/b/a ADAMA
3120 Highwoods Blvd, Suite 100, Raleigh NC 27604
T: 866.406.6262 | F: 919.256.9308