Group	7	Fungicide

Supplemental Label

Systiva® XS

Xemium® Brand Fungicide

For commercial use only
Seed treatment for sugar beet

This supplemental label expires on December 31, 2018 and must not be used or distributed after this date.

Powered by **Xemium® fungicide**

Active Ingredient:

fluxapyroxad*: 1*H*-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-	28.70%
Other Ingredients:	71.30%
Total:	100.00%

*Equivalent to 2.72 pounds of active ingredient per gallon

EPA Reg. No. 7969-308

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Systiva® XS Xemium® brand fungicide** container label, EPA Reg. No. 7969-308, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Systiva XS** before applying.
- Use of **Systiva XS** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Systiva XS**.

Application Instructions

Apply **Systiva XS** according to the **Crop-specific Use Directions** in this label. Observe any additional instructions and/or restrictions on the **Systiva XS** container label.

Restrictions and Limitations

Systiva XS is not for sale, distribution, or use in Nassau and Suffolk counties in New York State.

SEED LABELING FOR SUGAR BEET

Treated Seed Must Be Labeled As Follows:
Federal law requires that bags of treated seeds shall be labeled with the following information: **"This seed has been treated with fluxapyroxad seed treatment. DO NOT use treated seed for food, feed or oil purposes. Store treated seed away from food and feedstuffs."**

"DO NOT allow children, pets or livestock to have access to treated seeds. Wear long pants, long-sleeved shirt and protective gloves when handling treated seed. Treated seed exposed on soil surfaces may be hazardous to wildlife. Treated seed must be planted into the soil at a depth equal to or greater than 1 inch. Cover or collect treated seed spilled during loading and planting, in particular at row ends and field corners. DO NOT apply more than 4 lbs of treated seeds per acre. Dispose of all excess treated seed by burying seed away from bodies of water. DO NOT contaminate bodies of water when disposing of planting equipment washwater. Dispose of seed packaging or containers in accordance with local requirements."

The seed label should also include the following: **"Excess treated seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measurable residues of pesticide remain in ethanol by-products that are used in agronomic practice."**

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

BASF
We create chemistry

Systiva® XS Xemium® brand fungicide Crop-specific Use Directions for Seed Treatment

Sugar beet	To provide suppression of seedling diseases caused by *Rhizoctonia* spp., apply as a commercial seed treatment at 0.5 fl oz of **Systiva XS** (0.011 lb ai per 100,000 seeds) in or on a unit of pelleted sugar beet seed with a weight ratio of 2:1 pelleting mixture to raw seed [seed count = 100,000 seeds, approximately 2.2 pounds (1 kilogram) by weight].

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as the presence of other or untested or unapproved materials, seed of low quality or low vigor or low germination, use of the product in a manner inconsistent with its labeling, misapplication of the product, or weather conditions at planting or environmental conditions during seed storage, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. ST 1108

Systiva *and* ***Xemium*** *are registered trademarks of BASF.*

© 2016 BASF Corporation
All rights reserved.

007969-00308.20160107.**NVA 2016-04-369-0004**
Based on: NVA 2014-04-369-0084

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

We create chemistry