

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY AND TOXICITY TO BIRDS AND MAMMALS

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

**DUPONT™ VYDATE® C-LV
INSECTICIDE/NEMATICIDE**

EPA Reg. No. 352-532

**FOR SUPPRESSION OF ZEBRA CHIP DISEASE
IN POTATOES IN THE STATES OF WA, OR, AND ID**

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

DuPont™ VYDATE® C-LV must be used only in accordance with directions on this bulletin or in separately published DuPont labeling.

DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with such non-labeled use.

Potato Psyllids and Zebra Chip Disease

VYDATE® C-LV can be used in an integrated potato psyllid and nematode management program utilizing other registered insecticides that are effective on potato psyllid adults and nymphs to suppress Zebra Chip disease (suppression is defined as a reduction in damage as compared to an untreated crop). Early detection and early treatment is an essential part of potato psyllid/zebra chip disease management therefore extensive monitoring of fields is critical.

If potato psyllids are present when VYDATE® C-LV is being used to suppress nematodes, apply VYDATE® C-LV at 34 fluid ounces/acre via overhead chemigation in a tank mix with other, different mode-of-action, potato psyllid insecticides. Refer to the tank mixing and compatibility section of the main label for guidance on tank mixing. Repeat applications should be made on an application schedule every 10-14 days.

RESTRICTIONS

Do not apply more than 2.4 gal (306 fluid oz)(9 lb ai) VYDATE® C-LV per acre per season.

Do not make more than 8 applications of VYDATE® C-LV per crop.

Last application (days to harvest) = 7 days.

(Replaces R-1360 052013-4 05-20-13)

IMPORTANT NOTICE

BEFORE BUYING OR USING DUPONT PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.

It is a violation of federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This bulletin contains supplemental instructions for use of the referenced DuPont product. Follow these instructions carefully. This bulletin should be in the possession of the user at the time of application. **Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically directed by DuPont. User assumes all risks associated with such non-directed use. If the terms are not acceptable, return the product at once, unopened, for a refund of the purchase price. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.**

Copies of DuPont product labels are available by calling 1-888-6-DUPONT
or at <http://cropprotection.dupont.com/>

© 2016 E.I. du Pont de Nemours and Company, Chestnut Run Plaza, 974 Centre Road, Wilmington, DE 19805 U.S.A.