

## Supplemental Label



### For use in bearing and nonbearing bushberries

This supplemental label expires January 1, 2019, and must not be used or distributed after this date.

#### Active Ingredient\*:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine ..... 38.7%

**Other Ingredients:** ..... 61.3%

**Total:** ..... 100.0%

\*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

#### EPA Reg. No. 241-418

#### CAUTION

---

#### Directions For Use

---

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Prowl® H<sub>2</sub>O herbicide** container label, EPA Reg. No. 241-418, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Prowl H<sub>2</sub>O** before applying.
- Use of **Prowl H<sub>2</sub>O** according to this labeling is subject to the use precautions and restrictions imposed by the label affixed to the container for **Prowl H<sub>2</sub>O**.

---

#### Application Instructions

---

**Prowl H<sub>2</sub>O** may be applied to the following bearing and nonbearing bushberry crops:

Aronia berry

Blueberry, highbush

**Prowl H<sub>2</sub>O** may only be applied by ground.

---

#### Product Information

---

**Prowl H<sub>2</sub>O** is a selective herbicide for controlling most annual grasses and certain broadleaf weeds as they germinate. Refer to the **Prowl H<sub>2</sub>O** container label for a complete list of weeds controlled.

## **Use Methods, Timings, and Rates**

**Prowl® H<sub>2</sub>O herbicide** may be applied in a single application or sequentially with an interval of 30 days or more. Apply **Prowl H<sub>2</sub>O** at between 2.0 to 6.3 quarts per acre depending on the grower's weed control program, level of weed infestation, and desired use strategy (see chart following) per application but not to exceed a total of 6.3 quarts/A per year in bushberries.

### **Use Rate per Acre**

Low Use Rate	2.0 quarts
High Use Rate	4.0 to 6.3 quarts

### **Ground Applications (Bearing)**

Prowl H<sub>2</sub>O may be applied **surface incorporated** or **(surface) preemergence**.

Apply **Prowl H<sub>2</sub>O** as a broadcast or banded treatment using ground equipment before weed germination. Apply spray directly to the ground beneath the bushes and/or in areas between rows. **DO NOT** apply over the top of bushes with leaves, buds, or fruit. Contact by the spray mixture with leaves, shoots, or buds may cause injury.

### **Ground Applications (Nonbearing)**

Prowl H<sub>2</sub>O may be applied for preemergence weed control in nonbearing bushberry crops. **Prowl H<sub>2</sub>O** may be used after transplanting the nonbearing crops.

**Preemergence.** Applications may be in a band or broadcast.

### **Crop-specific Restrictions**

- **DO NOT** apply more than 6.3 quarts of **Prowl H<sub>2</sub>O** per acre per year in bushberries.
- **DO NOT** apply by air.
- **DO NOT** feed forage or graze livestock in treated field or planting.
- **Preharvest Interval (PHI):** 30 days.
- **DO NOT** apply to newly seeded nursery stock.

## **Conditions of Sale and Warranty**

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION (“BASF”) or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Prowl* is a registered trademark of BASF.

© 2016 BASF Corporation  
All rights reserved.

000241-00418.20160128.NVA **2016-04-195-0026**  
Based on: NVA 2014-04-195-0139

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



We create chemistry