

Supplemental Label

BIFENTURE® EC Agricultural Insecticide

(EPA Reg. No. 70506-57)

DIRECTIONS FOR USE ON PEANUTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the federally-registered label.

This label must be in the possession of the user at the time of pesticide application.

PESTS	RATE BIFENTURE		PHI
CONTROLLED	EC/ACRE	APPLICATION INSTRUCTIONS	(days)
Beet Armyworm	0.033 - 0.10 lb. ai	Apply in at least 10 gallons/A by ground or in 2	14
Corn Earworm	(2.1 – 6.4 fl. oz.	gallons/A by air. Do not apply more than once every 14	
Cutworm spp.	product)	days.	
Fall Armyworm			
Grasshoppers		Do not feed green immature plants and peanut hay to	
Green Cloverworm		livestock.	
Leafhoppers			
Lesser Cornstalk Borer		Do not apply more than 0.5 lb. ai/A per season.	
Loopers			
Rednecked Peanut			
Worm			
Southern Armyworm			
Southern corn			
Rootworm			
Stink Bugs			
Threecornered Alfalfa			
Hopper			
Velvetbean Caterpillar			
Yellowstriped Armyworm			
Aphids	0.08 – 0.10 lb. ai		
Spider Mites	(5.12 – 6.4 fl. oz.		
Thrips	product)		
Whitefly			

Rev. 5/09

CA appr. 10/28/09