

## Supplemental Label

**Verdict**<sup>®</sup>Powered by **Kixor**<sup>®</sup> Herbicide**For use in processing sweet corn**

This supplemental label expires March 1, 2019, and must not be used or distributed after this date.

**Active Ingredients\*:**

**saflufenacil:** N'-[2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-3,6-dihydro-1(2H)-pyrimidinyl)benzoyl]-N-isopropyl-N-methylsulfamide ..... 6.24%

**dimethenamid-P:** (S)-(2-chloro-N-[(1-methyl-2-methoxy)ethyl]-N-(2,4-dimethyl-thien-3-yl)-acetamide) ..... 55.04%

**Other Ingredients\*\*:** ..... 38.72%

**Total:** ..... 100.00%

\* Contains 0.57 pound of saflufenacil and 5.0 pounds of dimethenamid-P per gallon, formulated as an emulsifiable concentrate

\*\* Contains petroleum distillates

**EPA Reg. No. 7969-279**

**WARNING/PRECAUCION**

**Directions For Use**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Verdict**<sup>®</sup> herbicide container label, EPA Reg. No. 7969-279, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Verdict** before applying.
- Use of **Verdict** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Verdict**.

**Use Information**

**Verdict** may be applied preplant surface, preplant incorporated, or preemergence in processing sweet corn varieties only (not including fresh market varieties). Before applying **Verdict** to processing sweet corn, verify the selectivity of **Verdict** on your hybrid with your local seed company (supplier) to help avoid potential injury to sensitive hybrids.

**Application Rate**

**Verdict** can be applied as part of a planned sequential (two-pass) weed control program. **Verdict** use rates applied as the residual component of a planned sequential (two-pass) program (see table below) will provide control or suppression of listed weeds (refer to **Table 1** in the product container label for list of weeds controlled).

**Residual Preemergence Rates of Verdict in a Planned Sequential Program<sup>1</sup> in Processing Sweet Corn**

| Soil Texture <sup>2</sup> | Rate by Soil Texture<br>(fl ozs/A)                            |
|---------------------------|---------------------------------------------------------------|
| Coarse                    | 10<br>(DO NOT apply on coarse soils with ≤ 3% organic matter) |
| Medium                    | 10                                                            |
| Fine                      | 10                                                            |

<sup>1</sup> Application rates in this table will eliminate early season weed interference until cultivation or a labeled postemergence herbicide is applied.

<sup>2</sup> Refer to **Table 3** in product container label for definition of soil texture groups.

---

## Application Timings

---

### Preplant Surface and Preplant Incorporated Application (up to 14 days before planting)

**Verdict** can be applied at use rates specified in the table above to the soil surface or incorporated up to 14 days before planting on all soil types. For preplant incorporated applications, apply **Verdict** and incorporate into the upper soil surface (1 to 2 inches). Use a harrow, rolling cultivator, field cultivator, or other implement capable of providing uniform shallow incorporation. Avoid deeper incorporation or reduced weed control may result.

### Preemergence Surface Application

Apply **Verdict** at use rates specified in the table as a broadcast treatment to the soil surface after planting and before crop emergence. **Verdict** must be applied before crop emergence or injury will occur.

### Burndown plus Residual Weed Control

In addition to residual weed control obtained at any of the application timings described above, **Verdict** also provides burndown of emerged broadleaf weeds (refer to **Table 2** in the product container label). An adjuvant system (refer to **Additives** section in the product container label for details) is required for optimum burndown activity. Burndown control of emerged grass weeds or additional broadleaf weeds not listed on the label will require a tank mix with another herbicide (such as glyphosate).

Residual preemergence application rates of **Verdict** can follow a fall or early preplant burndown application of **Sharpen® herbicide**. However, **DO NOT** exceed the cropping seasonal maximum cumulative amount of saflufenacil per acre from all product sources. A minimum of 14 days is required between **Verdict** and **Sharpen** applications.

### Burndown Weed Control Only

If limited or no residual broadleaf weed control is desired, **Verdict** can be applied at 5.0 fl ozs/A (all soil types) with an adjuvant system any time before corn emergence to provide burndown of broadleaf weeds (refer to **Table 2** in the product container label). A burndown application of **Verdict** can be followed by residual rates of **Verdict** (see table) or **Sharpen**. Separate sequential applications by at least 14 days. However, **DO NOT** exceed the cropping seasonal maximum cumulative amount per acre of saflufenacil from all product sources per cropping season.

## Crop-specific Restrictions

- **DO NOT** apply **Verdict** after corn emergence or severe crop injury will occur.
- **DO NOT** apply **Verdict** where an at-planting application of an organophosphate or carbamate insecticide(s) is planned and/or has occurred because severe injury may result. **Verdict** may be applied with all other classes of at-planting insecticides including neonicotinoids and pyrethroids.

**EXCEPTION:** **Verdict** may be applied when **Aztec® 2.1% Granular Insecticide, AZTEC® 4.67 G granular insecticide, Fortress® 5G granular insecticide, or SmartChoice™ 5G granular insecticide** is applied at planting as a BAND, T-BAND, or IN-FURROW.

- **DO NOT** apply more than a maximum cumulative amount of 0.134 lb of saflufenacil per acre from all product sources per cropping season.
- **DO NOT** apply more than a maximum cumulative amount of 25.0 fl ozs/A of **Verdict** per cropping season.
- Sweet corn forage and silage can be harvested, fed, or grazed 80 or more days after application.

## Crop-specific Precautions

- **Verdict** application may result in delayed corn emergence and stunting under certain environmental conditions including cool temperatures, excessive rainfall/irrigation, and/or persistent wet soil conditions occurring after application.
- Ensure the corn seed row is closed. Soil conditions that cause poor seed furrow closure and coverage may result in delayed corn emergence or stunting.
- **Verdict** applied to processing sweet corn planted at depth of 1/2 inch or less may result in crop injury.

## Tank Mixes

**Verdict** may be tank mixed or applied sequentially with one or more of, but not limited to, the following herbicide products:

- **Clarity® herbicide**
- **Sharpen® herbicide**
- **Zidua® herbicide**
- glyphosate (e.g. **Roundup® herbicide**)

**NOTE:** Refer to tank mix product labels to confirm the respective tank mix products are registered for use on specific corn types; not all corn products are registered for use on processing sweet corn.

It is the pesticide user's responsibility to ensure that all products in the mixtures are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Clarity, Kixor, Sharpen, Verdict, and Zidua are registered trademarks of BASF.*

*Aztec is a registered trademark of Bayer.*

*Fortress is a registered trademark of AMVAC Chemical Corporation.*

*SmartChoice is a trademark of AMVAC Chemical Corporation.*

*Roundup is a registered trademark of Monsanto Technology LLC.*

© 2016 BASF Corporation  
All rights reserved.

007969-00279.20151029b.NVA 2015-04-320-0167  
Based on: NVA 2015-04-320-0179

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



We create chemistry