

SPECIAL LOCAL NEED SECTION 24(c) SUPPLEMENTAL LABELING

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Nufos[®] 4E

EPA Reg. No. 67760-28

EPA SLN No. MN-030009

EPA 24(c) Special Local Needs Registration

Minnesota

For use and distribution only in the State of Minnesota

READ THE ENTIRE LABEL FOR THE LISTED HERBICIDES BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING. FOLLOW ALL DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

"Label" as used in this supplemental labeling refers to the label booklet for the listed herbicides and this supplement.

FOR USE ON WHEAT

KEEP OUT OF REACH OF CHILDREN

IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL TOLL FREE, DAY OR NIGHT, 1-866-303-6950

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Nufos 4E insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Nufos 4E according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Nufos 4E.

Directions for Use

Use and Dosage Recommendations

Apply Nufos 4E at the rate of 1/2 to 1 pint per acre (0.25 to 0.5 lb ai/acre) to control aphids (including Russian wheat aphids) brown wheat mites or grasshoppers.

For control of wheat midges, use 1 pint of Nufos 4E per acre. Treatment is recommended when 75% of the wheat heads have emerged from the boot and when midge adults are found in the crop (1 midge per 4-5 heads). Application timing is critical to ensure good control. If possible, apply in the late afternoon or early evening when temperatures exceed 50°F and wind speed is less than 7 mph.

For control of army cutworms and suppression of other cutworm species, use 1 pint of Nufos 4E per acre. Control may be reduced under high temperature conditions (greater than 80°F), under dry soil conditions, or if larvae are more than 1/2 inch long. Treat when field counts or crop injury indicates that damaging pest populations are developing or present. A second application of 1 pint/acre may be made for additional control.

Mix the required dosage with water and apply in a minimum of 2 gallons per acre finished spray volume. Apply using aerial (fixed wing or helicopter) or power-operated ground spray equipment. Nufos 4E may also be applied through sprinkler-irrigation systems.

Report any bird or fish kills which may be associated with the use of chlorpyrifos by calling toll free 1-800-548-6113.

Restrictions

Do not make more than two applications per crop.

Do not apply within 28 days of harvest.

Do not allow livestock to graze or otherwise feed treated forage to livestock within 14 days of application.

Do not feed straw from treated wheat within 28 days of application.

Do not apply directly to bodies of water.

Do not apply product where runoff is likely to occur to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).

Do not apply when weather conditions favor drift or runoff from treated areas.

Ground Application

For ground applications, the distance from treated areas to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters) must be 30 feet or more.

Do not make ground applications if wind speed is greater than 15 mph.

Do not apply at spray boom pressures greater than 45 psi.

Aerial Application

Do not apply by air within 300 feet of aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).

Do not make aerial applications of Nufos 4E when wind speeds exceed 10 mph or when an atmospheric temperature inversion exists.

Boom length should not exceed 75% of the wing span and release height for aerial applications should be no greater than 10 feet above the crop canopy.

Manufactured for:
Cheminova, Inc.
1700 Route 23
Wayne, NJ 07470

