

RESTRICTED USE PESTICIDE

Due to toxicity to aquatic invertebrate animals.
For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



Micromite[®] 80WGS

INSECT GROWTH REGULATOR

PRODUCT INFORMATION BULLETIN

Supplemental Recommendation

for the Use of

Micromite 80WGS - EPA Reg. No. 400-487

FIFRA 2(ee) recommendation for use in Florida.

Asian Citrus Psyllid

Micromite 80WGS applied at 6.25 oz/A to immature citrus leaf flush(es) can significantly reduce nymphal populations of Asian Citrus Psyllid (*Diaphorina citri*) for up to 14 days or longer. Micromite 80WGS will not control the adult stage of Asian Citrus Psyllid. Micromite 80WGS applied in a tank mix(es) with product(s) that have adult psyllid activity, such as petroleum spray oil (FC-435-66 and others), will help control adults and enhance coverage of citrus foliage.

The performance of Micromite 80WGS is highly dependent upon the timeliness of its application to the immature citrus leaf flush, as well as overall spray coverage. Spray Micromite 80WGS when psyllids are first observed in trees; and leaf flush, flower buds, or blooms are present for best performance.

The addition of a high quality spray adjuvant(s) to enhance spray coverage is recommended.

This recommendation is made under the warranty statements and conditions specified on the label for Micromite 80WGS. It is important to read and observe all restrictions, precautions and other information appearing on the label.